

ENGINEERING INDEX PROPERTIES  
Reno County, Kansas

Engineering Index Properties table gives the engineering classifications and the range of index properties for the layers of each soil in the survey area. Depth to the upper and lower boundaries of each layer is indicated. Texture is given in the standard terms used by the U.S. Department of Agriculture. These terms are defined according to percentages of sand, silt, and clay in the fraction of the soil that is less than 2 millimeters in diameter. Loam, for example, is soil that is 7 to 27 percent clay, 28 to 50 percent silt, and less than 52 percent sand. If the content of particles coarser than sand is 15 percent or more, an appropriate modifier is added, for example, gravelly. Textural terms are defined in the Glossary.

Classification of the soils is determined according to the Unified soil classification system (ASTM, 1998) and the system adopted by the American Association of State Highway and Transportation Officials (AASHTO, 1998). The Unified system classifies soils according to properties that affect their use as construction material. Soils are classified according to particle-size distribution of the fraction less than 3 inches in diameter and according to plasticity index, liquid limit, and organic matter content. Sandy and gravelly soils are identified as GW, GP, GM, GC, SW, SP, SM, and SC; silty and clayey soils as ML, CL, OL, MH, CH, and OH; and highly organic soils as PT. Soils exhibiting engineering properties of two groups can have a dual classification, for example, CL-ML.

The AASHTO system classifies soils according to those properties that affect roadway construction and maintenance. In this system, the fraction of a mineral soil that is less than 3 inches in diameter is classified in one of seven groups from A-1 through A-7 on the basis of particle-size distribution, liquid limit, and plasticity index. Soils in group A-1 are coarse grained and low in content of fines (silt and clay). At the other extreme, soils in group A-7 are fine grained. Highly organic soils are classified in group A-8 on the basis of visual inspection. If laboratory data are available, the A-1, A-2, and A-7 groups are further classified as A-1-a, A-1-b, A-2-4, A-2-5, A-2-6, A-2-7, A-7-5, or A-7-6. As an additional refinement, the suitability of a soil as subgrade material can be indicated by a group index number. Group index numbers range from 0 for the best subgrade material to 20 or higher for the poorest. The AASHTO classification for soils tested, with group index numbers in parentheses, is given in Engineering Index Properties table.

Rock fragments larger than 10 inches in diameter and 3 to 10 inches in diameter are indicated as a percentage of the total soil on a dry-weight basis. The percentages are estimates determined mainly by converting volume percentage in the field to weight percentage. Percentage (of soil particles) passing designated sieves is the percentage of the soil fraction less than 3 inches in diameter based on an oven-dry weight. The sieves, numbers 4, 10, 40, and 200 (USA Standard Series), have openings of 4.76, 2.00, 0.420, and 0.074 millimeters, respectively. Estimates are based on laboratory tests of soils sampled in the survey area and in nearby areas and on estimates made in the field.

Liquid limit and plasticity index (Atterberg limits) indicate the plasticity characteristics of a soil. The estimates are based on test data from the survey area or from nearby areas and on field examination. The estimates of particle-size distribution, liquid limit, and plasticity index are generally rounded to the nearest 5 percent. Thus, if the ranges of gradation and Atterberg limits extend a marginal amount (1 or 2 percentage points) across classification boundaries, the classification in the marginal zone is generally omitted in the table.

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
990: Abbyville-----	0-8	Loam	CL	A-4, A-6	0	0	100	100	85-95	50-70	25-35	10-15
	8-15	Sandy clay loam	CL, SC	A-4, A-6	0	0	100	100	90-100	45-65	30-35	10-15
	15-24	Clay loam	CL	A-6, A-7-6	0	0	100	100	90-100	50-80	35-45	15-20
	24-35	Clay loam	CL	A-6, A-7-6	0	0	100	100	90-100	50-80	35-45	15-20
	35-49	Clay loam	CL	A-7-6, A-6	0	0	100	100	90-100	50-80	35-45	15-20
	49-61	Sandy clay loam	CL, SC	A-6, A-7-6	0	0	100	100	80-100	40-65	30-42	15-20
	61-69	Loam	CL, SC	A-6, A-7-6	0	0	100	100	80-100	40-65	30-42	15-20
	69-80	Clay loam	CL, SC	A-7-6, A-6	0	0	100	100	80-100	40-65	30-42	15-20
991: Abbyville, rarely flooded	0-8	Fine sandy loam	SC-SM	A-4	0	0	100	100	85-95	36-45	20-30	5-10
	8-15	Sandy clay loam	CL, SC	A-4, A-6	0	0	100	100	90-100	45-65	30-35	10-15
	15-24	Clay loam	CL	A-6, A-7-6	0	0	100	100	90-100	50-80	35-45	15-20
	24-35	Clay loam	CL	A-6, A-7-6	0	0	100	100	90-100	50-80	35-45	15-20
	35-49	Clay loam	CL	A-6, A-7-6	0	0	100	100	90-100	50-80	35-45	15-20
	49-61	Sandy clay loam	CL, SC	A-6, A-7-6	0	0	100	100	80-100	40-65	30-42	15-20
	61-69	Loam	CL, SC	A-6, A-7-6	0	0	100	100	80-100	40-65	30-42	15-20
	69-80	Clay loam	CL, SC	A-6, A-7-6	0	0	100	100	80-100	40-65	30-42	15-20
Kisiwa, occasionally flooded-----	0-4	Loam	CL	A-4, A-6	0	0	100	100	85-96	60-75	30-35	10-15
	4-7	Loam	CL	A-6, A-4	0	0	100	100	85-96	60-75	30-35	10-15
	7-14	Clay loam	CL	A-7-6, A-6	0	0	100	95-100	90-100	65-95	35-45	15-20
	14-23	Clay loam	CL	A-7-6, A-6	0	0	100	95-100	90-100	65-95	35-45	15-20
	23-31	Clay	CL, CH	A-7-6, A-6	0	0	100	95-100	90-100	70-80	35-55	15-30
	31-40	Clay	CL, CH	A-7-6, A-6	0	0	100	95-100	90-100	70-80	35-55	15-30
	40-46	Loam	CL, CH	A-7-6, A-6	0	0	94-100	90-100	85-100	55-80	35-55	15-30
	46-52	Fine sandy loam	CL, ML, SM, SC	A-4	0	0	85-100	82-100	60-95	40-50	0-30	NP-10
	52-58	Fine sandy loam	ML, CL, SM, SC	A-4	0	0	89-100	80-100	60-95	40-50	0-30	NP-10
	58-65	Stratified coarse sand to fine sandy loam	SM, SC, SC-SM	A-4, A-2-4	0	0	100	95-100	50-90	15-60	0-25	NP-10
	65-80	Stratified coarse sand	SM, SC, SC-SM	A-2-4	0	0	100	100	50-70	15-30	0-25	NP-10
1004: Albion-----	0-9	Sandy loam	SC, SC-SM, SM	A-2-4, A-4	0	0	100	75-100	60-90	25-45	0-25	NP-10
	9-16	Sandy loam	SM, SC, SC-SM	A-2-4, A-4	0	0	85-100	75-100	50-95	25-40	20-30	NP-10
	16-27	Sandy loam	SC, SC-SM, SM	A-2-4, A-4	0	0	85-100	75-100	50-95	25-40	20-30	NP-10
	27-48	Loamy coarse sand	SC, SC-SM, SM	A-1-b, A-2-4	0	0	85-100	75-90	40-70	15-30	0-25	NP-10
	48-80	Sand	GM, GP-GM, SM, SP-SM, SP-SC, GP-GC	A-3, A-1-b, A-2-4	0	0-5	40-100	35-85	30-70	5-30	0-20	NP-5
1011: Albion-----	0-9	Sandy loam	SC, SC-SM, SM	A-2-4, A-4	0	0	100	75-100	60-90	25-45	0-25	NP-10
	9-16	Sandy loam	SC, SC-SM, SM	A-2-4, A-4	0	0	85-100	75-100	50-95	25-40	20-30	NP-10
	16-27	Sandy loam	SC, SC-SM, SM	A-2-4, A-4	0	0	85-100	75-100	50-95	25-40	20-30	NP-10
	27-48	Loamy coarse sand	SC, SC-SM, SM	A-1-b, A-2-4	0	0	85-100	75-90	40-70	15-30	0-25	NP-10
	48-80	Sand	GM, GP-GM, SM, SP-SM, GP-GC, SP-SC	A-3, A-1-b, A-2-4	0	0-5	40-100	35-85	30-70	5-30	0-20	NP-5
Shellabarger---	0-7	Sandy loam	SM, ML	A-4, A-2	0	0	95-100	95-100	75-100	30-55	0-30	NP-5
	7-11	Sandy clay loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20
	11-19	Sandy clay loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20
	19-33	Sandy loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20
	33-47	Coarse sandy loam	SC, SM, SP- SM, SC-SM, SP-SC	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10
	47-59	Loamy sand	SC, SM, SP- SM, SC-SM, SP-SC	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10
	59-73	Sand	SC, SM, SP- SM, SC-SM, SP-SC	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10
	73-80	Sand	SC, SM, SP- SM, SC-SM, SP-SC	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10
1057: Aqunts-----	0-3	Silty clay loam	CL	A-7, A-6	0	0	100	100	100	90-100	35-50	15-30
	3-8	Sandy clay loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20
	8-12	Stratified gravelly coarse sand	SP, SP-SM	A-1-b, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
	12-80	Stratified gravelly coarse sand to sand	SP, SP-SM	A-1-b, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
1061: Arents, Earthen Dam-----	---	---	---	---	---	---	---	---	---	---	---	---
1062: Arents, Landfil	---	---	---	---	---	---	---	---	---	---	---	---

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
1070: Avans-----	0-5	Loam	CL	A-6	0	0	100	100	95-100	80-100	25-30	10-15
	5-10	Loam	CL	A-6	0	0	100	100	95-100	80-100	25-30	10-15
	10-14	Loam	CL	A-6	0	0	100	100	95-100	80-100	25-30	10-15
	14-19	Clay loam	CL	A-6, A-7-6	0	0	100	100	95-100	80-95	35-45	15-20
	19-30	Clay loam	CL	A-6, A-7-6	0	0	100	100	95-100	80-95	35-45	15-20
	30-43	Loam	CL	A-6	0	0	100	100	95-100	80-95	30-35	10-15
	43-53	Loam	CL	A-6	0	0	100	100	95-100	80-95	30-35	10-15
	53-65	Silt loam	CL	A-6	0	0	100	100	95-100	80-95	30-35	10-15
	65-80	Loam	CL	A-6	0	0	99-100	99-100	95-100	80-95	30-35	10-15
1071: Avans-----	0-5	Loam	CL	A-6	0	0	100	100	95-100	80-100	25-30	10-15
	5-10	Loam	CL	A-6	0	0	100	100	95-100	80-100	25-30	10-15
	10-14	Silt loam	CL	A-6	0	0	100	100	95-100	80-100	25-30	10-15
	14-19	Clay loam	CL	A-6, A-7-6	0	0	100	100	95-100	80-95	35-45	15-20
	19-30	Loam	CL	A-6, A-7-6	0	0	100	100	95-100	80-95	35-45	15-20
	30-43	Loam	CL	A-6	0	0	100	100	95-100	80-95	30-35	10-15
	43-53	Silt loam	CL	A-6	0	0	100	100	95-100	80-95	30-35	10-15
	53-65	Silt loam	CL	A-6	0	0	100	100	95-100	80-95	30-35	10-15
	65-80	Loam	CL	A-6	0	0	99-100	99-100	95-100	80-95	30-35	10-15
1072: Avans-----	0-5	Loam	CL	A-6	0	0	100	100	95-100	80-100	25-30	10-15
	5-10	Loam	CL	A-6	0	0	100	100	95-100	80-100	25-30	10-15
	10-14	Silt loam	CL	A-6	0	0	100	100	95-100	80-100	25-30	10-15
	14-19	Clay loam	CL	A-6, A-7-6	0	0	100	100	95-100	80-95	35-45	15-20
	19-30	Loam	CL	A-6, A-7-6	0	0	100	100	95-100	80-95	35-45	15-20
	30-43	Loam	CL	A-6	0	0	100	100	95-100	80-95	30-35	10-15
	43-53	Silt loam	CL	A-6	0	0	100	100	95-100	80-95	30-35	10-15
	53-65	Silt loam	CL	A-6	0	0	100	100	95-100	80-95	30-35	10-15
	65-80	Loam	CL	A-6	0	0	99-100	99-100	95-100	80-95	30-35	10-15
1191: Blazefork-----	0-3	Silty clay loam	CL, CH	A-7-6	0	0	100	100	95-100	85-95	45-55	25-35
	3-7	Silty clay loam	CH, CL	A-7-6	0	0	100	100	95-100	85-95	45-55	25-35
	7-14	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	14-22	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	22-29	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	29-34	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	34-40	Silty clay	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30
	40-48	Silty clay loam	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30
	48-61	Clay loam	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30
	61-80	Loam	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30
1192: Blazefork-----	0-3	Silty clay loam	CL, CH	A-7-6	0	0	100	100	95-100	85-95	45-55	25-35
	3-7	Silty clay loam	CH, CL	A-7-6	0	0	100	100	95-100	85-95	45-55	25-35
	7-14	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	14-22	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	22-29	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	29-34	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	34-40	Silty clay	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30
	40-48	Silty clay loam	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30
	48-61	Clay loam	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30
	61-80	Loam	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30
Kaskan-----	0-7	Loam	CL	A-6	0	0	100	100	95-100	85-100	30-35	10-15
	7-17	Clay loam	CL	A-6, A-7	0	0	100	100	100	85-100	35-45	15-20
	17-24	Loam	CL	A-6	0	0	100	100	80-95	60-80	30-35	10-15
	24-35	Fine sandy loam	SC, SC-SM	A-2-4, A-4	0	0	100	100	70-85	30-45	20-30	5-10
	35-41	Loamy fine sand	SM	A-2-4	0	0	100	95-100	65-85	15-30	0-0	NP
	41-47	Fine sand	SM	A-2-4	0	0	100	95-100	65-85	15-30	0-0	NP
	47-66	Sand	SM	A-2-4	0	0	100	95-100	65-85	15-30	0-0	NP
	66-80	Stratified gravelly coarse sand to sand	SP, SP-SM	A-1-b, A-2-4, A-3	0	0	95-100	75-95	35-55	1-10	0-0	NP
1200: Buhler-----	0-3	Silty clay loam	CH, CL	A-6, A-7-6	0	0	100	100	95-100	85-95	35-55	15-30
	3-8	Silty clay loam	CH, CL	A-6, A-7-6	0	0	100	100	95-100	85-95	35-55	15-30
	8-12	Silt loam	CL	A-6	0	0	100	100	80-95	60-85	25-30	10-15
	12-16	Silt loam	CL	A-6	0	0	100	100	80-95	60-85	25-30	10-15
	16-24	Clay loam	CL	A-6, A-7-6	0	0	100	100	95-100	90-99	30-50	15-25
	24-36	Silty clay loam	CL	A-6, A-7-6	0	0	100	100	95-100	90-99	30-50	15-25
	36-42	Silty clay loam	CL	A-6, A-7-6	0	0	100	100	95-100	90-99	30-50	15-25
	42-50	Clay	CH, CL	A-6, A-7-6	0	0	100	100	80-100	75-95	35-55	15-30
	50-58	Clay loam	CH, CL	A-6, A-7-6	0	0	100	100	80-100	75-95	35-55	15-30
	58-76	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	55-70	40-60	20-30	5-10
	76-80	Loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	55-70	40-60	20-30	5-10
Blazefork-----	0-3	Silty clay loam	CL, CH	A-7-6	0	0	100	100	95-100	85-95	45-55	25-35
	3-7	Silty clay loam	CH, CL	A-7-6	0	0	100	100	95-100	85-95	45-55	25-35
	7-14	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	14-22	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	22-29	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	29-34	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	34-40	Silty clay	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30
	40-48	Silty clay loam	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30
	48-61	Clay loam	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30
	61-80	Loam	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
1324: Carway-----	0-7	Fine sandy loam	SC, CL	A-2-6, A-6	0	0	100	100	80-95	30-55	20-30	10-15
	7-10	Sandy clay loam	SC, CL	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	10-15	Sandy clay loam	SC, CL	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	15-22	Fine sandy loam	SC, CL	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	22-35	Fine sandy loam	SC, CL	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	35-40	Clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-60	25-40
	40-54	Clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-60	25-40
	54-63	Clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-60	25-40
	63-72	Clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-60	25-40
	72-80	Clay loam	SC, CL	A-6	0	0	100	100	75-90	45-60	25-35	10-15
Carbika-----	0-11	Silt loam	SC-SM, SM	A-2-4, A-4	0	0	100	100	90-100	30-45	20-30	1-7
	11-15	Clay	CH, CL	A-7-6	0	0	100	100	90-100	85-99	45-55	30-35
	15-22	Clay loam	CH, CL	A-7-6	0	0	100	100	90-100	85-99	45-55	30-35
	22-34	Clay loam	CL, SC	A-4, A-6	0	0	100	100	85-100	45-60	30-35	10-15
	34-41	Clay loam	CL, SC	A-4, A-6	0	0	100	100	85-100	45-60	30-35	10-15
	41-60	Clay loam	CL, SC	A-4, A-6	0	0	100	100	85-100	45-60	30-35	10-15
	60-80	Clay loam	CL, SC	A-4, A-6	0	0	100	100	85-100	45-60	30-35	10-15
1357: Carway-----	0-7	Loamy fine sand	SM, SC-SM	A-2-4	0	0	100	100	85-100	15-30	10-20	NP-5
	7-10	Sandy clay loam	SC, CL	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	10-15	Sandy clay loam	SC, CL	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	15-22	Fine sandy loam	SC, CL	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	22-35	Fine sandy loam	SC, CL	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	35-40	Clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-60	25-40
	40-54	Clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-60	25-40
	54-63	Clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-60	25-40
	63-72	Clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-60	25-40
	72-80	Clay loam	SC, CL	A-6	0	0	100	100	75-90	45-60	25-35	10-15
Dillhut-----	0-10	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	100	80-100	5-15	0-0	NP
	10-29	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-15	0-0	NP
	29-35	Fine sandy loam	CL, SC	A-6	0	0	100	100	80-100	40-55	30-40	10-20
	35-43	Fine sandy loam	CL, SC	A-6	0	0	100	100	80-100	40-55	30-40	10-20
	43-54	Clay loam	CL	A-7-6	0	0	100	100	90-100	70-100	40-50	20-25
	54-66	Clay loam	CL	A-7-6	0	0	100	100	90-100	70-100	40-50	20-25
	66-80	Clay loam	CL	A-7-6	0	0	100	100	90-100	70-100	40-50	20-25
Solvay-----	0-5	Loamy fine sand	CL-ML, SC, SC-SM, SM	A-2-4, A-4	0	0	100	100	80-100	25-49	20-30	3-10
	5-14	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	14-23	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	23-37	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	37-58	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	55-100	20-52	20-30	5-10
	58-76	Loamy fine sand	SC, SC-SM, CL, CL-ML	A-4	0	0	100	100	55-100	20-52	20-30	5-10
	76-80	Loamy fine sand	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	55-100	20-52	20-30	5-10
1359: Clark-----	0-11	Loam	CL, CL-ML	A-4, A-6	0	0	100	95-100	80-95	60-75	25-35	5-15
	11-16	Loam	CL	A-6	0	0	100	95-100	80-100	50-80	30-40	10-20
	16-28	Loam	CL, CL-ML	A-4	0	0	100	95-100	80-100	50-80	30-40	10-20
	28-45	Fine sandy loam	CL, CL-ML	A-4	0	0	100	95-100	80-100	50-80	30-40	10-20
	45-65	Fine sandy loam	CL, CL-ML	A-4	0	0	100	95-100	80-100	50-80	30-40	10-20
	65-80	Very fine sandy loam	CL, CL-ML	A-4	0	0	100	95-100	80-100	50-80	30-40	10-20
Ost-----	0-8	Loam	CL, CL-ML	A-6, A-4	0	0	95-100	95-100	85-95	60-75	20-35	5-15
	8-12	Loam	CL	A-6, A-7	0	0	95-100	90-100	85-100	60-80	30-45	10-20
	12-18	Loam	CL	A-6, A-7	0	0	95-100	90-100	85-100	60-80	30-45	10-20
	18-23	Clay loam	CL, SC	A-6, A-7	0	0	95-100	90-100	80-100	35-80	30-45	10-20
	23-38	Clay loam	CL, SC, SC-SM, CL-ML, ML, SM	A-2, A-4, A-6	0	0	85-100	85-100	60-100	30-80	20-40	5-20
	38-54	Loam	CL, SC, SC-SM, CL-ML, ML, SM	A-2, A-4, A-6	0	0	85-100	85-100	60-100	30-80	20-40	5-20
	54-80	Loam	CL, SC, SC-SM, CL-ML, ML, SM	A-2, A-4, A-6	0	0	85-100	85-100	60-100	30-80	20-40	5-20
1428: Crete-----	0-5	Silt loam	CL, ML	A-4, A-6	0	0	100	100	100	90-100	30-40	5-15
	5-9	Silty clay loam	CL	A-6, A-7	0	0	100	100	100	90-100	35-50	15-30
	9-19	Silty clay loam	CH	A-7	0	0	100	100	100	90-100	50-65	25-40
	19-27	Silty clay	CH	A-7	0	0	100	100	100	90-100	50-65	25-40
	27-38	Silty clay	CH	A-7	0	0	100	100	100	90-100	50-65	25-40
	38-48	Silty clay loam	CH, CL	A-6, A-7	0	0	100	100	100	95-100	30-55	10-35
	48-80	Silty clay loam	CH, CL	A-6, A-7	0	0	100	100	100	95-100	30-55	10-35
1429: Crete-----	0-5	Silt loam	CL, ML	A-4, A-6	0	0	100	100	100	90-100	30-40	5-15
	5-9	Silty clay loam	CL	A-6, A-7	0	0	100	100	100	90-100	35-50	15-30
	9-19	Silty clay	CH	A-7	0	0	100	100	100	90-100	50-65	25-40
	19-27	Silty clay	CH	A-7	0	0	100	100	100	90-100	50-65	25-40
	27-38	Silty clay	CH	A-7	0	0	100	100	100	90-100	50-65	25-40
	38-48	Silty clay loam	CH, CL	A-6, A-7	0	0	100	100	100	95-100	30-55	10-35
	48-80	Silt loam	CH, CL	A-6, A-7	0	0	100	100	100	95-100	30-55	10-35

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
1553: Darlow-----	0-5	Loam	CL, CL-ML	A-4, A-6	0	0	100	100	85-95	53-75	21-30	4-11
	5-8	Loam	CL, CL-ML	A-4, A-6	0	0	100	100	85-95	53-75	21-30	4-11
	8-14	Loam	CL	A-6	0	0	100	100	90-100	60-80	30-39	11-18
	14-20	Clay loam	CL	A-6	0	0	100	100	90-100	60-80	30-39	11-18
	20-26	Loam	CL	A-6	0	0	100	100	90-100	60-80	30-39	11-18
	26-33	Loam	CL	A-6, A-7-6	0	0	100	100	90-100	55-80	30-44	11-22
	33-44	Loam	CL	A-6, A-7-6	0	0	100	100	90-100	55-80	30-44	11-22
	44-53	Loam	CL, CL-ML, SC, SC-SM	A-4, A-6	0	0	100	100	90-100	40-52	23-37	6-16
	53-68	Loam	CL, CL-ML, SC, SC-SM	A-4, A-6	0	0	100	100	90-100	40-52	23-37	6-16
Elmer-----	68-80	Sandy loam	SC-SM, SM	A-2	0	0	100	99-100	80-90	16-32	10-18	NP-5
	0-6	Fine sandy loam	CL, CL-ML, ML	A-4	0	0	100	100	90-100	50-60	20-30	3-10
	6-9	Fine sandy loam	CL, CL-ML, ML	A-4	0	0	100	100	90-100	50-60	20-30	3-10
	9-19	Fine sandy loam	CL, CL-ML, ML	A-4	0	0	100	100	90-100	50-60	20-30	3-10
	19-26	Fine sandy loam	CL, SC	A-6	0	0	100	98-100	90-100	45-60	25-35	10-20
	26-37	Fine sandy loam	CL, SC	A-6	0	0	100	98-100	90-100	45-60	25-35	10-20
	37-43	Loam	CL	A-6, A-7-6	0	0	99-100	98-100	90-100	65-85	30-45	15-25
	43-51	Clay loam	CL	A-6, A-7-6	0	0	99-100	98-100	90-100	65-85	30-45	15-25
	51-61	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-2-4, A-2-6, A-4, A-6	0	0	98-100	97-100	85-95	34-55	20-30	6-16
	61-72	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-2-4, A-2-6, A-4, A-6	0	0	98-100	97-100	85-95	34-55	20-30	6-16
	72-80	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-2-4, A-2-6, A-4, A-6	0	0	98-100	97-100	85-95	34-55	20-30	6-16
1554: Dillhut-----	0-10	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	100	80-100	5-15	0-0	NP
	10-29	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-15	0-0	NP
	29-35	Fine sandy loam	CL, SC	A-6	0	0	100	100	80-100	40-55	30-40	10-20
	35-43	Fine sandy loam	CL, SC	A-6	0	0	100	100	80-100	40-55	30-40	10-20
	43-54	Clay loam	CL	A-7-6	0	0	100	100	90-100	70-100	40-50	20-25
	54-66	Clay loam	CL	A-7-6	0	0	100	100	90-100	70-100	40-50	20-25
	66-80	Clay loam	CL	A-7-6	0	0	100	100	90-100	70-100	40-50	20-25
1555: Dillhut-----	0-4	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	100	80-100	5-15	0-0	NP
	4-9	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	100	80-100	5-15	0-0	NP
	9-18	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-15	0-0	NP
	18-26	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-15	0-0	NP
	26-41	Fine sandy loam	CL, SC, SC-SM	A-6	0	0	100	100	80-100	36-55	30-40	10-20
	41-55	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-2, A-4, A-6	0	0	100	100	80-95	30-55	26-32	7-11
	55-65	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-2, A-4, A-6	0	0	100	100	80-95	30-55	26-32	7-11
	65-70	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-2, A-4, A-6	0	0	100	100	80-95	30-55	26-32	7-11
	70-80	Fine sandy loam	SC, SC-SM, SM, SP-SC, SP-SM	A-2-4	0	0	100	100	50-70	5-25	22-30	NP-10
Plev-----	0-4	Loamy fine sand	SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-10	0-19	NP-3
	4-12	Fine sand	SP-SM	A-3	0	0	100	100	80-100	5-10	0-0	NP
	12-35	Fine sand	SP-SM	A-3	0	0	100	100	80-100	5-10	0-0	NP
	35-46	Fine sand	SP-SM	A-3	0	0	100	100	80-100	5-10	0-0	NP
	46-57	Fine sandy loam	SC, SC-SM	A-2-4, A-2-6, A-4, A-6	0	0	100	100	80-95	30-45	20-35	5-15
	57-75	Fine sandy loam	SC, SC-SM	A-2-4, A-2-6, A-4, A-6	0	0	100	100	80-95	30-45	20-35	5-15
	75-80	Loamy fine sand	SP-SM	A-2-4, A-3	0	0	100	100	50-70	5-10	0-0	NP
1556: Dillhut-----	0-4	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	100	80-100	5-15	0-0	NP
	4-9	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	100	80-100	5-15	0-0	NP
	9-18	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-15	0-0	NP
	18-26	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-15	0-0	NP
	26-41	Fine sandy loam	CL, SC, SC-SM	A-6	0	0	100	100	80-100	36-55	30-40	10-20
	41-55	Fine sandy loam	CL-ML, SC, SC-SM, CL	A-2, A-4, A-6	0	0	100	100	80-95	30-55	26-32	7-11
	55-65	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-2, A-4, A-6	0	0	100	100	80-95	30-55	26-32	7-11
	65-70	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-2, A-4, A-6	0	0	100	100	80-95	30-55	26-32	7-11
	70-80	Fine sandy loam	SC, SC-SM, SM, SP-SC, SP-SM	A-2-4	0	0	100	100	50-70	5-25	22-30	NP-10
Solvay-----	0-5	Fine sandy loam	CL-ML, SC, SC-SM, SM	A-2-4, A-4	0	0	100	100	80-100	25-49	20-30	3-10
	5-14	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	14-23	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	23-37	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	37-58	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	55-100	20-52	20-30	5-10
	58-76	Loamy fine sand	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	55-100	20-52	20-30	5-10
	76-80	Loamy fine sand	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	55-100	20-52	20-30	5-10

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index	
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200			
	In				Pct	Pct					Pct		
1725: Farnum-----	0-5	Loam	CL-ML, CL	A-4, A-6	0	0	100	100	90-100	60-85	20-35	5-15	
	5-15	Loam	CL-ML, CL	A-4, A-6	0	0	100	100	90-100	60-85	20-35	5-15	
	15-21	Loam	CL	A-6	0	0	100	100	85-100	60-80	30-40	10-15	
	21-34	Sandy clay loam	SC, CL	A-6, A-7-6	0	0	100	100	70-100	45-80	35-50	15-30	
	34-48	Loam	SC, CL	A-6, A-7-6	0	0	100	100	70-100	45-80	35-50	15-30	
	48-61	Clay loam	SC, CL	A-6, A-7-6	0	0	100	100	70-100	45-80	35-50	15-30	
	61-73	Clay loam	SC, CL	A-6, A-7-6	0	0	100	100	70-100	45-80	35-50	15-30	
	73-80	Loam	SC, CL, SC- SM, CL-ML	A-2, A-4, A-6	0	0	100	95-100	65-100	30-80	20-35	5-15	
	Funmar-----	0-6	Loam	CL-ML, CL	A-4, A-6	0	0	100	100	85-100	60-85	25-35	5-15
6-12		Loam	CL-ML, CL	A-4, A-6	0	0	100	100	85-100	60-85	25-35	5-15	
12-17		Loam	CL, ML	A-6, A-4, A- 7-6	0	0	100	100	85-100	60-80	30-45	7-20	
17-26		Clay loam	CL, ML	A-6, A-4, A- 7-6	0	0	100	100	85-100	60-80	30-45	7-20	
26-32		Loam	CL, ML	A-6, A-4, A- 7-6	0	0	100	100	85-100	60-80	30-45	7-20	
32-38		Silty clay loam	CL	A-6, A-7-6	0	0	100	100	90-100	75-100	40-50	20-30	
38-54		Silty clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-100	45-60	25-35	
54-66		Silty clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-100	45-60	25-35	
66-80		Silty clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-100	45-60	25-35	
1727: Funmar-----	0-6	Loam	CL-ML, CL	A-4, A-6	0	0	100	100	85-100	60-85	25-35	5-15	
	6-12	Loam	CL-ML, CL	A-4, A-6	0	0	100	100	85-100	60-85	25-35	5-15	
	12-17	Loam	CL, ML	A-6, A-4, A- 7-6	0	0	100	100	85-100	60-80	30-45	7-20	
	17-26	Clay loam	CL, ML	A-6, A-4, A- 7-6	0	0	100	100	85-100	60-80	30-45	7-20	
	26-32	Loam	CL, ML	A-6, A-4, A- 7-6	0	0	100	100	85-100	60-80	30-45	7-20	
	32-38	Silty clay loam	CL	A-6, A-7-6	0	0	100	100	90-100	75-100	40-50	20-30	
	38-54	Silty clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-100	45-60	25-35	
	54-66	Silty clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-100	45-60	25-35	
	66-80	Silty clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-100	45-60	25-35	
Taver-----	0-7	Loam	CL	A-4, A-6	0	0	100	100	96-100	65-85	28-34	9-14	
	7-17	Silty clay loam	CH, CL	A-7-6	0	0	100	100	96-100	90-99	48-60	30-40	
	17-33	Silty clay	CH, CL	A-7-6	0	0	100	100	96-100	90-99	48-60	30-40	
	33-53	Silty clay loam	CH, CL	A-7-6	0	0	100	100	96-100	90-99	48-60	30-40	
	53-64	Clay loam	CL	A-4, A-6	0	0	100	100	90-100	60-80	30-40	15-20	
	64-80	Sandy clay loam	CL	A-4, A-6	0	0	100	100	90-100	60-80	30-40	15-20	
	1804: Geary-----	0-6	Silt loam	CL	A-6	0	0	100	100	95-100	85-95	35-40	15-20
		6-14	Silt loam	CL	A-6, A-7	0	0	100	100	90-100	80-100	25-45	10-20
		14-25	Silty clay loam	CL	A-7, A-6	0	0	100	100	90-100	70-95	25-45	15-25
25-37		Silty clay loam	CL	A-7, A-6	0	0	100	100	90-100	70-95	25-45	15-25	
37-51		Silty clay loam	CL	A-7, A-6	0	0	100	100	90-100	70-95	25-45	15-25	
51-80		Silty clay loam	CL	A-6, A-7	0	0	100	100	90-100	70-100	25-45	10-20	
1807: Geary, Moderately Eroded-----	0-5	Silty clay loam	CL	A-6, A-7	0	0	100	100	95-100	85-95	35-45	15-20	
	5-19	Silty clay loam	CL	A-6, A-7	0	0	100	100	95-100	85-95	35-45	15-20	
	19-43	Silty clay loam	CL	A-6, A-7	0	0	100	100	95-100	85-95	35-45	15-20	
	43-50	Silt loam	CL	A-4, A-6	0	0	100	100	90-100	80-100	25-35	10-15	
	50-80	Silt loam	CL	A-4, A-6	0	0	100	100	90-100	80-100	25-35	10-15	
1985: Hayes-----	0-8	Fine sandy loam	SC-SM	A-2-4, A-4	0	0	100	100	80-95	30-49	20-25	4-7	
	8-14	Fine sandy loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	100	80-95	30-55	21-28	3-10	
	14-23	Fine sandy loam	SC, SC-SM, SM, CL-ML	A-4, A-2-4	0	0	100	100	80-95	30-55	21-28	3-10	
	23-34	Fine sandy loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	100	80-95	30-55	21-28	3-10	
	34-42	Fine sandy loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	100	80-95	30-55	21-28	3-10	
	42-47	Fine sandy loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	100	80-95	30-55	21-28	3-10	
	47-56	Sandy clay loam	CL	A-6	0	0	100	100	80-100	60-85	30-35	11-15	
	56-69	Silty clay	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35	
	69-80	Clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35	

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
					Pct	Pct					Pct	
1986: Hayes-----	In											
	0-8	Loamy fine sand	SM	A-2	0	0	100	100	75-95	15-30	0-0	NP
	8-14	Fine sandy loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	100	80-95	30-55	21-28	3-10
	14-23	Fine sandy loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	100	80-95	30-55	21-28	3-10
	23-34	Fine sandy loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	100	80-95	30-55	21-28	3-10
	34-42	Fine sandy loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	100	80-95	30-55	21-28	3-10
	42-47	Fine sandy loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	100	80-95	30-55	21-28	3-10
	47-56	Sandy clay loam	CL	A-6	0	0	100	100	80-100	60-85	30-35	11-15
	56-69	Silty clay	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
	69-80	Clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
Solvay-----	0-5	Loamy fine sand	SC-SM, SM	A-2-4	0	0	100	100	85-100	15-30	10-20	NP-5
	5-14	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	14-23	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	23-37	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	37-58	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	55-100	20-52	20-30	5-10
	58-76	Loamy fine sand	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	55-100	20-52	20-30	5-10
	76-80	Loamy fine sand	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	55-100	20-52	20-30	5-10
1987: Hayes-----	0-8	Loamy fine sand	SM	A-2	0	0	100	100	75-95	15-30	0-0	NP
	8-14	Fine sandy loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	100	80-95	30-55	21-28	3-10
	14-23	Fine sandy loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	100	80-95	30-55	21-28	3-10
	23-34	Fine sandy loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	100	80-95	30-55	21-28	3-10
	34-42	Fine sandy loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	100	80-95	30-55	21-28	3-10
	42-47	Fine sandy loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	100	80-95	30-55	21-28	3-10
	47-56	Sandy clay loam	CL	A-6	0	0	100	100	80-100	60-85	30-35	11-15
	56-69	Silty clay	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
	69-80	Clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
Turon-----	0-8	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	100	80-100	5-25	0-0	NP
	8-28	Loamy fine sand	SM, SP-SM	A-2-4	0	0	100	100	80-100	10-25	0-20	NP-3
	28-40	Stratified loamy fine sand to fine sandy loam	SC-SM, SM, SP-SM, SP-SC	A-2-4	0	0	100	100	80-100	10-30	0-23	NP-6
	40-58	Silty clay	CH, CL	A-6, A-7-6	0	0	100	100	80-100	80-99	36-52	16-25
	58-75	Silty clay	CH, CL	A-6, A-7-6	0	0	100	100	80-100	80-99	36-52	16-25
	75-80	Silty clay	CH, CL	A-6, A-7-6	0	0	100	100	80-100	80-99	36-52	16-25
2204: Jamash-----	0-4	Clay loam	CL	A-7-5, A-7-6	0	0	100	100	96-100	75-98	40-50	15-25
	4-11	Silty clay loam	CL, CH	A-6, A-7	0	0	100	100	96-100	75-98	45-55	20-30
	11-15	Silty clay loam	CL	A-6, A-7	0	0	100	100	96-100	80-99	40-50	15-25
	15-28	Weathered bedrock			---	---	---	---	---	---	---	---
	28-80	Weathered bedrock			---	---	---	---	---	---	---	---
Piedmont-----	0-4	Clay loam	CL	A-6, A-7	0	0	100	100	96-100	75-98	31-43	10-20
	4-7	Clay loam	CL	A-6, A-7	0	0	100	100	96-100	75-98	31-43	10-20
	7-13	Clay	CL	A-6, A-7	0	0	100	100	96-100	75-98	31-50	13-26
	13-20	Clay	CL	A-6, A-7	0	0	100	100	96-100	75-98	31-50	13-26
	20-24	Silty clay	CH, CL	A-6, A-7	0	0	100	100	96-100	80-99	37-60	15-34
	24-32	Silty clay	CH, CL, GC, SC	A-6, A-7	0	0	50-100	50-100	45-100	45-99	37-60	15-34
	32-80	Weathered bedrock			---	---	---	---	---	---	---	---
2205: Jamash-----	0-4	Clay loam	CL	A-7-5, A-7-6	0	0	100	100	96-100	75-98	40-50	15-25
	4-11	Silty clay loam	CL, CH	A-6, A-7	0	0	100	100	96-100	75-98	45-55	20-30
	11-15	Silty clay loam	CL	A-6, A-7	0	0	100	100	96-100	80-99	40-50	15-25
	15-28	Weathered bedrock			---	---	---	---	---	---	---	---
	28-80	Weathered bedrock			---	---	---	---	---	---	---	---
Piedmont-----	0-4	Clay loam	CL	A-6, A-7	0	0	100	100	96-100	75-98	31-43	10-20
	4-7	Clay loam	CL	A-6, A-7	0	0	100	100	96-100	75-98	31-43	10-20
	7-13	Clay	CL	A-6, A-7	0	0	100	100	96-100	75-98	31-50	13-26
	13-20	Clay	CL	A-6, A-7	0	0	100	100	96-100	75-98	31-50	13-26
	20-24	Silty clay	CH, CL	A-6, A-7	0	0	100	100	96-100	80-99	37-60	15-34
	24-32	Silty clay	CH, CL, GC, SC	A-6, A-7	0	0	50-100	50-100	45-100	45-99	37-60	15-34
	32-80	Weathered bedrock			---	---	---	---	---	---	---	---

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
2206: Jamash-----	0-4	Clay loam	CL	A-7-5, A-7-6	0	0	100	100	96-100	75-98	40-50	15-25
	4-11	Silty clay loam	CL, CH	A-6, A-7	0	0	100	100	96-100	75-98	45-55	20-30
	11-15	Silty clay loam	CL	A-6, A-7	0	0	100	100	96-100	80-99	40-50	15-25
	15-28	Weathered bedrock			---	---	---	---	---	---	---	---
	28-80	Weathered bedrock			---	---	---	---	---	---	---	---
Piedmont-----	0-4	Clay loam	CL	A-6, A-7	0	0	100	100	96-100	75-98	31-43	10-20
	4-7	Clay loam	CL	A-6, A-7	0	0	100	100	96-100	75-98	31-43	10-20
	7-13	Clay	CL	A-6, A-7	0	0	100	100	96-100	75-98	31-50	13-26
	13-20	Clay	CL	A-6, A-7	0	0	100	100	96-100	75-98	31-50	13-26
	20-24	Silty clay	CH, CL	A-6, A-7	0	0	100	100	96-100	80-99	37-60	15-34
	24-32	Silty clay	SC, CH, CL, GC	A-6, A-7	0	0	50-100	50-100	45-100	45-99	37-60	15-34
	32-80	Weathered bedrock			---	---	---	---	---	---	---	---
2207: Jamash-----	0-4	Clay loam	CL	A-7-5, A-7-6	0	0	100	100	96-100	75-98	40-50	15-25
	4-11	Silty clay loam	CL, CH	A-6, A-7	0	0	100	100	96-100	75-98	45-55	20-30
	11-15	Silty clay loam	CL	A-6, A-7	0	0	100	100	96-100	80-99	40-50	15-25
	15-28	Weathered bedrock			---	---	---	---	---	---	---	---
	28-80	Weathered bedrock			---	---	---	---	---	---	---	---
2381: Kanza-----	0-4	Sandy loam	SM, SC, SC-SM	A-2, A-4	0	0	95-100	90-100	70-100	10-40	0-25	NP-10
	4-9	Loamy fine sand	SC, SC-SM, SM	A-2, A-4	0	0	95-100	90-100	70-100	10-40	0-25	NP-10
	9-17	Loamy fine sand	SM, SC, SC-SM	A-2, A-4	0	0	95-100	90-100	50-85	10-30	0-25	NP-10
	17-33	Loamy fine sand	SM, SC-SM, SP-SM, SP-SC	A-2, A-3, A-4	0	0	90-100	85-100	65-100	5-25	0-20	NP-5
	33-80	Sand	SM, SC-SM, SP-SM, SP-SC	A-2, A-3, A-4	0	0	90-100	85-100	65-100	5-25	0-20	NP-5
Ninnescah-----	0-6	Sandy loam	SC, SC-SM, SM	A-2-4, A-2-6, A-4, A-6	0	0	100	100	70-100	20-49	15-34	NP-15
	6-14	Sandy loam	SC, SC-SM, SM	A-2-4, A-2-6, A-4, A-6	0	0	100	100	70-100	20-49	15-34	NP-15
	14-19	Sandy loam	SC, SC-SM, SM	A-6, A-2-4, A-4 A-2-6, A-4	0	0	100	100	70-100	20-49	15-34	NP-15
	19-30	Sandy loam	SC, SC-SM, SM	A-2-4, A-4	0	0	100	95-100	70-100	30-49	15-26	NP-10
	30-37	Sandy loam	SC, SC-SM, SM	A-2-4, A-4	0	0	100	95-100	70-100	30-49	15-26	NP-10
	37-52	Sandy loam	SC-SM, SM, SP-SM, SP-SC	A-2-4, A-3	0	0	100	90-100	60-90	5-35	0-20	NP-6
	52-80	Loamy sand	SM, SC-SM, SP-SM, SP-SC	A-2-4, A-3	0	0	100	90-100	60-90	5-35	0-20	NP-6
2390: Kaskan-----	0-7	Loam	CL	A-6	0	0	100	100	95-100	85-100	30-35	10-15
	7-17	Clay loam	CL	A-6, A-7	0	0	100	100	100	85-100	35-45	15-20
	17-24	Loam	CL	A-6	0	0	100	100	80-95	60-80	30-35	10-15
	24-35	Fine sandy loam	SC, SC-SM	A-2-4, A-4	0	0	100	100	70-85	30-45	20-30	5-10
	35-41	Loamy fine sand	SM	A-2-4	0	0	100	95-100	65-85	15-30	0-0	NP
	41-47	Fine sand	SM	A-2-4	0	0	100	95-100	65-85	15-30	0-0	NP
	47-66	Sand	SM	A-2-4	0	0	100	95-100	65-85	15-30	0-0	NP
	66-80	Stratified gravelly coarse sand to sand	SP, SP-SM	A-1-b, A-2-4, A-3	0	0	95-100	75-95	35-55	1-10	0-0	NP
2391: Kaskan-----	0-9	Silty clay loam	CL	A-6, A-7	0	0	100	100	100	85-100	35-45	15-20
	9-13	Silty clay loam	CL	A-6, A-7	0	0	100	100	100	85-100	35-45	15-20
	13-17	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	75-95	40-65	20-30	5-10
	17-21	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	75-95	40-65	20-30	5-10
	21-27	Fine sandy loam	SC-SM, CL, CL-ML, SC	A-4	0	0	100	100	75-95	40-65	20-30	5-10
	27-43	Stratified fine sand to loamy fine sand	SM	A-2-4	0	0	100	95-100	65-85	15-30	0-0	NP
	43-57	Stratified fine sand to fine sandy loam	SC-SM, SM	A-2-4, A-4	0	0	100	95-100	70-85	30-45	0-20	NP-5
	57-80	Stratified fine sand to fine sandy loam	SC-SM, SM	A-2-4, A-4	0	0	100	95-100	70-85	30-45	0-20	NP-5



ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index	
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200			
	In				Pct	Pct					Pct		
2395: Kisiwa-----	0-4	Loam	CL	A-4, A-6	0	0	100	100	85-96	60-75	30-35	10-15	
	4-7	Loam	CL	A-6, A-7	0	0	100	100	85-96	60-75	30-35	10-15	
	7-14	Clay loam	CL	A-7-6, A-6	0	0	100	95-100	90-100	65-95	35-45	15-20	
	14-23	Clay loam	CL	A-7-6, A-6	0	0	100	95-100	90-100	65-95	35-45	15-20	
	23-31	Clay	CL, CH	A-7-6, A-6	0	0	100	95-100	90-100	70-80	35-55	15-30	
	31-40	Clay	CL, CH	A-7-6, A-6	0	0	100	95-100	90-100	70-80	35-55	15-30	
	40-46	Loam	CL, CH	A-7-6, A-6	0	0	100	95-100	90-100	70-80	35-55	15-30	
	46-52	Fine sandy loam	SM, SC, SC-SM	A-4	0	0	94-100	90-100	85-100	55-80	35-55	15-30	
	52-58	Fine sandy loam	SM, SC, SC-SM	A-4	0	0	85-100	82-100	60-95	40-50	0-30	NP-10	
	58-65	Stratified coarse sand to fine sandy loam	SM, SC, SC-SM	A-2-4	0	0	89-100	80-100	60-95	40-50	0-30	NP-10	
							100	95-100	50-90	15-60	0-25	NP-10	
	65-80	Stratified coarse sand	SM, SC, SC-SM	A-2-4	0	0	100	100	50-70	15-30	0-25	NP-10	
	2509: Ladysmith-----	0-8	Silty clay loam	CL	A-6, A-7	0	0	100	100	95-100	85-95	30-45	15-25
		8-21	Silty clay	CH	A-7-6	0	0	100	100	95-100	85-95	50-70	30-50
21-31		Silty clay	CH	A-7-6	0	0	100	100	95-100	85-95	50-70	30-50	
31-45		Silty clay	CL, CH	A-7-6	0	0	100	100	95-100	85-95	40-65	25-45	
45-80		Silty clay loam	CL, CH	A-7-6	0	0	100	100	95-100	85-95	40-65	25-45	
2556: Langdon-----	0-8	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-25	0-0	NP	
	8-47	Stratified sand to loamy sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-25	0-0	NP	
	47-64	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-20	0-0	NP	
	64-80	Stratified sand to loamy sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-25	0-0	NP	
2587: Imano-----	0-10	Clay loam	CL	A-7-6, A-6	0	0	100	100	90-100	70-80	35-45	15-22	
	10-25	Loam	CL	A-4, A-6, A-7-6	0	0	100	100	85-100	60-80	25-45	7-22	
	25-55	Stratified fine sand to sand	SP, SP-SM	A-1, A-2, A-3, A-4	0	0	100	95-100	30-55	0-10	0-10	NP	
	55-80	Coarse sand	SP-SM, SP	A-1, A-2, A-3, A-4	0	0	100	95-100	30-55	0-5	0-10	NP	
2588: Longford, Moderately Eroded-----	0-6	Silty clay loam	CL	A-7	0	0	100	95-100	90-100	85-95	45-50	25-30	
	6-11	Silty clay loam	CL	A-7	0	0	100	95-100	90-100	85-95	45-50	25-30	
	11-28	Silty clay	CH	A-7-6	0	0	100	95-100	85-100	75-95	50-60	30-40	
	28-43	Silty clay	CH	A-7-6	0	0	100	95-100	85-100	75-95	50-60	30-40	
	43-60	Silty clay loam	CL	A-7	0	0	100	95-100	85-100	75-95	45-50	25-30	
	60-80	Silty clay loam	CL	A-7	0	0	100	95-100	85-100	75-95	45-50	25-30	
	0-8	Loamy fine sand	SC-SM, SM	A-2-4, A-4	0	0	100	100	75-95	25-45	0-20	NP-5	
	8-14	Fine sandy loam	SC-SM, SM	A-2-4, A-4	0	0	100	100	75-95	25-45	0-20	NP-5	
2812: Mahone-----	14-20	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	90-100	75-95	45-65	20-30	5-10	
	20-25	Very fine sandy loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	90-100	75-95	45-65	20-30	5-10	
	25-33	Silt loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	90-100	75-95	45-65	20-30	5-10	
	33-39	Stratified silt loam to fine sandy loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	90-100	75-95	45-65	20-30	5-10	
	39-42	Clay loam	CL	A-6, A-7-6	0	0	100	100	98-100	85-95	30-45	10-25	
	42-48	Fine sandy loam	CL	A-7-6, A-6, A-4	0	0	100	100	98-100	85-95	30-45	10-25	
	48-54	Very fine sandy loam	CL, CL-ML, SC, SC-SM	A-4, A-6	0	0	100	95-100	65-100	40-90	20-35	5-20	
	54-61	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-4, A-6	0	0	100	95-100	65-100	40-90	20-35	5-20	
	61-66	Fine sandy loam	CL-ML, SC, SC-SM, CL	A-4, A-6	0	0	100	95-100	65-100	40-90	20-35	5-20	
	66-71	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-4, A-6	0	0	100	95-100	65-100	40-90	20-35	5-20	
	71-78	Loamy fine sand	SP-SM, SP	A-1-b, A-3, A-2-4	0	0	99-100	85-100	35-75	1-10	0-0	NP	
	78-80	Coarse sand	SP-SM, SP	A-1-b, A-3	0	0	99-100	85-100	35-75	1-10	0-0	NP	

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
2948: Nalim-----	0-6	Loam	CL-ML, CL	A-4, A-6	0	0	95-100	95-100	95-100	65-85	20-35	5-15
	6-9	Loam	CL-ML, CL	A-4, A-6	0	0	95-100	95-100	95-100	65-85	20-35	5-15
	9-13	Clay loam	SC, CL, SM, ML	A-6, A-7-6	0	0	95-100	95-100	65-100	45-80	35-55	11-25
	13-21	Clay loam	SC, CL, SM, ML	A-7-6, A-6	0	0	95-100	95-100	65-100	45-80	35-55	11-25
	21-31	Clay loam	SC, CL, SM, ML	A-6, A-7-6	0	0	95-100	95-100	65-100	45-80	35-55	11-25
	31-39	Sandy clay loam	SC, CL	A-6, A-4, A- 2-6	0	0	95-100	95-100	65-100	30-80	25-40	10-20
	39-44	Gravelly sandy clay loam	SC, CL	A-6, A-4, A- 2-6	0	0	95-100	95-100	65-100	30-80	25-40	10-20
	44-52	Sandy clay loam	SC, CL	A-2, A-4, A-6	0	0	95-100	95-100	60-90	15-70	25-40	10-20
	52-62	Loamy coarse sand	SC, SC-SM, SM	A-1-b, A-2	0	0	85-100	75-90	40-70	15-30	0-25	NP-10
	62-72	Gravelly loamy coarse sand	GM, GP-GM, SM, SP-SM, SP-SC, GP- GC, SC-SM, GC-GM	A-3, A-1, A-2	0	0	40-100	35-85	30-70	5-30	0-20	NP-5
	72-80	Stratified sand to gravelly loamy coarse sand	GM, GP-GM, SM, SP-SM, GC-GM, SC- SM, GP-GC, SP-SC	A-3, A-1, A-2	0	0	40-100	35-85	30-70	5-30	0-20	NP-5
2949: Naron, Moderately Eroded-----	0-8	Fine sandy loam	CL-ML, ML, SC-SM, SM	A-2, A-4	0	0	100	100	60-85	30-55	0-25	NP-7
	8-28	Sandy clay loam	CL, SC	A-6	0	0	100	100	60-90	35-55	30-35	10-15
	28-39	Sandy clay loam	CL, SC	A-6	0	0	100	100	60-90	35-55	30-35	10-15
	39-55	Sandy clay loam	CL, SC	A-6	0	0	100	100	60-90	35-55	30-35	10-15
	55-66	Fine sandy loam	SC, SC-SM, SM	A-2, A-4	0	0	100	100	60-90	20-50	0-25	NP-10
	66-80	Loamy fine sand	SC, SC-SM, SM	A-2, A-4	0	0	100	100	60-90	20-50	0-25	NP-10
2950: Naron, Moderately Eroded-----	0-8	Fine sandy loam	CL-ML, ML, SC-SM, SM	A-2, A-4	0	0	100	100	60-85	30-55	0-25	NP-7
	8-28	Sandy clay loam	CL, SC	A-6	0	0	100	100	60-90	35-55	30-35	10-15
	28-39	Sandy clay loam	CL, SC	A-6	0	0	100	100	60-90	35-55	30-35	10-15
	39-55	Sandy clay loam	CL, SC	A-6	0	0	100	100	60-90	35-55	30-35	10-15
	55-66	Fine sandy loam	SC, SC-SM, SM	A-2, A-4	0	0	100	100	60-90	20-50	0-25	NP-10
	66-80	Loamy fine sand	SC, SC-SM, SM	A-2, A-4	0	0	100	100	60-90	20-50	0-25	NP-10
	2951: Nash-----	0-8	Silt loam	ML, CL, CL-ML	A-4	0	0	100	100	96-100	65-97	22-31
8-19	Silt loam	ML, CL, CL-ML	A-4	0	0	100	100	94-100	51-97	0-31	NP-10	
19-28	Silt loam	ML, CL, CL-ML	A-4	0	0	100	100	94-100	51-97	0-31	NP-10	
28-80	Weathered bedrock			---	---	---	---	---	---	---	---	
2952: Nash-----	0-8	Silt loam	ML, CL, CL-ML	A-4	0	0	100	100	96-100	65-97	22-31	2-10
	8-19	Silt loam	ML, CL, CL-ML	A-4	0	0	100	100	94-100	51-97	0-31	NP-10
	19-28	Silt loam	ML, CL, CL-ML	A-4	0	0	100	100	94-100	51-97	0-31	NP-10
	28-80	Weathered bedrock			---	---	---	---	---	---	---	---
Lucien-----	0-6	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	95-100	90-100	51-97	15-37	NP-14
	6-12	Loam	CL, CL-ML, ML	A-4, A-6	0	0	100	95-100	90-100	51-97	15-37	NP-14
	12-80	Weathered bedrock			---	---	---	---	---	---	---	---
2953: Nash, Moderatel Eroded-----	0-8	Silt loam	ML, CL, CL-ML	A-4	0	0	100	100	96-100	65-97	22-31	2-10
	8-19	Silt loam	ML, CL, CL-ML	A-4	0	0	100	100	94-100	51-97	0-31	NP-10
	19-28	Silt loam	ML, CL, CL-ML	A-4	0	0	100	100	94-100	51-97	0-31	NP-10
	28-80	Weathered bedrock			---	---	---	---	---	---	---	---
Lucien-----	0-6	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	95-100	90-100	51-97	15-37	NP-14
	6-12	Loam	CL, CL-ML, ML	A-4, A-6	0	0	100	95-100	90-100	51-97	15-37	NP-14
	12-80	Weathered bedrock			---	---	---	---	---	---	---	---
2955: Nickerson-----	0-6	Fine sandy loam	SM, SC-SM, SC	A-4	0	0	100	100	90-100	35-50	15-25	5-10
	6-12	Loamy fine sand	SM, SC, SC- SM, SP-SM	A-4, A-2-4	0	0	100	100	90-95	23-49	10-20	NP-5
	12-18	Fine sandy loam	SM, SC-SM, SC	A-2-4, A-4	0	0	100	100	90-100	33-65	15-25	5-10
	18-29	Sandy clay loam	SC-SM, CL-ML, CL, SC	A-4	0	0	100	100	65-95	40-50	20-30	5-10
	29-34	Loam	CL, CL-ML, SC-SM, SC	A-4	0	0	100	99-100	65-95	40-58	20-30	5-10
	34-38	Very fine sandy loam	SC, SC-SM, CL, CL-ML	A-4	0	0	99-100	95-100	65-91	40-58	15-25	5-10
	38-45	Loamy fine sand	SC-SM, SM	A-4, A-2-4	0	0	100	99-100	65-91	26-50	10-20	NP-5
	45-53	Fine sand	SP-SM, SC-SM, SM	A-2-4	0	0	100	100	65-80	40-50	0-20	NP-5
	53-57	Fine sand	SP-SM, SC-SM, SM	A-2-4	0	0	100	100	65-80	40-50	0-20	NP-5
	57-80	Sand	SC-SM, SM	A-4	0	0	100	100	65-80	40-50	0-20	NP-5

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index	
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200			
	In				Pct	Pct					Pct		
2956: Nickerson-----	0-6	Loamy fine sand	SM, SP-SM, SC-SM	A-2-4, A-4	0	0	100	100	80-95	10-30	5-15	NP-5	
	6-12	Loamy fine sand	SM, SC, SC- SM, SP-SM	A-4, A-2-4	0	0	100	100	90-95	23-49	5-15	NP-5	
	12-18	Fine sandy loam	SM, SC-SM, SC	A-4, A-2-4	0	0	100	100	90-100	33-65	15-25	5-10	
	18-29	Sandy clay loam	CL, SC, SC- SM, CL-ML	A-4	0	0	100	100	65-95	40-50	20-30	5-10	
	29-34	Loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	99-100	65-95	40-58	20-30	5-10	
	34-38	Very fine sandy loam	CL, CL-ML, SC, SC-SM	A-4	0	0	99-100	95-100	65-91	40-58	15-25	5-10	
	38-45	Loamy fine sand	SC-SM, SM	A-4, A-2-4	0	0	100	99-100	65-91	26-50	0-20	NP-5	
	45-53	Fine sand	SP-SM, SC-SM, SM	A-2-4	0	0	100	100	65-80	40-50	0-20	NP-5	
	53-57	Fine sand	SP-SM, SC-SM, SM	A-2-4	0	0	100	100	65-80	40-50	0-20	NP-5	
	57-80	Sand	SC-SM, SM	A-4	0	0	100	100	65-80	40-50	0-20	NP-5	
	2957: Nickerson-----	0-6	Fine sandy loam	SM, SC-SM, SC	A-4	0	0	100	100	90-100	35-50	15-25	5-10
		6-12	Loamy fine sand	SM, SC, SC- SM, SP-SM	A-4, A-2-4	0	0	100	100	90-95	23-49	10-20	NP-10
12-18		Fine sandy loam	SM, SC-SM, SC	A-4, A-2-4	0	0	100	100	90-100	33-65	15-25	5-10	
18-29		Sandy clay loam	CL, SC, SC- SM, CL-ML	A-4	0	0	100	100	65-95	40-50	20-30	5-10	
29-34		Loam	SC, CL-ML, SC-SM, CL	A-4	0	0	100	99-100	65-95	40-58	20-30	5-10	
34-38		Very fine sandy loam	CL-ML, SC-SM, CL, SC	A-4	0	0	99-100	95-100	65-91	40-58	15-25	5-10	
38-45		Loamy fine sand	SC-SM, SM	A-4, A-2-4	0	0	100	99-100	65-91	26-50	5-20	NP-10	
45-53		Fine sand	SP-SM, SC-SM, SM	A-2-4	0	0	100	100	65-80	40-50	0-20	NP-5	
53-57		Fine sand	SP-SM, SC-SM, SM	A-2-4	0	0	100	100	65-80	40-50	0-20	NP-5	
57-80		Sand	SC-SM, SM	A-4	0	0	100	100	65-80	40-50	0-20	NP-5	
Punkin-----		0-6	Fine sandy loam	CL-ML, ML, SC-SM, SM	A-2, A-4	0	0	100	95-100	60-85	30-55	0-25	NP-7
		6-14	Fine sandy loam	CL-ML, ML, SC-SM, SM	A-2, A-4	0	0	100	95-100	60-85	30-55	0-25	NP-7
	14-22	Clay loam	CH, CL	A-7	0	0	100	100	90-100	75-95	45-65	20-40	
	22-32	Clay	CH, CL	A-7	0	0	100	100	90-100	75-95	45-65	20-40	
	32-41	Sandy clay loam	CL	A-4, A-6	0	0	100	100	80-100	60-85	30-35	10-15	
	41-51	Sandy clay loam	CL	A-4, A-6	0	0	100	100	80-100	60-85	30-35	10-15	
	51-63	Sand	SM	A-3	0	0	100	80-95	65-85	20-35	0-0	NP	
	63-80	Stratified coarse sand to sand	SP-SM	A-1-b, A-3	0	0	100	75-95	35-55	5-12	0-0	NP	
	2958: Ninnescah-----	0-6	Fine sandy loam	SC, SC-SM, SM	A-2-6, A-4, A-6, A-2-4	0	0	100	100	70-100	20-49	15-34	NP-15
		6-14	Sandy loam	SC, SC-SM, SM	A-2-4, A-2-6, A-4, A-6	0	0	100	100	70-100	20-49	15-34	NP-15
		14-19	Sandy loam	SC, SC-SM, SM	A-2-4, A-2-6, A-4, A-6	0	0	100	100	70-100	20-49	15-34	NP-15
		19-30	Sandy loam	SC, SC-SM, SM	A-2-4, A-4	0	0	100	95-100	70-100	30-49	15-26	NP-10
30-37		Sandy loam	SC, SC-SM, SM	A-2-4, A-4	0	0	100	95-100	70-100	30-49	15-26	NP-10	
37-52		Sandy loam	SC-SM, SM, SP-SM	A-2-4, A-3	0	0	100	90-100	60-90	5-35	0-20	NP-6	
52-80	Loamy sand	SC-SM, SM, SP-SM	A-2-4, A-3	0	0	100	90-100	60-90	5-35	0-20	NP-6		
2959: Ninnescah, saline-----	0-6	Fine sandy loam	SC, SC-SM, SM	A-2-4, A-2-6, A-4	0	0	100	100	70-100	20-49	15-34	NP-15	
	6-14	Sandy loam	SC, SC-SM, SM	A-2-4, A-2-6, A-4	0	0	100	100	70-100	20-49	15-34	NP-15	
	14-19	Sandy loam	SC, SC-SM, SM	A-2-4, A-2-6, A-4	0	0	100	100	70-100	20-49	15-34	NP-15	
	19-30	Sandy loam	SC, SC-SM, SM	A-2-4, A-4	0	0	100	95-100	70-100	30-49	15-26	NP-10	
	30-37	Sandy loam	SC, SC-SM, SM	A-2-4, A-4	0	0	100	95-100	70-100	30-49	15-26	NP-10	
	37-52	Loamy sand	SC-SM, SM, SP-SM	A-2-4, A-3	0	0	100	90-100	60-90	5-35	0-20	NP-6	
52-80	Loamy sand	SC-SM, SM, SP-SM	A-2-4, A-3	0	0	100	90-100	60-90	5-35	0-20	NP-6		
3051: Ost-----	0-8	Loam	CL, CL-ML	A-6, A-4	0	0	95-100	95-100	85-95	60-75	20-35	5-15	
	8-12	Loam	CL	A-6, A-7	0	0	95-100	90-100	85-100	60-80	30-45	10-20	
	12-18	Loam	CL	A-6, A-7	0	0	95-100	90-100	85-100	60-80	30-45	10-20	
	18-23	Clay loam	CL, SC	A-6, A-7	0	0	95-100	90-100	80-100	35-80	30-45	10-20	
	23-38	Clay loam	CL, SC, SC- SM, CL-ML	A-2, A-4, A-6	0	0	85-100	85-100	60-100	30-80	20-40	5-20	
	38-54	Loam	CL, SC, SC- SM, CL-ML	A-2, A-4, A-6	0	0	85-100	85-100	60-100	30-80	20-40	5-20	
	54-80	Loam	CL, SC, SC- SM, CL-ML	A-6, A-2, A-4	0	0	85-100	85-100	60-100	30-80	20-40	5-20	

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index	
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200			
	In				Pct	Pct					Pct		
3052: Ost-----	0-8	Loam	CL, CL-ML	A-6, A-4	0	0	95-100	95-100	85-95	60-75	20-35	5-15	
	8-12	Loam	CL	A-6, A-7	0	0	95-100	90-100	85-100	60-80	30-45	10-20	
	12-18	Loam	CL	A-6, A-7	0	0	95-100	90-100	85-100	60-80	30-45	10-20	
	18-23	Clay loam	CL, SC	A-6, A-7	0	0	95-100	90-100	80-100	35-80	30-45	10-20	
	23-38	Clay loam	CL, SC, SC- SM, CL-ML	A-2, A-4, A-6	0	0	85-100	85-100	60-100	30-80	20-40	5-20	
	38-54	Loam	CL, SC, SC- SM, CL-ML	A-2, A-4, A-6	0	0	85-100	85-100	60-100	30-80	20-40	5-20	
	54-80	Loam	CL, SC, SC- SM, CL-ML	A-2, A-4, A-6	0	0	85-100	85-100	60-100	30-80	20-40	5-20	
Clark-----	0-11	Loam	CL, CL-ML	A-4, A-6	0	0	100	95-100	80-95	60-75	25-35	5-15	
	11-16	Loam	CL	A-6	0	0	100	95-100	80-100	50-80	30-40	10-20	
	16-28	Loam	CL	A-4	0	0	100	95-100	80-100	50-80	30-40	10-20	
	28-45	Fine sandy loam	CL	A-4	0	0	100	95-100	80-100	50-80	30-40	10-20	
	45-65	Fine sandy loam	CL	A-4	0	0	100	95-100	80-100	50-80	30-40	10-20	
	65-80	Very fine sandy loam	CL	A-4	0	0	100	95-100	80-100	50-80	30-40	10-20	
	3170: Penalosa-----	0-5	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	96-100	80-98	21-37	2-13
5-10		Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	96-100	80-98	21-37	2-13	
10-14		Silty clay loam	CL	A-6, A-7	0	0	100	100	96-100	80-98	33-43	12-26	
14-22		Silty clay loam	CL	A-6, A-7	0	0	100	100	96-100	80-98	33-43	12-26	
22-28		Silty clay loam	CH, CL	A-6, A-7	0	0	100	96-100	96-100	85-99	37-60	15-34	
28-34		Silty clay loam	CH, CL	A-6, A-7	0	0	100	96-100	96-100	85-99	37-60	15-34	
34-39		Silty clay loam	CH, CL	A-6, A-7	0	0	100	96-100	96-100	90-99	37-60	15-34	
39-48		Silt loam	ML, CL-ML, CL	A-6, A-4	0	0	100	100	96-100	80-98	21-37	2-13	
48-61		Silty clay loam	CH, CL	A-6, A-7	0	0	100	96-100	96-100	85-99	37-60	15-34	
61-71		Silty clay loam	CH, CL	A-6, A-7	0	0	100	96-100	96-100	85-99	37-60	15-34	
71-80		Clay loam	CH, CL	A-6, A-7	0	0	100	96-100	96-100	80-99	37-60	15-34	
3171: Penalosa-----		0-5	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	96-100	80-98	21-37	2-13
		5-10	Silty clay loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	96-100	80-98	21-37	2-13
	10-14	Silty clay loam	CL	A-6, A-7	0	0	100	100	96-100	80-98	33-43	12-26	
	14-22	Silty clay loam	CL	A-6, A-7	0	0	100	100	96-100	80-98	33-43	12-26	
	22-28	Silty clay loam	CH, CL	A-6, A-7	0	0	100	96-100	96-100	85-99	37-60	15-34	
	28-34	Silty clay loam	CH, CL	A-6, A-7	0	0	100	96-100	96-100	85-99	37-60	15-34	
	34-39	Silty clay loam	CH, CL	A-6, A-7	0	0	100	96-100	96-100	90-99	37-60	15-34	
	39-48	Silt loam	ML, CL-ML, CL	A-6, A-4	0	0	100	100	96-100	80-98	21-37	2-13	
	48-61	Silty clay loam	CH, CL	A-6, A-7	0	0	100	96-100	96-100	85-99	37-60	15-34	
	61-71	Silty clay loam	CH, CL	A-6, A-7	0	0	100	96-100	96-100	85-99	37-60	15-34	
	71-80	Clay loam	CH, CL	A-6, A-7	0	0	100	96-100	96-100	80-99	37-60	15-34	
	3180: Pratt-----	0-8	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	95-100	65-100	5-35	0-14	NP
		8-24	Loamy fine sand	SM, SC-SM	A-2, A-4	0	0	100	95-100	90-100	15-40	0-20	NP-6
24-64		Stratified fine sand to loamy fine sand	SM, SC-SM	A-2, A-4	0	0	100	95-100	90-100	15-40	0-20	NP-6	
3181: Pratt-----	64-80	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	95-100	80-100	5-35	0-14	NP	
	0-8	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	95-100	65-100	5-35	0-14	NP	
	8-24	Loamy fine sand	SM, SC-SM	A-2, A-4	0	0	100	95-100	90-100	15-40	0-20	NP-6	
Turon-----	24-64	Stratified fine sand to loamy fine sand	SM, SC-SM	A-2, A-4	0	0	100	95-100	90-100	15-40	0-20	NP-6	
	64-80	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	95-100	80-100	5-35	0-14	NP	
	0-8	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	100	80-100	5-25	0-0	NP	
	8-28	Loamy fine sand	SM, SP-SM	A-2-4	0	0	100	100	80-100	10-25	0-20	NP-3	
	28-40	Stratified loamy fine sand to fine sandy loam	SC-SM, SM, SP-SM	A-2-4	0	0	100	100	80-100	10-30	0-23	NP-6	
3190: Punkin-----	40-58	Silty clay	CH, CL	A-6, A-7-6	0	0	100	100	80-100	80-99	36-52	16-25	
	58-75	Silty clay	CH, CL	A-6, A-7-6	0	0	100	100	80-100	80-99	36-52	16-25	
	75-80	Silty clay	CH, CL	A-6, A-7-6	0	0	100	100	80-100	80-99	36-52	16-25	
	0-4	Silt loam	CL	A-4, A-6	0	0	100	100	85-95	60-75	25-35	8-15	
	4-8	Silty clay	CL	A-4, A-6	0	0	100	100	85-95	60-75	25-35	8-15	
	8-15	Silty clay loam	CH, CL	A-7	0	0	100	100	90-100	75-95	45-65	20-40	
	15-21	Silty clay loam	CH, CL	A-7	0	0	100	100	90-100	75-95	45-65	20-40	
	21-39	Silty clay loam	CH, CL	A-7	0	0	100	100	90-100	75-95	45-65	20-40	
	39-47	Silty clay loam	CH, CL	A-7	0	0	100	100	90-100	75-95	45-65	20-40	
	47-64	Silty clay loam	CH, CL	A-7	0	0	100	100	90-100	75-95	45-65	20-40	
	64-78	Sandy clay loam	CL	A-6, A-7	0	0	100	100	90-100	70-95	35-50	15-25	
	78-80	Sandy clay loam	CL	A-6, A-7	0	0	100	100	90-100	70-95	35-50	15-25	

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
					Pct	Pct					Pct	
3191: Punkin-----	In											
	0-4	Silt loam	CL	A-4, A-6	0	0	100	100	85-95	60-75	25-35	8-15
	4-8	Silty clay	CL	A-4, A-6	0	0	100	100	85-95	60-75	25-35	8-15
	8-15	Silty clay loam	CH, CL	A-7	0	0	100	100	90-100	75-95	45-65	20-40
	15-21	Silty clay loam	CH, CL	A-7	0	0	100	100	90-100	75-95	45-65	20-40
	21-39	Silty clay loam	CH, CL	A-7	0	0	100	100	90-100	75-95	45-65	20-40
	39-47	Silty clay loam	CH, CL	A-7	0	0	100	100	90-100	75-95	45-65	20-40
	47-64	Silty clay loam	CH, CL	A-7	0	0	100	100	90-100	75-95	45-65	20-40
	64-78	Sandy clay loam	CL	A-6, A-7	0	0	100	100	90-100	70-95	35-50	15-25
	78-80	Sandy clay loam	CL	A-6, A-7	0	0	100	100	90-100	70-95	35-50	15-25
Taver-----	0-7	Loam	CL	A-4, A-6	0	0	100	100	96-100	65-85	28-34	9-14
	7-17	Silty clay loam	CH, CL	A-7-6	0	0	100	100	96-100	90-99	48-60	30-40
	17-33	Silty clay	CH, CL	A-7-6	0	0	100	100	96-100	90-99	48-60	30-40
	33-53	Silty clay loam	CH, CL	A-7-6	0	0	100	100	96-100	90-99	48-60	30-40
	53-64	Clay loam	CL	A-4, A-6	0	0	100	100	90-100	60-80	30-40	15-20
	64-80	Sandy clay loam	CL	A-4, A-6	0	0	100	100	90-100	60-80	30-40	15-20
3403: Sand Pit-----	---	---	---	---	---	---	---	---	---	---	---	---
3469: Smolan-----	0-5	Silty clay loam	CL	A-7	0	0	100	100	95-100	85-100	42-50	22-28
	5-8	Silty clay loam	CL	A-6, A-7	0	0	100	100	95-100	85-100	35-50	15-28
	8-15	Silt loam	CL	A-6, A-7	0	0	100	100	95-100	85-100	35-50	15-28
	15-29	Silty clay loam	CH	A-7	0	0	100	100	95-100	90-100	50-65	28-40
	29-38	Silty clay loam	CH	A-7	0	0	100	100	95-100	90-100	50-65	28-40
	38-49	Silty clay loam	CH	A-7	0	0	100	100	95-100	90-100	50-65	28-40
	49-80	Silty clay loam	CL	A-7	0	0	100	100	95-100	90-100	42-50	22-28
3510: Saltcreek-----	0-5	Fine sandy loam	CL-ML, ML, SC-SM, SM	A-2-4, A-4	0	0	100	100	80-95	30-55	20-30	1-7
	5-10	Sandy clay loam	CL-ML, ML, SC-SM, SM	A-2-4, A-4	0	0	100	100	80-95	30-55	20-30	1-7
	10-26	Sandy clay loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-20
	26-39	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-20
	39-56	Silty clay	CH, CL	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
	56-66	Silty clay loam	CH, CL	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
	66-80	Silty clay loam	CH, CL	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
Funmar-----	0-6	Loam	CL-ML, CL	A-4, A-6	0	0	100	100	85-100	60-85	25-35	5-15
	6-12	Loam	CL-ML, CL	A-4, A-6	0	0	100	100	85-100	60-85	25-35	5-15
	12-17	Loam	CL	A-6, A-4, A-7-6	0	0	100	100	85-100	60-80	30-45	7-20
	17-26	Clay loam	CL	A-6, A-4, A-7-6	0	0	100	100	85-100	60-80	30-45	7-20
	26-32	Loam	CL	A-6, A-4, A-7-6	0	0	100	100	85-100	60-80	30-45	7-20
	32-38	Silty clay loam	CL	A-6, A-7-6	0	0	100	100	90-100	75-100	40-50	20-30
	38-54	Silty clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-100	45-60	25-35
	54-66	Silty clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-100	45-60	25-35
	66-80	Silty clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-100	45-60	25-35
Farnum-----	0-5	Loam	CL-ML, CL	A-4, A-6	0	0	100	100	90-100	60-85	20-35	5-15
	5-15	Loam	CL-ML, CL	A-4, A-6	0	0	100	100	90-100	60-85	20-35	5-15
	15-21	Loam	CL	A-6	0	0	100	100	85-100	60-80	30-40	10-15
	21-34	Sandy clay loam	SC, CL	A-6, A-7-6	0	0	100	100	70-100	45-80	35-50	15-30
	34-48	Loam	SC, CL	A-6, A-7-6	0	0	100	100	70-100	45-80	35-50	15-30
	48-61	Clay loam	SC, CL	A-6, A-7-6	0	0	100	100	70-100	45-80	35-50	15-30
	61-73	Clay loam	SC, CL	A-6, A-7-6	0	0	100	100	70-100	45-80	35-50	15-30
	73-80	Loam	SC, CL, SC-SM, CL-ML	A-2, A-4, A-6	0	0	100	95-100	65-100	30-80	20-35	5-15
3511: Saltcreek-----	0-5	Fine sandy loam	CL-ML, ML, SC-SM, SM	A-2-4, A-4	0	0	100	100	80-95	30-55	20-30	1-7
	5-10	Sandy clay loam	CL-ML, ML, SC-SM, SM	A-2-4, A-4	0	0	100	100	80-95	30-55	20-30	1-7
	10-26	Sandy clay loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-20
	26-39	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-20
	39-56	Silty clay	CH, CL	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
	56-66	Silty clay loam	CH, CL	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
	66-80	Silty clay loam	CH, CL	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
Naron, sandy substratum----	0-7	Fine sandy loam	SC, SC-SM, CL-ML	A-4	0	0	100	100	70-85	35-55	10-20	5-10
	7-19	Fine sandy loam	SC, SC-SM, CL-ML	A-4	0	0	100	100	70-85	35-55	10-20	5-10
	19-34	Loam	CL	A-4, A-6	0	0	100	100	80-95	50-70	30-35	10-15
	34-41	Sandy clay loam	CL	A-6	0	0	100	100	80-90	50-70	30-35	10-15
	41-61	Stratified loam to loamy fine sand to fine sandy loam	SM, SC-SM, SC	A-2, A-4	0	0	100	95-100	60-90	20-50	0-25	NP-10
	61-80	Coarse sand	SM	A-2-4	0	0	100	85-95	45-65	15-35	0-0	NP

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
3512: Saltcreek-----	0-5	Fine sandy loam	CL-ML, ML, SC-SM, SM	A-2-4, A-4	0	0	100	100	80-95	30-55	20-30	1-7
	5-10	Sandy clay loam	ML, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	100	80-95	30-55	20-30	1-7
	10-26	Sandy clay loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-20
	26-39	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-20
	39-56	Silty clay	CH, CL	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
	56-66	Silty clay loam	CH, CL	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
	66-80	Silty clay loam	CH, CL	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
	0-8	Fine sandy loam	SM, SC-SM, ML, CL-ML	A-2, A-4	0	0	100	100	60-85	30-55	0-25	NP-7
	8-14	Fine sandy loam	CL-ML, ML, SC-SM, SM	A-2, A-4	0	0	100	100	60-85	30-55	0-25	NP-7
	14-28	Sandy clay loam	CL, SC	A-6	0	0	100	100	60-90	35-55	30-35	10-15
Naron-----	28-39	Sandy clay loam	CL, SC	A-6	0	0	100	100	60-90	35-55	30-35	10-15
	39-55	Sandy clay loam	CL, SC	A-6	0	0	100	100	60-90	35-55	30-35	10-15
	55-66	Fine sandy loam	SC, SC-SM, SM	A-2, A-4	0	0	100	100	60-90	20-50	0-25	NP-10
	66-80	Loamy fine sand	SC, SC-SM, SM	A-2, A-4	0	0	100	100	60-90	20-50	0-25	NP-10
	0-4	Loamy sand	SM	A-2-4	0	0	100	95-100	75-100	15-30	0-0	NP
	4-8	Loamy sand	SM	A-2-4	0	0	100	95-100	75-100	15-30	0-0	NP
	8-13	Loamy sand	SM	A-2-4	0	0	99-100	95-100	75-100	15-30	0-0	NP
	13-22	Loamy sand	SM, SP-SM	A-2-4, A-3	0	0	100	95-100	75-95	8-30	0-0	NP
	22-30	Sand	SM, SP-SM	A-2-4, A-3	0	0	99-100	95-100	75-95	8-30	0-0	NP
	30-37	Sand	SM, SP, SP-SM	A-2-4, A-3	0	0	85-100	80-95	65-85	1-15	0-0	NP
3520: Saxman-----	37-48	Sand	SM, SP, SP-SM	A-2-4, A-3	0	0	85-100	80-97	65-85	1-15	0-0	NP
	48-54	Fine sand	SP, SP-SM, SM	A-2-4, A-3	0	0	85-100	80-95	65-85	1-15	0-0	NP
	54-80	Stratified gravelly coarse sand	SP, SP-SM	A-1-b, A-2-4, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
	0-5	Sandy loam	SM, ML	A-4, A-2	0	0	95-100	95-100	75-100	30-55	0-30	NP-5
	5-11	Sandy clay loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20
	11-19	Sandy clay loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20
	19-33	Sandy loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20
	33-47	Coarse sandy loam	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10
	47-59	Loamy sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10
	59-73	Sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10
3530: Shellabarger, Eroded-----	73-80	Sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10
	0-9	Sandy loam	SC, SC-SM, SM	A-2, A-4	0	0	100	75-100	60-90	25-45	0-25	NP-10
	9-16	Sandy loam	SC, SC-SM, SM	A-2, A-4	0	0	85-100	75-100	50-95	25-40	20-30	NP-10
	16-27	Sandy loam	SC, SC-SM, SM	A-2, A-4	0	0	85-100	75-100	50-95	25-40	20-30	NP-10
	27-48	Loamy coarse sand	SC, SC-SM, SM	A-1-b, A-2	0	0	85-100	75-90	40-70	15-30	0-25	NP-10
	48-80	Sand	GM, GP-GM, SM, SP-SM, GP-GC, SP- SC, SC-SM, GC-GM	A-3, A-1, A-2	0	0-5	40-100	35-85	30-70	5-30	0-20	NP-5

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index	
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200			
	In				Pct	Pct					Pct		
3531: Shellabarger, Moderately Eroded-----	0-6	Sandy loam	SM, ML	A-4, A-2	0	0	95-100	95-100	75-100	30-55	0-30	NP-5	
	6-11	Sandy clay loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20	
	11-19	Sandy clay loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20	
	19-33	Sandy loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20	
	33-47	Coarse sandy loam	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	
	47-59	Loamy sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	
	59-73	Sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	
	73-80	Sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	
	Nalim-----	0-6	Loam	CL-ML, CL	A-4, A-6	0	0	95-100	95-100	95-100	65-85	20-35	5-15
		6-9	Loam	CL-ML, CL	A-4, A-6	0	0	95-100	95-100	95-100	65-85	20-35	5-15
9-13		Clay loam	SC, CL, SM, ML	A-6, A-7-6	0	0	95-100	95-100	65-100	45-80	35-55	11-25	
13-21		Clay loam	SC, CL, SM, ML	A-7-6, A-6	0	0	95-100	95-100	65-100	45-80	35-55	11-25	
21-31		Clay loam	SC, CL, SM, ML	A-6, A-7-6	0	0	95-100	95-100	65-100	45-80	35-55	11-25	
31-39		Sandy clay loam	SC, CL	A-6, A-4, A- 2-6	0	0	95-100	95-100	65-100	30-80	25-40	10-20	
39-44		Gravelly sandy clay loam	SC, CL	A-6, A-4, A- 2-6	0	0	95-100	95-100	65-100	30-80	25-40	10-20	
44-52		Sandy clay loam	SC, CL	A-2, A-4, A-6	0	0	95-100	95-100	60-90	15-70	25-40	10-20	
52-62		Loamy coarse sand	SC, SC-SM, SM	A-1-b, A-2	0	0	85-100	75-90	40-70	15-30	0-25	NP-10	
62-72		Gravelly loamy coarse sand	GM, GP-GM, SM, SP-SM, SP-SC, GP- GC, SC-SM, GC-GM	A-3, A-1, A-2	0	0	40-100	35-85	30-70	5-30	0-20	NP-5	
72-80	Stratified sand to gravelly loamy coarse sand	GC-GM, SC-SM, GP-GC, SP- SC, GM, GP- GM, SM, SP- SM	A-3, A-1, A-2	0	0	40-100	35-85	30-70	5-30	0-20	NP-5		
3532: Shellabarger---	0-6	Loamy sand	SM	A-2	0	0	95-100	95-100	70-100	15-35	0-14	NP	
	6-11	Sandy clay loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20	
	11-19	Sandy clay loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20	
	19-33	Sandy loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20	
	33-47	Coarse sandy loam	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	
	47-59	Loamy sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	
	59-73	Sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	
	73-80	Sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	
	3533: Shellabarger---	0-7	Sandy loam	SM, ML	A-4, A-2	0	0	95-100	95-100	75-100	30-55	0-30	NP-5
		7-11	Sandy clay loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20
11-19		Sandy clay loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20	
19-33		Sandy loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20	
33-47		Coarse sandy loam	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	
47-59		Loamy sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	
59-73		Sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	
73-80		Sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	
3534: Shellabarger---		0-7	Sandy loam	SM, ML	A-4, A-2	0	0	95-100	95-100	75-100	30-55	0-30	NP-5
		7-11	Sandy clay loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20
	11-19	Sandy clay loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20	
	19-33	Sandy loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20	
	33-47	Coarse sandy loam	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	
	47-59	Loamy sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	
	59-73	Sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	
	73-80	Sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10	

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
					Pct	Pct					Pct	
3535: Shellabarger---	In											
	0-7	Sandy loam	SM, ML	A-4, A-2	0	0	95-100	95-100	75-100	30-55	0-30	NP-5
	7-11	Sandy clay loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20
	11-19	Sandy clay loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20
	19-33	Sandy loam	SC	A-4, A-6	0	0	95-100	85-100	70-90	35-50	25-40	8-20
	33-47	Coarse sandy loam	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10
	47-59	Loamy sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10
	59-73	Sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10
	73-80	Sand	SC, SM, SP- SM, SC-SM	A-2, A-4	0	0	80-100	70-100	50-80	10-40	0-30	NP-10
Nalim-----	0-6	Loam	CL-ML, CL	A-4, A-6	0	0	95-100	95-100	95-100	65-85	20-35	5-15
	6-9	Loam	CL-ML, CL	A-4, A-6	0	0	95-100	95-100	95-100	65-85	20-35	5-15
	9-13	Clay loam	SC, CL, SM, ML	A-6, A-7-6	0	0	95-100	95-100	65-100	45-80	35-55	11-25
	13-21	Clay loam	SC, CL, SM, ML	A-7-6, A-6	0	0	95-100	95-100	65-100	45-80	35-55	11-25
	21-31	Clay loam	SC, CL, SM, ML	A-6, A-7-6	0	0	95-100	95-100	65-100	45-80	35-55	11-25
	31-39	Sandy clay loam	SC, CL	A-6, A-4, A- 2-6	0	0	95-100	95-100	65-100	30-80	25-40	10-20
	39-44	Gravelly sandy clay loam	SC, CL	A-6, A-4, A- 2-6	0	0	95-100	95-100	65-100	30-80	25-40	10-20
	44-52	Sandy clay loam	SC, CL	A-2, A-4, A-6	0	0	95-100	95-100	60-90	15-70	25-40	10-20
	52-62	Loamy coarse sand	SC, SC-SM, SM	A-1-b, A-2	0	0	85-100	75-90	40-70	15-30	0-25	NP-10
	62-72	Gravelly loamy coarse sand	GM, GP-GM, SM, SP-SM, GC-GM, SC- SM, GP-GC, SP-SC	A-3, A-1, A-2	0	0	40-100	35-85	30-70	5-30	0-20	NP-5
	72-80	Stratified sand to gravelly loamy coarse sand	GM, GP-GM, SM, SP-SM, GC-GM, SC- SM, GP-GC, SP-SC	A-3, A-1, A-2	0	0	40-100	35-85	30-70	5-30	0-20	NP-5
3540: Solvay-----	0-5	Loamy fine sand	SC-SM, SM	A-2-4	0	0	100	100	85-100	15-30	10-20	NP-5
	5-14	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	14-23	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	23-37	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	37-58	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	55-100	20-52	20-30	5-10
	58-76	Loamy fine sand	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	55-100	20-52	20-30	5-10
	76-80	Loamy fine sand	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	55-100	20-52	20-30	5-10
3550: Spelvin-----	0-5	Loamy sand	SM	A-2-4	0	0	100	99-100	75-100	15-30	0-0	NP
	5-23	Sandy clay loam	CL, SC	A-6	0	0	100	85-100	75-95	40-55	30-40	10-20
	23-34	Sandy clay loam	CL, SC	A-6	0	0	100	85-100	75-95	40-55	30-40	10-20
	34-50	Sandy loam	SC, SC-SM	A-2-4, A-4	0	0	100	85-100	65-85	30-45	25-30	5-10
	50-58	Loamy sand	SM, SP-SC, SP-SM, SC-SM	A-2-4, A-4	0	0	95-100	85-100	55-75	10-40	10-20	NP-5
	58-80	Sand	SP-SM, SM	A-2-4, A-3	0	0	95-100	80-100	50-75	5-25	0-0	NP
3639: Taver-----	0-7	Loam	CL	A-4, A-6	0	0	100	100	96-100	65-85	28-34	9-14
	7-17	Silty clay loam	CH, CL	A-7-6	0	0	100	100	96-100	90-99	48-60	30-40
	17-33	Silty clay	CH, CL	A-7-6	0	0	100	100	96-100	90-99	48-60	30-40
	33-53	Silty clay loam	CH, CL	A-7-6	0	0	100	100	96-100	90-99	48-60	30-40
	53-64	Clay loam	CL	A-4, A-6	0	0	100	100	90-100	60-80	30-40	15-20
	64-80	Sandy clay loam	CL	A-4, A-6	0	0	100	100	90-100	60-80	30-40	15-20
3640: Tivin-----	0-7	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	90-100	5-25	0-0	NP
	7-18	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-25	0-0	NP
	18-80	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	100	80-100	5-25	0-0	NP
3641: Tivin-----	0-7	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	90-100	5-25	0-0	NP
	7-18	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-25	0-0	NP
	18-80	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	100	80-100	5-25	0-0	NP
	0-4	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	100	80-100	5-15	0-0	NP
	4-9	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	100	80-100	5-15	0-0	NP
	9-18	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-15	0-0	NP
	18-26	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-15	0-0	NP
	26-41	Fine sandy loam	CL, SC	A-6	0	0	100	100	80-100	36-55	30-40	10-20
	41-55	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-2, A-4, A-6	0	0	100	100	80-95	30-55	26-32	7-11
	55-65	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-2, A-4, A-6	0	0	100	100	80-95	30-55	26-32	7-11
Dillhut-----	65-70	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-2, A-4, A-6	0	0	100	100	80-95	30-55	26-32	7-11
	70-80	Fine sandy loam	SC, SC-SM, SM, SP-SC, SP-SM	A-2-4	0	0	100	100	50-70	5-25	22-30	NP-10



ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
3642: Tivin-----	0-11	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	90-100	5-25	0-0	NP
	11-53	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	100	80-100	5-25	0-0	NP
	53-63	Silt loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	100	80-95	45-55	20-30	5-10
Willowbrook, occasionally flooded-----	63-80	Sand	SM, SP-SM	A-2, A-3	0	0	100	80-100	50-65	5-15	0-0	NP
	0-4	Fine sandy loam	SC, SC-SM	A-4	0	0	100	99-100	90-100	36-45	20-30	5-10
	4-9	Fine sandy loam	SC, SC-SM	A-4	0	0	100	99-100	90-100	36-45	20-30	5-10
	9-13	Fine sandy loam	SC-SM, SC	A-4	0	0	100	99-100	92-100	34-42	20-30	5-10
	13-17	Fine sandy loam	SC-SM, SC	A-2-4, A-4	0	0	100	99-100	90-100	34-42	20-30	5-10
	17-19	Loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	90-100	70-95	25-58	15-25	NP-10
	19-26	Fine sandy loam	SC, SC-SM, SM	A-2-4, A-4	0	0	98-100	90-100	70-95	25-45	15-25	NP-10
	26-45	Coarse sand	SP-SM, SP	A-1-b, A-3	0	0	90-100	80-100	35-75	1-10	0-0	NP
	45-51	Coarse sand	SP-SM, SP	A-1-b, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
	51-80	Stratified gravelly coarse sand to sand	SP, SP-SM	A-1-b, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
3643: Tobin-----	0-6	Silt loam	CL	A-6	0	0	100	100	90-100	70-90	30-35	10-15
	6-15	Silty clay loam	CL	A-6	0	0	100	100	90-100	70-90	30-35	10-15
	15-34	Silt loam	CL	A-6, A-7	0	0	100	100	95-100	90-100	30-45	10-20
	34-47	Silt loam	CL	A-6, A-7	0	0	100	100	85-100	70-95	30-45	10-20
	47-80	Silty clay loam	CL	A-6, A-7	0	0	100	100	85-100	70-95	30-45	10-20
3644: Turon-----	0-8	Fine sand	SM, SP-SM	A-2, A-3	0	0	100	100	80-100	5-25	0-0	NP
	8-28	Loamy fine sand	SM, SP-SM	A-2-4	0	0	100	100	80-100	10-25	0-20	NP-3
	28-40	Stratified loamy fine sand to fine sandy loam	SC-SM, SM, SP-SM, SP-SC	A-2-4	0	0	100	100	80-100	10-30	0-23	NP-6
Carway-----	40-58	Silty clay	CH, CL	A-6, A-7-6	0	0	100	100	80-100	80-99	36-52	16-25
	58-75	Silty clay	CH, CL	A-6, A-7-6	0	0	100	100	80-100	80-99	36-52	16-25
	75-80	Silty clay	CH, CL	A-6, A-7-6	0	0	100	100	80-100	80-99	36-52	16-25
	0-7	Loamy fine sand	SM, SC-SM	A-2-4	0	0	100	100	85-100	15-30	10-20	NP-5
	7-10	Sandy clay loam	SC, CL	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	10-15	Sandy clay loam	SC, CL	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	15-22	Fine sandy loam	SC, CL	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	22-35	Fine sandy loam	SC, CL	A-6	0	0	100	100	85-100	45-60	25-35	10-15
	35-40	Clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-60	25-40
	40-54	Clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-60	25-40
	54-63	Clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-60	25-40
	63-72	Clay loam	CL, CH	A-7-6	0	0	100	100	90-100	85-99	45-60	25-40
	72-80	Clay loam	SC, CL	A-6	0	0	100	100	75-90	45-60	25-35	10-15
3760: Urban Land, Protected-----	---	---	---	---	---	---	---	---	---	---	---	
Blazefork, Protected-----	0-3	Silty clay loam	CL, CH	A-7-6	0	0	100	100	95-100	85-95	45-55	25-35
Kaskan, Protected-----	3-7	Silty clay loam	CH, CL	A-7-6	0	0	100	100	95-100	85-95	45-55	25-35
	7-14	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	14-22	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	22-29	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	29-34	Silty clay	CH	A-7-6	0	0	100	100	95-100	90-95	50-65	30-40
	34-40	Silty clay	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30
	40-48	Silty clay loam	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30
	48-61	Clay loam	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30
	61-80	Loam	CL	A-7-6	0	0	100	100	85-100	75-85	40-50	20-30
	0-7	Loam	CL	A-6	0	0	100	100	95-100	85-100	30-35	10-15
	7-17	Clay loam	CL	A-6, A-7	0	0	100	100	100	85-100	35-45	15-20
	17-24	Loam	CL	A-6	0	0	100	100	80-95	60-80	30-35	10-15
	24-35	Fine sandy loam	SC, SC-SM	A-2-4, A-4	0	0	100	100	70-85	30-45	20-30	5-10
35-41	Loamy fine sand	SM	A-2-4	0	0	100	95-100	65-85	15-30	0-0	NP	
41-47	Fine sand	SM	A-2-4	0	0	100	95-100	65-85	15-30	0-0	NP	
47-66	Sand	SM	A-2-4	0	0	100	95-100	65-85	15-30	0-0	NP	
66-80	Stratified gravelly coarse sand to sand	SP, SP-SM	A-1-b, A-2-4, A-3	0	0	95-100	75-95	35-55	1-10	0-0	NP	
3762: Urban Land-----	---	---	---	---	---	---	---	---	---	---	---	

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
Darlow-----	0-5	Loam	CL, CL-ML	A-4, A-6	0	0	100	100	85-95	53-75	21-30	4-11
	5-8	Loam	CL, CL-ML	A-4, A-6	0	0	100	100	85-95	53-75	21-30	4-11
	8-14	Loam	CL	A-6	0	0	100	100	90-100	60-80	30-39	11-18
	14-20	Clay loam	CL	A-6	0	0	100	100	90-100	60-80	30-39	11-18
	20-26	Loam	CL	A-6	0	0	100	100	90-100	60-80	30-39	11-18
	26-33	Loam	CL	A-6, A-7-6	0	0	100	100	90-100	55-80	30-44	11-22
	33-44	Loam	CL	A-6, A-7-6	0	0	100	100	90-100	55-80	30-44	11-22
	44-53	Loam	CL, CL-ML, SC, SC-SM	A-4, A-6	0	0	100	100	90-100	40-52	23-37	6-16
	53-68	Loam	CL, CL-ML, SC, SC-SM	A-4, A-6	0	0	100	100	90-100	40-52	23-37	6-16
	68-80	Sandy loam	SC-SM, SM	A-2	0	0	100	99-100	80-90	16-32	10-18	NP-5
Elmer-----	0-6	Fine sandy loam	CL, CL-ML, ML	A-4	0	0	100	100	90-100	50-60	20-30	3-10
	6-9	Fine sandy loam	CL, CL-ML, ML	A-4	0	0	100	100	90-100	50-60	20-30	3-10
	9-19	Fine sandy loam	CL, CL-ML, ML	A-4	0	0	100	100	90-100	50-60	20-30	3-10
	19-26	Fine sandy loam	CL, SC	A-6	0	0	100	98-100	90-100	45-60	25-35	10-20
	26-37	Fine sandy loam	CL, SC	A-6	0	0	100	98-100	90-100	45-60	25-35	10-20
	37-41	Loam	CL	A-6, A-7-6	0	0	99-100	98-100	90-100	65-85	30-45	15-25
	41-51	Clay loam	CL	A-6, A-7-6	0	0	99-100	98-100	90-100	65-85	30-45	15-25
	51-61	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-2-4, A-2-6, A-4, A-6	0	0	98-100	97-100	85-95	34-55	20-30	6-16
	61-72	Fine sandy loam	SC, SC-SM, CL, CL-ML	A-2-4, A-2-6, A-4, A-6	0	0	98-100	97-100	85-95	34-55	20-30	6-16
	72-80	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-2-4, A-2-6, A-4, A-6	0	0	98-100	97-100	85-95	34-55	20-30	6-16
3763: Urban Land, Protected----- Imano, Protecte	---	---	---	---	---	---	---	---	---	---	---	
	0-10	Clay loam	CL	A-7-6, A-6	0	0	100	100	90-100	70-80	35-45	15-22
	10-25	Loam	CL	A-4, A-6, A- 7-6	0	0	100	100	85-100	60-80	25-45	7-22
	25-55	Stratified fine sand to sand	SP, SP-SM	A-1, A-2, A- 3, A-4	0	0	100	95-100	30-55	0-10	0-10	NP
	55-80	Coarse sand	SP	A-1, A-2, A- 3, A-4	0	0	100	95-100	30-55	0-5	0-10	NP
3764: Urban Land, Protected----- Mahone, Protected-----	---	---	---	---	---	---	---	---	---	---	---	
	0-8	Loamy fine sand	SC-SM, SM	A-2-4, A-4	0	0	100	100	75-95	25-45	0-20	NP-5
	8-14	Fine sandy loam	SC-SM, SM	A-2-4, A-4	0	0	100	100	75-95	25-45	0-20	NP-5
	14-20	Fine sandy loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	90-100	75-95	45-65	20-30	5-10
	20-25	Very fine sandy loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	90-100	75-95	45-65	20-30	5-10
	25-33	Silt loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	90-100	75-95	45-65	20-30	5-10
	33-39	Stratified silt loam to fine sandy loam	CL, CL-ML, SC, SC-SM	A-4	0	0	100	90-100	75-95	45-65	20-30	5-10
	39-42	Clay loam	CL	A-6, A-7-6	0	0	100	100	98-100	85-95	30-45	10-25
	42-48	Fine sandy loam	CL	A-7-6, A-6, A-4	0	0	100	100	98-100	85-95	30-45	10-25
	48-54	Very fine sandy loam	CL-ML, SC, SC-SM	A-4, A-6	0	0	100	95-100	65-100	40-90	20-35	5-20
	54-61	Fine sandy loam	CL-ML, SC, SC-SM	A-4, A-6	0	0	100	95-100	65-100	40-90	20-35	5-20
	61-66	Fine sandy loam	CL-ML, SC, SC-SM	A-4, A-6	0	0	100	95-100	65-100	40-90	20-35	5-20
	66-71	Fine sandy loam	CL-ML, SC, SC-SM	A-4, A-6	0	0	100	95-100	65-100	40-90	20-35	5-20
	71-78	Loamy fine sand	SP-SM, SW, SW-SM	A-1-b, A-3, A-2-4	0	0	99-100	85-100	35-75	1-10	0-0	NP
	78-80	Coarse sand	SP-SM, SW, SW-SM	A-1-b, A-3	0	0	99-100	85-100	35-75	1-10	0-0	NP
3765: Urban Land----- Saltcreek-----	---	---	---	---	---	---	---	---	---	---	---	---
	0-5	Fine sandy loam	CL-ML, ML, SC-SM, SM	A-2-4, A-4	0	0	100	100	80-95	30-55	20-30	1-7
	5-10	Sandy clay loam	CL-ML, ML, SC-SM, SM	A-2-4, A-4	0	0	100	100	80-95	30-55	20-30	1-7
	10-26	Sandy clay loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-20
	26-39	Fine sandy loam	CL, SC	A-6	0	0	100	100	85-100	45-60	25-35	10-20
	39-56	Silty clay	CH, CL	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
	56-66	Silty clay loam	CH, CL	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
	66-80	Silty clay loam	CH, CL	A-7-6	0	0	100	100	90-100	85-99	45-55	25-35
Naron-----	0-7	Fine sandy loam	SC, SC-SM, CL-ML	A-4	0	0	100	100	70-85	35-55	10-20	5-10
	7-19	Fine sandy loam	SC, SC-SM, CL-ML	A-4	0	0	100	100	70-85	35-55	10-20	5-10
	19-34	Loam	CL	A-4, A-6	0	0	100	100	80-95	50-70	30-35	10-15
	34-41	Sandy clay loam	CL	A-6	0	0	100	100	80-90	50-70	30-35	10-15
	41-61	Stratified loam to loamy fine sand to fine sandy loam	SM, SC-SM, SC	A-2, A-4	0	0	100	95-100	60-90	20-50	0-25	NP-10
	61-80	Coarse sand	SM	A-2-4	0	0	100	85-95	45-65	15-35	0-0	NP

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
3766: Urban Land, Protected----- Saxman, Protected-----	---	---	---	---	---	---	---	---	---	---	---	---
	0-4	Loamy sand	SM	A-2-4	0	0	100	95-100	75-100	15-30	0-0	NP
	4-8	Loamy sand	SM	A-2-4	0	0	100	95-100	75-100	15-30	0-0	NP
	8-13	Loamy sand	SM	A-2-4	0	0	99-100	95-100	75-100	15-30	0-0	NP
	13-22	Loamy sand	SM, SP-SM	A-2-4, A-3	0	0	100	95-100	75-95	8-30	0-0	NP
	22-30	Sand	SM, SP-SM	A-2-4, A-3	0	0	99-100	95-100	75-95	8-30	0-0	NP
	30-37	Sand	SM, SP, SP-SM	A-2-4, A-3	0	0	85-100	80-95	65-85	1-15	0-0	NP
	37-48	Sand	SM, SP, SP-SM	A-2-4, A-3	0	0	85-100	80-97	65-85	1-15	0-0	NP
	48-54	Fine sand	SM, SP, SP-SM	A-2-4, A-3	0	0	85-100	80-95	65-85	1-15	0-0	NP
	54-80	Stratified gravelly coarse sand	SP, SP-SM	A-1-b, A-2-4, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
3767: Urban Land, Protected----- Willowbrook, Protected-----	---	---	---	---	---	---	---	---	---	---	---	---
	0-4	Fine sandy loam	SC, SC-SM	A-4	0	0	100	99-100	90-100	36-45	20-30	5-10
	4-9	Fine sandy loam	SC, SC-SM	A-4	0	0	100	99-100	90-100	36-45	20-30	5-10
	9-13	Fine sandy loam	SC-SM, SC	A-4	0	0	100	99-100	92-100	34-42	20-30	5-10
	13-17	Fine sandy loam	SM, SC-SM, SC	A-2-4, A-4	0	0	100	99-100	90-100	34-42	20-30	5-10
	17-19	Loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	90-100	70-95	25-58	15-25	NP-10
	19-26	Fine sandy loam	SC, SC-SM, SM	A-2-4, A-4	0	0	98-100	90-100	70-95	25-45	15-25	NP-10
	26-45	Coarse sand	SP-SM, SP	A-1-b, A-3	0	0	90-100	80-100	35-75	1-10	0-0	NP
	45-51	Coarse sand	SP-SM, SP	A-1-b, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
	51-80	Stratified gravelly coarse sand to sand	SP, SP-SM	A-1-b, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
3768: Urban Land, Protected----- Yaggy, Protecte	---	---	---	---	---	---	---	---	---	---	---	---
	0-5	Fine sandy loam	CL-ML, SC-SM, SC, CL	A-4	0	0	100	99-100	85-100	40-65	10-25	5-10
	5-11	Fine sandy loam	CL-ML, SC-SM, SC, CL	A-4	0	0	100	99-100	85-100	40-60	10-25	5-10
	11-14	Stratified very fine sandy loam to silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	95-100	75-95	60-80	10-35	5-15
	14-24	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	80-100	70-95	1-12	0-0	NP
	24-31	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	80-100	70-98	1-12	0-0	NP
	31-42	Fine sand	SM, SP-SM	A-2-4, A-3	0	0	100	80-100	70-97	1-12	0-0	NP
	42-53	Stratified gravelly coarse sand	SP, SP-SM	A-1-b, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
	53-69	Stratified gravelly coarse sand to sand	SP, SP-SM	A-1-b, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
	69-80	Stratified gravelly coarse sand to sand	SP, SP-SM	A-1-b, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
3900: Warnut-----	0-2	Fine sandy loam	SC, SC-SM	A-2-4, A-4	0	0	100	100	85-100	25-40	20-25	5-10
	2-5	Loam	CL, SC	A-4, A-6	0	0	100	100	80-95	45-60	30-35	10-15
	5-11	Sandy clay loam	CL, SC	A-4, A-6	0	0	100	100	80-95	45-60	30-35	10-15
	11-15	Fine sandy loam	CL, SC	A-2-6, A-4, A-6	0	0	100	100	80-95	30-52	25-30	10-15
	15-22	Fine sandy loam	CL, SC	A-2-6, A-4, A-6	0	0	100	100	80-95	30-52	25-30	10-15
	22-37	Sandy loam	CL, SC	A-2-6, A-4, A-6	0	0	100	100	80-95	30-52	25-30	10-15
	37-60	Loamy sand	SC, SC-SM, SM	A-2-4	0	0	100	100	70-90	15-30	0-25	NP-10
	60-80	Sand	SC, SC-SM, SM	A-2-4	0	0	100	100	70-90	15-30	0-25	NP-10
3926: Water-----	---	---	---	---	---	---	---	---	---	---	---	---
3966: Willowbrook----	0-4	Fine sandy loam	SC, SC-SM	A-4	0	0	100	99-100	90-100	36-45	20-30	5-10
	4-9	Fine sandy loam	SC, SC-SM	A-4	0	0	100	99-100	90-100	36-45	20-30	5-10
	9-13	Fine sandy loam	SC-SM, SC	A-4	0	0	100	99-100	92-100	34-42	20-30	5-10
	13-17	Fine sandy loam	SM, SC-SM, SC	A-2-4, A-4	0	0	100	99-100	90-100	34-42	20-30	5-10
	17-19	Loam	SC, SC-SM, SM, CL-ML	A-2-4, A-4	0	0	100	90-100	70-95	25-58	15-25	NP-10
	19-26	Fine sandy loam	SC, SC-SM, SM	A-2-4, A-4	0	0	98-100	90-100	70-95	25-45	15-25	NP-10
	26-45	Coarse sand	SP-SM, SP	A-3, A-1-b	0	0	90-100	80-100	35-75	1-10	0-0	NP
	45-51	Coarse sand	SP-SM, SP	A-1-b, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
	51-80	Stratified gravelly coarse sand to sand	SP-SM, SP	A-1-b, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP

ENGINEERING INDEX PROPERTIES--Continued  
Reno County, Kansas

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
					Pct	Pct					Pct	
4004: Yaggy-----	In											
	0-5	Fine sandy loam	CL-ML, SC-SM, SM	A-4	0	0	100	99-100	85-100	40-65	10-25	5-10
	5-11	Fine sandy loam	CL-ML, SC-SM, SM	A-4	0	0	100	99-100	85-100	40-60	10-25	5-10
	11-14	Stratified very fine sandy loam to silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	95-100	75-95	60-80	10-35	5-15
	14-24	Fine sand	SP, SP-SM	A-2-4, A-3	0	0	100	80-100	70-95	1-10	0-0	NP
	24-31	Fine sand	SP, SP-SM	A-2-4, A-3	0	0	100	80-100	70-98	1-12	0-0	NP
	31-42	Fine sand	SP, SP-SM	A-2-4, A-3	0	0	100	80-100	70-97	1-12	0-0	NP
	42-53	Stratified gravelly coarse sand	SP, SP-SM	A-1-b, A-3	0	0	85-100	75-98	35-55	1-10	0-0	NP
	53-69	Stratified gravelly coarse sand to sand	SP, SP-SM	A-1-b, A-3	0	0	85-100	65-95	35-55	0-5	0-0	NP
	69-80	Stratified gravelly coarse sand to sand	SP, SP-SM	A-1-b, A-3	0	0	85-100	75-95	35-55	0-5	0-0	NP
4005: Yaggy-----	0-5	Fine sandy loam	CL-ML, SC-SM, SC	A-4	0	0	100	99-100	85-100	40-65	10-25	5-10
	5-11	Fine sandy loam	CL-ML, SC-SM, CL	A-4	0	0	100	99-100	85-100	40-60	10-25	5-10
	11-14	Stratified very fine sandy loam to silt loam	CL, CL-ML	A-4, A-6	0	0	100	95-100	75-95	60-80	10-35	5-15
	14-24	Fine sand	SP, SP-SM	A-2-4, A-3	0	0	100	80-100	70-95	1-12	0-0	NP
	24-31	Fine sand	SP, SP-SM	A-2-4, A-3	0	0	100	80-100	70-98	1-12	0-0	NP
	31-42	Fine sand	SP, SP-SM	A-2-4, A-3	0	0	100	80-100	70-97	1-12	0-0	NP
	42-53	Stratified gravelly coarse sand	SP, SP-SM	A-1-b, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
	53-69	Stratified gravelly coarse sand to sand	SP, SP-SM	A-1-b, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
	69-80	Stratified gravelly coarse sand to sand	SP, SP-SM	A-1-b, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
Saxman-----	0-4	Loamy sand	SM	A-2-4	0	0	100	95-100	75-100	15-30	0-0	NP
	4-8	Loamy sand	SM	A-2-4	0	0	100	95-100	75-100	15-30	0-0	NP
	8-13	Loamy sand	SM	A-2-4	0	0	99-100	95-100	75-100	15-30	0-0	NP
	13-22	Loamy sand	SM, SP-SM	A-2-4, A-3	0	0	100	95-100	75-95	8-30	0-0	NP
	22-30	Sand	SM, SP-SM	A-2-4, A-3	0	0	99-100	95-100	75-95	8-30	0-0	NP
	30-37	Sand	SM, SP, SP-SM	A-2-4, A-3	0	0	85-100	80-95	65-85	1-15	0-0	NP
	37-48	Sand	SM, SP, SP-SM	A-2-4, A-3	0	0	85-100	80-97	65-85	1-15	0-0	NP
	48-54	Fine sand	SM, SP, SP-SM	A-2-4, A-3	0	0	85-100	80-95	65-85	1-15	0-0	NP
	54-80	Stratified gravelly coarse sand	SP, SP-SM	A-1-b, A-2-4, A-3	0	0	85-100	75-95	35-55	1-10	0-0	NP
4110: Zellmont-----	0-8	Sandy loam	CL, SC	A-4, A-6, A-2-4, A-2-6	0	0	95-100	95-100	75-100	30-55	25-35	10-15
	8-18	Sandy clay loam	CL, SC	A-4, A-6, A-2-4, A-2-6	0	0	95-100	95-100	65-100	45-80	30-40	10-20
	18-26	Sandy clay loam	SC, SC-SM, SP-SC	A-2-4	0	0	80-100	70-100	50-80	10-40	20-30	5-10
	26-32	Loam	CL, SC	A-2-4, A-2-6	0	0	85-100	70-100	65-100	45-80	30-40	10-20
	32-80	Weathered bedrock			---	---	---	---	---	---	---	---
Poxmash-----	0-5	Sandy loam	SC, SC-SM, SM	A-2, A-4	0	0	100	75-100	60-90	25-45	0-25	NP-10
	5-9	Sandy loam	SC, SC-SM, SM	A-2, A-4	0	0	100	75-100	60-90	25-45	0-25	NP-10
	9-15	Sandy loam	SC, SC-SM, SM	A-2, A-4	0	0	85-100	75-100	50-95	25-40	20-30	NP-10
	15-20	Loamy sand	SC, SC-SM, SM	A-1-b, A-2	0	0	85-100	75-90	40-70	15-30	0-25	NP-10
	20-33	Sand	GM, GP-GM, SM, SP-SM, GC-GM, SP-SC	A-1, A-2, A-3	0	0-5	40-100	35-85	30-70	5-30	0-20	NP-5
	33-48	Sand	GM, GP-GM, SM, SP-SM, SP-SC, GC-GM	A-1, A-2, A-3	0	0-5	40-100	35-85	30-70	5-30	0-20	NP-5
	48-80	Weathered bedrock			---	---	---	---	---	---	---	---

