

## DATA USERS GUIDES

- 1: Digital Line Graphs from 1:24,000-Scale Maps
- 2: Digital Line Graphs from 1:100,000-Scale Maps
- 3: Digital Line Graphs from 1:2,000,000-Scale Maps
- 4: Land Use and Land Cover Digital Data from 1:250,000- and 1:100,000-Scale Maps
- 5: Digital Elevation Models
- 6: Geographic Names Information System
- 7: Alaska Interim Land Cover Mapping Program

Data Users Guides 1-7 generally replace the Geological Survey Circular 895.

Questions regarding availability and ordering of US GeoData (all types of digital cartographic and geographic data produced and distributed by the U.S. Geological Survey) should be addressed to:

Earth Science Information Center  
U.S. Geological Survey  
507 National Center  
Reston, Virginia 22092  
(703)860-6045

Technical questions and comments should be addressed to:

Branch of Technical Management  
U.S. Geological Survey  
510 National Center  
Reston, Virginia 22092

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
U.S. GEOLOGICAL SURVEY

DIGITAL LINE GRAPHS FROM 1:24,000-SCALE MAPS

---

Data Users Guide 1

Reston, Virginia  
1990

First printing, 1986  
Second printing (revised), 1990

## CONTENTS

	Page
Introduction .....	1
Data content .....	2
Data structure .....	3
Levels of structuring .....	3
Topology .....	4
Attribute codes .....	4
Major attribute codes .....	6
Minor attribute codes .....	6
Sample attribute codes .....	7
Sample line graph structure .....	8
Graph theory in DLG data .....	10
Area case .....	10
Network case .....	11
Area-Hybrid case .....	11
Distribution formats .....	17
Source materials .....	18
Cell size and file extent .....	18
Coordinate systems .....	18
Standard distribution format .....	18
Optional distribution format .....	19
Data validation .....	19
Appendix A. Standard DLG distribution format (record contents) .....	25
B. Optional DLG distribution format (record contents) .....	36
C. Map projection parameters .....	49
D. DLG attribute codes .....	50
E. Coordinate conversion .....	71
F. Sample DLG data file (standard distribution format) .....	72
G. Sample DLG data file (optional distribution format) .....	76
H. Pre-1983 Hydrographic attribute codes .....	79
I. Pre-1985 Transportation attribute codes .....	85
J. Pre-1985 Other Significant Cultural Feature attribute codes .....	92
K. Origins of the U.S. Rectangular Surveys .....	97
L. Named Land Grant codes .....	98

Topo

## ILLUSTRATIONS

---

	Page
Figure 1. Map elements showing roads, railroads, buildings, streams, and lake and forest areas .....	5
2. Sample line graph ... ..	8
3. Window from the Oneco, Connecticut-Rhode Island, USGS 1:24,000-scale quadrangle map .....	12
4. Window from the line graph of hydrography, Oneco, Connecticut-Rhode Island, quadrangle .....	13
5. Location of origin of file reference coordinates .....	19

## TABLES

---

	Page
Table 1. Major codes used for DLG base categories .....	6
2. Digital description of sample DLG-3 .....	9
3. Selected sample of standard format DLG-3 records for Oneco, Connecticut-Rhode Island, hydrography .....	14
4. Standard and optional DLG format ....	17

## DIGITAL LINE GRAPHS FROM 1:24,000-SCALE MAPS

---

### INTRODUCTION

The Earth Science Information Centers (ESIC) distribute digital cartographic/geographic data files produced by the U.S. Geological Survey (USGS) as part of the National Mapping Program. Digital cartographic data files are grouped into four basic types. The first of these, called a Digital Line Graph (DLG), is line map information in digital form. These data files include information on planimetric base categories, such as transportation, hydrography, and boundaries. The second type, called a Digital Elevation Model (DEM), consists of a sampled array of elevations for a number of ground positions that are usually at regularly spaced intervals. The third type is Land Use and Land Cover digital data, which provides information on nine major classes of land use such as urban, agricultural, or forest as well as associated map data such as political units and Federal land ownership. The fourth type, the Geographic Names Information System, provides primary information for all known places, features, and areas in the United States identified by a proper name.

The digital cartographic data files from selected quadrangles currently available from ESIC include the following:

- Digital Line Graphs (DLG)
  - 1:24,000-scale
  - 1:62,500-scale
  - 1:63,360-scale
  - 1:100,000-scale
  - 1:2,000,000-scale
- Digital Elevation Models (DEM)
  - 7.5-minute
  - 15-minute
  - 30-minute
  - 1-degree
- Land Use and Land Cover digital data
  - 1:250,000- and 1:100,000-scale Land Use and Land Cover and associated maps
  - 1:250,000-scale Alaska Interim Land Cover
- Geographic Names

The digital data are useful for the production of cartographic products such as plotting base maps and for various kinds of spatial analysis. A major use of these digital cartographic/geographic data is to combine them with other geographically referenced data enabling scientists to conduct automated analysis in support of various decision making processes.

---

Any use of trade, product, or firm names in this publication is for descriptive purposes only and does not imply endorsement by the U.S. Government. Manuscript approved for publication September 4, 1986.

This document describes the Digital Line Graphs (DLG's) prepared primarily from the 1:24,000 materials associated with the USGS Topographic Map Series. The series will eventually provide complete national coverage.

## DATA CONTENT

The DLG data files derived from the 1:24,000-scale and other large-scale maps contain selected base categories of cartographic data in digital form; these data categories do not necessarily correspond to the traditional feature separates associated with the maps. The attribute coding scheme for these data has undergone several revisions since the start of the digital program. A major revision of these codes has been printed as Standards for Digital Line Graphs - Part 3, Attribute Coding, which is available for purchase from a USGS ESIC office (see the ordering information inside the front cover). Currently, DLG data entered in the National Digital Cartographic Data Base (NDCDB) are coded in accordance with the Standards for Digital Line Graphs. The implementation of the new coding standards will require the updating of existing files in the NDCDB in order to have a consistent product available for users. Software and procedures are being developed to convert existing data files to these codes during the next several years. Priority will be given to converting files retrieved in response to sales requests. In the meantime, a data base query will provide identification of the coding scheme used for any file in the NDCDB. This information will be supplied to customers when orders are submitted, and upon transmittal of data files. The following categories are included in current large-scale DLG files:

- Boundaries -- This category of data consists of (1) political boundaries that identify States, counties, cities, and other municipalities, and (2) administrative boundaries that identify areas such as National and State forests. Political and administrative boundaries are always collected as a single data set.
- Hydrography -- This category of data is currently being collected as combined hydrography consisting of all flowing water, standing water, and wetlands.

Prior to 1983, hydrographic data were differentiated into two components: streams and water bodies. Streams represent flowing water and were digitized as a network intended for hydrologic flow modeling. Streams included the banks of double-line rivers and centerline connectors placed through double-line rivers and lakes. Water bodies include standing water such as lakes and ponds. Wetlands and coastal hydrographic data were not collected. Appendix H contains a list of the attribute codes used in these files.
- Public Land Survey System (PLSS) -- This category of data describes the rectangular system of land surveys that is administered by the U.S. Bureau of Land Management. PLSS data are only collected for areas falling solely, or in part, within the States that were formed from the public domain. The PLSS subdivides the public domain and represents property boundaries or references to property boundaries. These DLG data are not intended to be official or authoritative. They are presented as cartographic

reference information. The only legal basis for determining land boundaries remains the original survey.



- Transportation -- This category of data includes major transportation systems collected in three separate overlays labeled: (1) Roads and Trails, (2) Railroads, and (3) Pipelines, Transmission Lines, and Miscellaneous Transportation Features.

In the last quarter of 1985, new transportation attribute codes were implemented. The principal difference between the old and new coding schemes is that under the old transportation subcategory, certain miscellaneous transportation features were not collected and descriptive attribute codes were not used. Appendix I contains a list of the attribute codes formerly used.

- Other Significant Manmade Structures -- This category of data includes miscellaneous cultural features not included in the other major data categories.

New attribute codes for Other Significant Manmade Structures were implemented in the last quarter of 1985. Very little data from this category currently reside in the NDCDB. Appendix J contains a list of the attribute codes used for these older files.

The attribute codes for the following base categories were newly defined in late 1985. Currently, there are very little data available in these categories.

- Hypsography -- This category of data consists of information on topographic relief (primarily contour data).
- Surface Cover -- This category of data consists of information about vegetative surface cover such as woods, scrub, orchards, and vineyards. Vegetative features associated with wetlands, such as marshes and swamps, are collected under Hydrography.
- Non-Vegetative Surface Features -- This category of data consists of information about the natural surface of the Earth as symbolized on the map such as lava, sand, and gravel features. This category is not all-inclusive, as other non-vegetative surface features are found in the category of Hydrography.
- Survey Control and Markers -- This category of data consists of information about the points of established position and third-order or better elevations that are used as fixed references in positioning and correlating map features.

## DATA STRUCTURE

### Levels of Structuring

The term Digital Line Graph (DLG) is used by the USGS to describe a digital map data set in vector form. Originally, three levels of DLG data (DLG-1, DLG-2, and DLG-3) were envisioned; these levels were differentiated by their positional accuracy, level of attribute coding, and relational spatial information. It was found, however, that the widest user-community would be served by producing DLG-3 data, which have the full range of attribute codes and are fully topologically structured. These

two properties are required by users whose work includes both graphic and analytic applications. Therefore, all DLG data in the National Digital Cartographic Data Base are level 3.

## Topology

Current data collection from 1:24,000-scale and other large-scale maps is exclusively directed toward producing fully topologically structured level 3 DLG data referred to as DLG-3. The DLG-3 concept is based on graph theory in which a two-dimensional diagram is expressed as a set of nodes (topologically significant points), lines, and areas in a manner that explicitly expresses logical relationships. Applied to a map, this concept is used to encode the digital data with the spatial relationships between map elements which are obvious when the map is examined visually. The spatial relationships include such concepts as adjacency and connectivity between features on the map. The abstraction of the map data according to the rules of graph theory preserves the spatial relationships inherent in the map graphic and creates a logical and consistent data file structure for computer processing. A digital file of cartographic or geographic data that maintains the spatial relationships inherent in the map is called a topologically structured data file. A topologically structured data file can support simple graphic applications, such as plotting streams and roads for base maps, as well as more advanced applications, such as computations and analyses involving areas and lines and their spatial relationships.

## Topological Elements

A DLG-3 file is composed of three separate, but related, elements: nodes, lines, and area identifiers. Nodes define the location of the endpoints of every line, and a single node may mark the start or end of one or more lines. Thus, nodes occur at intersections of linear features and other places on linear features where the feature is subdivided into separate line segments.

A line is an ordered set of points that describes the position and shape of a linear feature on the map. Each line starts at a node and ends at a node, and has an area to the left of its direction of travel, and has an area to the right of its direction of travel. The direction of travel is arbitrarily determined at the time of data capture. Lines connect to each other at nodes, and a line does not cross itself or any other line. A line may describe the boundary between two areal map features, such as counties, or may define a map feature by itself, such as a road. A special line, called a degenerate line, is used to define features symbolized as independent points on a map. A degenerate line starts and ends at the same node, has two identical coordinate pairs, has zero length, and has the same area to the left and right of the direction of travel; that is, it is totally enclosed inside one map area.

An area is a portion of the map bounded by lines. All portions of the map must be assigned some area point. Each area is identified in a DLG-3 data file by a point chosen to represent the characteristics of the area. Newer versions of the processing software, the DLG Production System or PROSYS, locate a given area point inside the area it represents, although this is not a structural requirement. Every DLG data file will have at least two areas identified: one representing the area covered by the file and the other representing the area outside the coverage of the file. Additional areas will be identified as necessary to subdivide the area covered by the file. Polygons as unique features are not defined explicitly in a DLG file. However, polygons can be constructed using line-area linkages built into the DLG data structure.

## ATTRIBUTE CODES

In addition to locational and topological information, DLG data elements may have explicitly encoded attributes. Attribute codes, also called feature codes or classification attributes, are used to

describe the map information represented by a node, area, or line. For example, the attribute code for an area might identify a lake or swamp; the attribute code for a line might identify a road, railroad, stream, or shoreline (fig. 1).




Figure 1.--Map elements showing roads, railroads, buildings, streams, and lake and forest areas.

The codes are based on the cartographic features symbolized on the USGS Topographic Map Series. These maps are the basic source material used to digitize and to encode the data elements, and therefore the map symbology has a strong influence on the overall classification strategy. A listing of all the attribute codes currently assigned and used in 1:24,000- and 1:100,000-scale DLG files is given in Appendix D. Detailed information on how to apply and interpret the attribute coding system is given in

Standards for Digital Line Graphs, Part 3: Attribute Coding. (This publication may be purchased from the U.S. Geological Survey. See the ordering information inside the front cover.)

Each attribute code identifies the major category to which a data element belongs, as well as the specific nature of the element. Codes also may provide additional descriptive information. Most elements are uniquely described by a single attribute code. Others, however, may require two or more codes for a complete description. If multiple attributes are needed to describe an element, the order is not usually significant. Allowing for a variable number of attribute codes creates an open-ended structure to which information may be added at any time. It is not necessary for each element to have associated attributes; in general, attribute codes are not assigned to an element if the attributes can be derived based on relationships to adjacent elements. For example, a U.S. Public Land Survey section line is not assigned an attribute code because the line record carries a reference to the areas to the left and right, that will be assigned attribute codes identifying the two different section numbers. The fact that the line is a section line is derivable.

A DLG attribute code is composed of two distinct numeric fields: a three-digit major code, which identifies the major category to which the element belongs, and a four-digit minor code, which specifically describes the element. In the digital file, the major and minor attributes are encoded in two integer fields of six digits, right justified with leading blanks (FORTRAN 2I6 format). In this document, major codes are presented as three digits, and minor codes are presented as four digits. Leading zeros are shown for clarity; for example: 050 0412.

### Major Attribute Codes

A list of the major codes and the categories that are currently being collected is contained in table 1. The first two digits of the major code uniquely identify the category to which the described element belongs. The third digit of the major code is used to modify the minor code in two ways:

- If zero, the minor code represents a description or classification of the element.
- If non-zero, the minor code which follows is a parameter requiring special interpretation according to instructions given in the codes for each category (see next section).

Transportation systems have been assigned more than one major code so that their components may be readily separated for analytical applications.

Table 1.--Major codes used for DLG base categories

Major Code	Base Category
020	Hypsography
050 <sup>1</sup>	Hydrography
070	Surface Cover
080	Non-Vegetative Surface Features
090	Boundaries
150	Survey Control and Markers
170 <sup>2</sup>	Transportation--Roads and Trails
180 <sup>2</sup>	Transportation--Railroads
190 <sup>2</sup>	Transportation Systems--Pipelines, Transmission Lines, Miscellaneous Transportation Features
200 <sup>3</sup>	Other Significant Manmade Structures
300	U.S. Public Land Survey System

<sup>1</sup> Prior to 1983, hydrographic features were digitized as two separate categories, (1) 030-Streams and (2) 040-Water bodies. Hydrographic features are currently digitized as a single category, 050-Hydrography. See Appendix H for a list of hydrographic attribute codes used prior to 1983.

<sup>2</sup> In the last quarter of 1985, the transition was made to these new transportation attribute codes, adding codes for certain miscellaneous transportation features. See Appendix I for a list of transportation attribute codes used prior to this transition.

<sup>3</sup> In the last quarter of 1985, codes for this category were created to replace an earlier version of codes. See Appendix J for a list of the previous attribute codes.

### Minor Attribute Codes

The first digit of the minor code is normally zero. If non-zero, it is used as a modifier to provide additional information such as road access or railroad status.

The remaining three digits are normally used to indicate the cartographic interpretation to be applied to specific elements. The type of element described by a particular code usually can be determined from the range of value of the last three digits:

- 001 - 099 = nodes
- 100 - 199 = areas
- 200 - 299 = lines
- 300 - 399 = degenerate lines
- 400 - 499 = codes which may be applied to any element type (nodes, lines, areas, or points)
- 601 - 699 = general descriptive codes

The last three digits (and occasionally all four digits) also may be used as a parameter code. Parameters are used when a minor code can legitimately assume a range of values such as a water elevation or a highway route number. The meaning of a parameter code is indicated by the (non-zero) third digit of the major code.

#### Sample Attribute Codes

Four examples using the DLG attribute codes follow and should be interpreted with reference to Appendix D.

##### **Example A:**

050 0412 The major code 050 indicates the Hydrography category. The minor code 0412 identifies the feature as a stream.

##### **Example B:**

170 0201 The major code 170 indicates the Roads and Trails overlay in the Transportation category. The minor code 0201 identifies the feature as a class 1 highway.

170 0603 The major code 170 indicates the Roads and Trails overlay in the Transportation category. The minor code identifies the feature as a road under construction. This code would be used in addition to the code describing the class of road, and would appear in the same record with the code 170 0201.

##### **Example C:**

055 0033 The major code 055 indicates a river mile mark for the Hydrography category. Because the last digit of the major code is non-zero, the minor code is a parameter. The minor code 0033 indicates that the value of the river mile mark at that point is 33.

##### **Example D:**

306 0033 The major code 306 indicates an Origin of Survey code for the U.S. Public Land Survey System category. Because the last digit of the major code is non-zero, the minor code 0033 indicates that the area element is referenced to the Willamette Meridian.



## SAMPLE LINE GRAPH STRUCTURE

Examples of a line graph and its corresponding digital records are given in figure 2 and table 2. These examples are simplified representations of the concepts used in the DLG-3 structure; they are not actual data files. The examples shown are composed of 13 nodes, 5 areas, and 15 lines. The 13 nodes are labeled N1 through N13, the 5 areas are labeled A1 through A5, and the 15 lines are labeled L1 through L15. Each element type is maintained as a separate list in the digital data.




Figure 2.--Sample line graph.

The map represented by the example is divided into five distinct areas labeled A1 through A5. Area A1 represents all the area outside of the map border. There is one outside area for each DLG-3. It is always the first area encountered and has the attribute code 000 0000. In the example given in figure 2, the portion of the map inside the border is divided into four areas, each bounded

(closed) by lines. Area A2 is bounded by lines L14, L1, L4, and L5. Area A3 is bounded by lines L3, L13, L4, L6, L7, L8, L15, and L9. Area A4 is bounded by lines L8, L15, and L9. Area A5 is bounded by lines L5, L6, L7, and L10 and L2.

In this example, line elements contain the only explicit topological references. Each line contains pointers to its bounding nodes (starting and ending) and the areas that it bounds (left and right of the line).

Table 2.--Digital description of the topological elements and relationships of a sample line graph (see fig. 2)

Nodes			Areas		
Internal Id			Internal Id		
Number	X Coordinate	Y Coordinate	Number	X Coordinate	Y Coordinate
N1	1	28	A1	0	0
N2	13	14	A2	6	24
N3	23	28	A3	3	10
N4	13	1	A4	8	7
N5	13	7	A5	18	14
N6	22	10			
N7	6	5			
N8	10	4			
N9	11	24			
N10	23	1			
N11	1	17			
N12	1	1			
N13	9	9			

Lines						
Nodes			Area		Coordinates	
Number	Starting	Ending	Left	Right	(first x y	last x y)
L1	1	3		1	2	1, 28 23, 28
L2	3	10		1	5	23, 28 23, 1
L3	4	12		1	3	13, 1 1, 1
L4	11	2		2	3	1, 17 .... 13, 14
L5	2	3		2	5	13, 14 23, 28
L6	2	5		5	3	13, 14 13, 7
L7	5	4		5	3	13, 7 13, 1
L8	13	7		4	3	9, 9 .... 6, 5
L9	7	8		4	3	6, 5 .... 10, 4
L10	4	10		5	1	13, 1 23, 1
L11	5	6		5	5	13, 7 .... 22, 10
L12	9	9		2	2	11, 24 11, 24
L13	12	11		1	3	1, 1 1, 17
L14	11	1		1	2	1, 17 1, 28
L15	8	13		4	3	10, 4 .... 9, 9

This format is similar in concept to the standard DLG-3 data structure, which minimizes redundant linkages to achieve efficient data encoding and storage.

The lines in figure 2 are labeled L1 through L15. The lines can be identified by their starting node number, ending node number, number of the area to the left of the direction of travel, number of the area to the right of the direction of travel, and string of coordinates describing the alignment of the line. In this example, only two pairs of coordinates are shown; however, in an actual file, an irregular line would have a variable number of coordinate pairs up to a limit of 3,000 coordinate pairs. The direction of travel of the line is arbitrarily determined during the digitizing operation. In this example, L1 is encoded as proceeding clockwise around area A2. Thus line L1 starts at node N1, ends at node N3, has area A1 to the left of the direction of travel, and has area A2 to the right of the direction of travel. The coordinate string describing the alignment of the line will start with the same coordinate values as that of node N1 and will end with the same coordinate values as that of node N3. Because the area to the left of its direction of travel, A1, is different from the area to the right of its direction of travel, A2, the line is known to be a boundary between the two areas.

Lines L11 and L12 are examples of lines that lie within one area. In this example, line L11 starts at node N5, ends at node N6, has area A5 to the left of the direction of travel, and again has area A5 to the right of the direction of travel. The coordinate string for the line will start with the same coordinate values as that of node N5 and will end with the same coordinate value as that of node N6. Line L12 is an example of a degenerate line. The line starts at node N9, ends at node N9, and has area A2 as both the area to its left and right. There are two coordinate pairs in the string defining the line, and both points have the same coordinate values as node N9; thus, the two points are the same and the line has zero length.

The line graph concept allows all of the points on the map to be described as a member of a line graph element (node, area, or line) with minimal redundancy. The relationships between the various elements are indicated by the structure. Note that in this example the x and y coordinates are numbered from the lower left corner to simplify the drawing. In an actual DLG-3 file, the origin is the center of the map and the internal file coordinates are numbered plus or minus 1 to 32,767 in thousandths of inches. See the section labeled "coordinate systems" for more detail.

## GRAPH THEORY IN DLG DATA

The digital line graph concept is based on graph theory, in which a diagram can be expressed as a set of elements (nodes, areas, and lines) in a manner that shows logical spatial relationships with minimal redundancy. There are three ways to implement the line graph concept in DLG files: the area case, the network case, and the area-hybrid case. All NMD files are collected and processed as area-hybrid case DLG's.

### Area Case

Area line graphs can be used to represent area features such as political entities or the U.S. Public Land Survey System. In the area case, all closed circuits of lines form unique areas. All line elements bound two different area elements. Line elements for area line graphs are not normally assigned primary attributes. The characteristics of lines in these categories can usually be derived by examining the attributes of the area elements on each side of the line.

### Network Case

Network line graphs can be used to represent linear features such as roads, single-line streams, or railroads. The network case differs from the area case in that, irrespective of the number of closed areas forming the graph, only two area elements are encoded: (1) the area outside the graph, termed the outside area; and (2) the area within the graph, termed the background area. All lines except the graph boundary are considered to be contained within the background area. The major topological relationship expressed by network data is that of connectivity. Data encoded in network line graph form are suitable for various forms of network analysis, such as minimum path computations.

### Area-Hybrid case

In the area-hybrid case, network and area type information is gathered in a single DLG file. In this approach, all closed circuits of lines define unique areas. However, some lines may exist which do not form boundaries between two areas. The unique areas which represent features for the overlay are given attribute codes. For example, in the hydrography category there are areal features, such as lakes, reservoirs, and swamps, that are represented by unique, attributed area elements. There are also linear features, such as single-line streams and aqueducts, that are significant in themselves and are also assigned attribute codes. These features may occupy a position in an area of no other hydrographic significance, that is, an unattributed background area. Therefore, in processing area-hybrid data, the background area itself is broken into numerous unattributed area records that distinguish the background areas from hydrographic areas. To further illustrate the area-hybrid case, a detailed description of a representative line graph follows.

Figure 3 shows a window taken from the Oneco, Connecticut-Rhode Island, 1:24,000-scale USGS quadrangle map.

Figure 4 shows the line graph encoded for the hydrography of the same area. Certain nodes, areas, and lines are labeled.

Table 3 contains some of the digital data records, extracted from the standard format DLG file, which describe this portion of the graph. The internal sequence identification numbers shown reflect the order of these features in the original file. (Note: Descriptions of DLG-3 formats are contained in Appendixes A and B, and a list of attribute codes is contained in Appendix D.)

In the Oneco example, each node and area element is described by one or two logical records: (1) a type D.I record that describes the element, and (2) an optional type F record that lists the attribute codes associated with the element. The first record (type D.1) for each node and area element contains the following fields:

1. Type of record indicator, N for node or A for area.
2. Internal sequence identification number.
3. X coordinate of node or representative area point.
4. Y coordinate of node or representative area point.
5. Number of attribute codes that describe the element.
6. Number of pairs of characters in the text string that describes the element.




Figure 3.--Window from the Oneco, Connecticut-Rhode Island, 1:24,000-scale quadrangle map.

The second record (type F) for each node and area element contains  $n$  attribute codes (expressed as major and minor code pairs), where  $n$  is the number specified in field 5 of the first (type D.I) record.

Each line element in the Oneco example is described by two or three logical records: (1) a type D.2 line description record, and (2) a type E record that lists the  $x,y$  coordinate pairs that define the shape of the line, and, if appropriate, (3) a type F (attribute code) record. The first record (type D.2) for each line element contains the following fields:

1. Type of record indicator (L).
2. Internal sequence identification number.
3. Internal sequence number of starting node.
4. Internal sequence number of ending node.
5. Internal sequence number of the area to the left of the line.
6. Internal sequence number of the area to the right of the line.
7. Number of  $x,y$  coordinate pairs that locate the line on the map.
8. Number of attribute codes that describe the line.
9. Number of pairs of characters in the text string that describes the line.




Figure 4.--Window from line graph of hydrography, Oneco, Connecticut Rhode Island, quadrangle.

The second logical record (type E) for each line element contains  $n$  coordinate pairs, where  $n$  is the number specified in field 7 of the first (type D.2) record. The type F record is as described above.

The records listed in table 3 describe several hydrographic features in the center of the north edge of figure 3, including a portion of Quanduck Brook, a small pond, a swamp, and two small streams. The records referred to in the following description have been extracted from a complete DLG. Therefore, the internal sequence identification numbers shown reflect the order of these features in the original file. The records are referred to in this description by these internal sequence numbers; for example, node 141, area 13, line 119.

Background area 13 has an  $x,y$  coordinate of 0,0. This is a result of the processing software automatically determining the numerous background areas within a DLG and assigning these areas an  $x,y$  coordinate of 0,0 (which is the origin of a DLG, usually located at the center of a quad). The area outside of the map is represented by area record 1 and is identified by the attribute code 000 0000.

Table 3.--Selected sample of standard format DLG-3 records  
for Oneco, Connecticut-Rhode Island, Hydrography

HYDROGRAPHY										2360	808	1180	368	1572	1021
N	141	1654	8143	0					0						
N	142	949	7238	0					0						
N	150	1501	8058	0					0						
N	151	794	7190	0					0						
N	364	1484	9210	1					0						
50	1														
N	387	-1571	10532	1					0						
50	1														
N	511	893	7972	0					0						
A	1	-9137	146	1					0						
0	0														
A	13	0	0	0					0						
A	50	-3179	6522	1					0						
50	412														
A	169	-1557	10407	2					0						
50	111	50	613												
A	221	893	7991	2					0						
50	421	50	0												
L	119	141	140	13	50	26	1	0							
1654	8143	1681	8142	1695	8134	1709	8106	1721	8071	1727	8023				
1758	7963	1765	7956	1785	7958	1856	8012	1954	8106	2008	8162				
2057	8191	2082	8198	2113	8220	2309	8328	2342	8332	2362	8327				
2411	8287	2424	8279	2448	8283	2507	8310	2565	8348	2590	8362				
2638	8391	2655	8406												
50	605														
L	120	142	141	13	50	22	1	0							
949	7238	952	7275			926	7357	929	7394	941	7427	972	7490		
1004	7542	1095	7665	1121	7691	1176	7754	1277	7852	1306	7883				
1324	7921	1372	7980	1382	7988	1407	8027	1462	8072	1526	8083				
1558	8100	1620	8137	1641	8144	1654	8143								
50	605														



Table 3.--Selected sample of standard format DLG-3 records  
for Oneco, Connecticut-Rhode Island, Hydrography--continued

L 121 143 142 13 50 33 1 0

219 6694 211 6712 211 6745 200 6785 206 6809 223 6821  
264 6825 288 6844 292 6871 285 6907 276 6928 274 6959  
284 6978 300 6990 319 6992 349 6991 363 7001 431 7099  
442 7112 536 7275 563 7290 609 7303 665 7307 717 7296  
731 7281 739 7262 784 7230 816 7195 844 7182 877 7183  
909 7200 937 7225 949 7238  
50 605

L 129 150 139 50 13 33 1 0

1501 8058 1572 8070 1601 8086 1626 8105 1651 8114 1671 8109  
1685 8081 1707 8020 1718 8001 1731 7950 1743 7938 1765 7927  
1788 7928 1820 7948 1844 7966 1954 8074 2011 8123 2034 9151  
2085 8179 2104 8192 2114 8195 2180 8239 2253 8280 2298 8304  
2321 8313 2345 8312 2359 8305 2400 8269 2424 8263 2452 8266  
2476 8277 2500 8286 2512 8294  
50 606

L 130 151 150 50 13 25 1 0

794 7190 834 7159 854 7157 903 7169 927 7181 953 7205  
973 7239 975 7259 955 7337 947 7351 952 7390 981 7461  
1008 7492 1065 7577 1107 7645 1143 7679 1162 7697 1193 7741  
1288 7831 1338 7890 1348 7909 1413 7996 1453 8038 1491 8057  
1501 8058  
50 606

L 131 152 151 50 13 36 1 0

59 6583 109 6597 205 6612 225 6621 239 6637 245 6657  
237 6715 237 6748 222 6775 226 6791 237 6802 278 6809  
315 6835 325 6859 319 6885 313 6900 311 6914 297 6939  
302 6959 313 6967 360 6970 375 6975 394 7004 413 7037  
423 7042 453 7082 510 7183 542 7252 568 7275 638 7291  
670 7295 709 7283 734 7245 767 7213 786 7201 794 7190  
50 606

L 339 364 141 13 13 21 1 0

1484 9210 1490 9148 1531 8966 1550 8852 1560 8820 1566 8780  
1594 8677 1599 8629 1626 8580 1636 8559 1648 8540 1661 8529  
1673 8510 1675 8450 1698 8376 1701 8350 1690 8318 1643 8261  
1641 8219 1653 8159 1654 8143  
50 412

L 358 387 21 13 13 23 1 0

-1571 10532 -1578 10608 -1597 10705 -1641 10804 -1657 10832 -1683 11865  
-1689 10877 -1730 10922 -1769 10946 -1841 10979 -1945 11041 -1979 11049  
-2019 11074 -2061 11110 -2080 11131 -2093 11172 -2101 11212 -2109 11230  
-2131 11263 -2135 11273 -2143 11280 -2185 11369 -2201 11395  
50 412



Table 3.--Selected sample of standard format DLG-3 records  
for Oneco, Connecticut-Rhode Island, Hydrography--continued

```
L 501 511 511 221 13 7 2 0

893 7972 915 7976 912 7997 890 8020 871 7996 864 7974
893 7972
50 0 50 200

L 895 387 387 169 13 20 1 0

-1571 10532 -1586 10532 -1619 10513 -1622 10504 -1622 10454 -1638 10426
-1655 10415 -1671 10409 -1698 10404 -1707 10392 -1697 10373 -1667 10365
-1562 10348 -1542 10354 -1526 10373 -1523 10412 -1530 10462 -1543 10503
-1563 10527 -1571 10532
50 204
```

---

The double-line stream, Quanduck Brook, is represented by area record 50 and identified by the attribute code 050 0412 (stream). Area record 13 is the background area on either side of the stream, and as such has no attribute code assigned. Line records 129, 130, and 131 form the left bank of the river, coded as though one were facing downstream. These lines are identified by the attribute code 050 0606 (left bank) and can be chained by referring to the common nodes. Line record 131 begins outside figure 4 and ends at node 151. Line record 130 starts at node 151 and ends at node 150. Line record 129 starts at node 150 and ends outside figure 4.

The right bank of the river is formed in a similar fashion by line records 119, 120, and 121, which are identified by the attribute code 050 0605 (right bank). They are similarly linked through the nodes 141 and 142. Note that the identity of the shoreline as either left or right bank (coded as such to indicate downstream flow) is established by the attribute code, so the given line segments making up the shoreline may be digitized in either direction without altering its identity.

Area record 221 describes the small pond just north of Quanduck Brook. It is identified by two attribute codes: 050 0421 (lake or pond) and 050 0000 (photorevised feature). Its shoreline is formed by line record 501 and identified by the attribute codes 050 0200 (shoreline) and 050 0000 (photorevised feature). This line can be identified as bounding area 221 by the reference within the line record to area 221 being located to the left of the line (indicating that line 501 was digitized counterclockwise).

Area record 169 describes the marsh in the upper-left corner of figure 4. It is identified by two attribute codes: 050 0111 (marsh, wetland, swamp, bog) and 050 0613 (wooded). The perimeter of the swamp is formed by line record 895 and identified by the attribute code 050 0204 (apparent limit). This line can be identified as bounding area 169 by the reference within the line record to area 169 being located to the left of the line (indicating that line 895 was digitized counter-clockwise).

The single-line stream flowing into Quanduck Brook is represented by line record 339 and identified by attribute code 050 0412 (stream). Note that this stream has the same attribute code as the Quanduck Brook (050 0412). This is because both are streams, one of which is digitized as a line and one of which is digitized as an area and its delimiting banks. Line 339 extends from node

364 to node 141. The direction of flow of this stream can be derived from the fact that node 364 is identified with attribute code 050 0001 (upper origin of stream). Background area 13 is located on both sides of the stream.

## DISTRIBUTION FORMATS

The 1:24,000-scale and other large-scale DLG data are available in two distribution formats: (1) standard and (2) optional.

The standard distribution format is intended to minimize storage requirements. Explicit topological linkages are contained only in the line elements (starting node, ending node, area to the left of direction of travel, area to the right of direction of travel). A sample DLG in standard format is found in Appendix F.

The optional distribution format was designed to facilitate data usage. The topological relationships explicitly encoded include starting node, ending node, area to the left of direction of travel and area to the right of direction of travel for line elements, bounding lines for area elements, and bounding lines for node elements. These files are typically larger than those in the standard format but, for certain applications, can simplify processing requirements. For example, topological linkages are explicitly encoded for all line, node, and area elements, allowing a polygon data structure to be easily created. These linkages facilitate GIS applications of DLG data as well as generation of graphic products. A sample DLG in optional format is found in Appendix G.

The characteristics of the standard and optional DLG formats are summarized in table 4.

Table 4.--Standard and optional DLG format

	Standard	Optional
Character set	8-bit ASCII	8-bit ASCII
Logical record length	144 bytes	80 bytes
Physical record length (blocksize)	Variable in multiples of 144 bytes.	Variable in multiples of 80 bytes.
Coordinate system	Internal file (thousandths of a map inch).	Ground planimetric (UTM).
Topological linkages	Contained only in line elements.	Contained in node, area, and line elements.

These formats are described in detail in Appendixes A and B.

## SOURCE MATERIALS

The DLG data files described in this document are derived from USGS topographic maps published as 7.5-minute quadrangles at 1:24,000- or 1:25,000-scale. Where 7.5-minute coverage is not available, the following sources are used, in order of preference:

1. Advance manuscripts for 7.5-minute maps,
2. Published 1:62,500 scale 15-minute quadrangle maps (1:63,360 scale in Alaska), or
3. Archival compilation materials for 15-minute quadrangle maps, if available at a larger scale than the published map, such as 1:48,000 scale.

The scale of the source materials used to generate a DLG is contained in the file header. The scale is also reflected in the resolution field, which states the ground length in meters of the smallest data collection unit (0.001 inch) for each scale.

<u>Source scale</u>	<u>Resolution</u>
1:24,000	0.61 meter
1:25,000	0.635 meter
1:48,000	1.22 meters
1:62,500	1.587 meters
1:63,360	1.61 meters

## CELL SIZE AND FILE EXTENT

In general, the DLG's are stored and distributed in standard cells of 7.5 minutes of latitude by 7.5 minutes of longitude. The majority of 1:24,000-scale data collected from 15-minute quadrangles are digitized as four 7.5-minute units. A few older data files collected from 15-minute quadrangles were not digitized in 7.5-minute units, but in 15-minute units.

Nonstandard cells are collected in coastal areas where map format is sometimes extended to conform to the shoreline. It is anticipated that these nonstandard files will eventually be partitioned into standard 7.5-minute by 7.5-minute files.

## COORDINATE SYSTEMS

The positional descriptions for DLG data elements are expressed in one of two coordinate systems, dependent upon the distribution format selected. These are described as follows as the standard distribution format and the optional distribution format.

### Standard Distribution Format

The DLG data in the standard distribution format are encoded using an internal file coordinate system to minimize storage requirements. The characteristics of this system are as follows:

1. The coordinate system is Cartesian.
2. The origin ( $x=0$ ,  $y=0$ ) is normally at the center of the cell. Some older files will have their origin below and to the left of the lower left corner of the cell (see fig. 5).

3. The x-axis of the coordinate system is parallel to a theoretical straight line connecting the southwest and southeast corners of the cell; y-axis is perpendicular to that line.
4. One unit is equal to 0.001-inch at map scale.
5. The coordinate domain is limited to the range -32768 to +32767.




Figure 5.--Location of origin of file reference coordinates.

The file header contains the parameters of a transformation which can be used to convert the internal file coordinates to the ground coordinate system, which is the Universal Transverse Mercator (UTM) for 1:24,000-scale DLG's. An example of this transformation is given in Appendix E.

#### Optional Distribution Format

The DLG data in the optional distribution format are expressed in the units of the ground coordinate system; that is, meters in the UTM coordinate system.

#### DATA VALIDATION

The DLG data do not currently carry quantified accuracy statements. The following procedures, however, are used to validate the data files before they are released for distribution:

1. File fidelity and completeness -- The data are either manually digitized using equipment with a resolution of 0.001 inch and an absolute accuracy of from 0.003 to 0.005 inch, or are scanned on an automatic device with a resolution of 30 points per millimeter, or 0.0013 inch. The positional accuracy of the data and completeness of the file are checked by visually comparing proof plots with the original stable-base source material. These proof plots are generated using automated drafting machines with a resolution of 0.001 inch and an absolute accuracy of from 0.003 to 0.005 inch.

2. Attribute accuracy -- DLG attribute codes are checked by software against a table of valid codes to ensure that each attribute in a file is valid for the category and element type to which it is assigned. Validating the codes for correct application is currently a manual process involving the correlation of formatted listings with proof plots.
3. Topological fidelity -- The topological structure of each DLG file is fully validated by software. There are no extraneous intersections; that is, a line does not join or cross another line, or itself, except at a node. No line extends through a node. Polygon (area) adjacency is also validated; that is, area left and right topological attributes of lines are consistent throughout the file. The neatline is free of gaps. Validation of DLG data is performed for each category within a file.

Additional data validation is being implemented as follows:

1. Edge matching -- Validation software provides for checking the edges of each quadrangle against the edges of the four adjacent quadrangles. Each edge of a DLG-3 is checked for positional and attribute matching along the neatlines of the adjoining DLG-3 cells, provided that the surrounding data cells are available at the time the DLG-3 is entered into the NDCDB. There is currently no attempt, other than the coding of coincident features, to provide fully integrated data categories.
2. Quality Control Flags -- Information in the header of the DLG-3 file indicates the status of the file with respect to the edge matching described above. Twelve bytes at the end of record A.1 in the standard distribution format and at the end of record 3 in the optional distribution format of the ASCII file is set aside for quality control flags (see Appendixes A and B). The first three of these flag positions are for future use. The fourth flag position contains a value encoded in the bit pattern that is used only by the database manager to check the edge status. The remaining either flags indicate to the user the edge status code and the status reason code. The four status flags contain the status of the West, North, East, and South edges of a DLG-3 as compared to the edges of the four adjoining DLG-3 files. Each of the four flags is followed by a status reason code that explains the status of the four edges respectively. The possible status values for a DLG-3 entered into the NDCDB are:

□	"b" - unchecked ("b" = blank)
□	"0" - passed edge match test
□	"1" - alignment discontinuity
□	"2" - attribute discontinuity
□	"3" - attribute and alignment discontinuity

The possible reason codes are:

□	"b" - no reason code set ("b" = blank)
□	"4" - data do not exist
□	"5" - adjacent data cell not currently available for test
□	"6" - discontinuity due to temporal differences in source materials
□	"7" - attribute mismatch valid
□	"8" - paneling unauthorized



A value of "4" indicates that the data cannot be matched because there are no adjacent data. This situation occurs where the quadrangle is on the coast and no adjoining map exists. A reason code with the value of "5" may be reset as the adjoining data cell becomes available for edge match verification. A reason code with the value of "6" means that the adjoining quadrangles were mapped at different times and there are features that do not match in alignment or classification due to the time elapsed between the compilation of the two sets of source materials. A value of "7" indicates that the discrepancy in attribute codes between the two files has been checked and is valid. A reason code with the value of "8" indicates that there was no authorization in place for edge matching at the time the data were archived.

When an edge status code is other than "0", the DLG-3 file will be entered into the NDCDB only when the reason code has also been set as a result of examination of the file.

The following combinations of status flags and reason flags are currently valid for the processing software.

blank, blank	blank, 4	blank, 5	blank, 8
0, blank			
1, 6	1, 7		
2, 6	2, 7		
3, 6	3, 7		



## APPENDIXES



## APPENDIX A.--Standard DLG Distribution Format (Record Contents)

In the standard DLG distribution format, the topological linkages are contained only in the line elements. The files are physically comprised of standard 8-bit ASCII characters organized into fixed-length logical records of 144 characters. Nine distinct record types are defined.

Logical record type	Content
A	Header record containing DLG identification information.
B	Header record containing projection information and registration points.
C	Header record identifying data categories contained in this DLG and indicating the number of nodes, areas, and lines in each category.
D.1A	node or an area record.
D.2	A line record.
E	Record containing x,y coordinate string.
F	Record containing attribute codes.
G	Record containing text string (not currently used).
H	Accuracy estimate (not currently used).

The actual sequence of records in a standard distribution DLG file is as follows:

- I. Header records
  - Type A (one record)
  - Type B (one record)
  - Type C (one record)
2. Data records
 

Node records	Repeated
Node description (D.1)	for each
Attribute codes (F)	node within a
Text string (G)	data category
Area records	
Area description (D.1)	Repeated      Repeated
Attribute codes (F)	for each      for each
Text string (G)	area within a      data category
	data category
Line records	
Line description (D.2)	Repeated
x,y coordinates (E)	for each
Attribute codes (F)	line within a
Text string (G)	data category
3. Accuracy estimate
  - Type H (one record) (not currently used)

Descriptions of the contents of records A-F are contained in the following tables. The tables also reflect the relationship between these record types and 144-byte logical records.

APPENDIX A.--Standard DLG Distribution Format (Record Contents)--continued

[Integer fields with a value of zero have leading zeros suppressed.  
Any field with the format of D24.I5 which has a value of zero will be  
represented as "bbb0.0bbbbbbbbbbbbbbbb", the last four positions of the  
fractional portion being reserved for a decimal exponent. (b=blank)]

Logical Record Type A							
Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
A.1	1	Name of digital cartographic unit	ALPHA	A40	1	40	When practical, the name of the source map followed by the State two-character designator(s).
---	---	Filler	---	---	41	41	1 space
A.1	2	Date of original source materials	ALPHA	A10	42	51	Year of original source material, followed by latest revision date if applicable. For example, 1956, 1965.
A.1	3	Date qualifier	ALPHA	A1	52	52	Qualifier to discriminate revision date, if present. (P=photorevision, I=photo- inspected, L=limited revision)
A.1	4	Scale of original source material	INTEGER*4	I8	53	60	Scale denominator of source material; for example, 24000.
---	---	Filler	---	---	61	63	3 spaces
A.1	5	Arbitrary quad number	ALPHA	A3	64	66	Quad number assigned for USGS internal use.

Filler      ---      ---      67      113      47 spaces

APPENDIX A.--Standard DLG Distribution Format (Record Contents)--continued

Logical Record Type A							
Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
A.1	6	Largest primary contour interval	ALPHA	A4	114	117	Largest primary contour interval, followed by the interval unit (1=feet, 2=meters). Present only if two or more primary contour intervals exist. (Selected overlays.)
A.1	7	Comma	ALPHA	A1	118	118	Comma separator
A.1	8	Largest primary bathymetric contour interval	ALPHA	A4	119	122	Largest primary bathymetric interval, followed by the interval unit (1=feet 2=meters). Present only if two or more primary contour intervals exist.
---	---	Filler					1 space
A.1	9	Smallest primary contour interval	ALPHA	A4	124	127	Smallest or only primary contour interval, followed by the interval unit (1=feet, 2=meters). (Selected overlays.)
A.1	10	Comma	ALPHA	A1	128	128	Comma separator
A.1	11	Smallest primary bathymetric contour interval	ALPHA	A4	129	132	Smallest or only primary bathymetric interval, followed by the interval unit (1=feet, 2=meters).



A.1	12-14	Coded Flags	ALPHA	A1	133	135	3 flags for future use
-----	-------	-------------	-------	----	-----	-----	------------------------

APPENDIX A.--Standard DLG Distribution Format (Record Contents)--continued

Logical Record Type A--continued							
Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
A.1	15	Coded Flag	ALPHA	A1	136	136	Database coded edge flag
A.1	16	EDGEWS	ALPHA	A1	137	137	Status flag for west edge, values are: b = unchecked 0 = passed, 1 = alignment discontinuity, 2 = attribute discontinuity, 3 = attribute and alignment discontinuity.
A.1	17	EDGEWR	ALPHA	A1	138	138	Reason for EDGEWS, values are: b = unchecked, 4 = adjacent data do not exist 5 = adjacent data unavailable, 6 = temporal discontinuity, 7 = attribute mismatch valid, 8 = paneling unauthorized.
A.1	18	EDGENS	ALPHA	A1	139	139	Status flag for north edge, values = b,0,1,2, or 3 as above.
A.1	19	EDGENR	ALPHA	A1	140	140	Reason for EDGENS, values are b,4,5,6,7, or 8 as above.
A.1	20	EDGEES	ALPHA	A1	141	141	Status flag for east edge. Values are b,0,1,2, or 3 as above.
A.1	21	EDGEER	ALPHA	A1	142	142	Reason for EDGEES. Values are b,4,5,6,7, or 8 as above.

A.1	22	EDGESS	ALPHA	A1	143	143	Status flag for south edge. Values are b,0,1,2, or 3 as above.
A.1	23	EDGESR	ALPHA	A1	144	144	Reason for EDGESS. Values are b,4,5,6,7, or 8 as above.

APPENDIX A.--Standard DLG Distribution Format (Record Contents)--continued

Logical Record Type A--continued							
Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
A.2	1	DLG level code	INTEGER*2	I6	1	6	Code=3, DLG-3
A.2	2	Code defining ground planimetric reference system	INTEGER*2	I6	7	I2	Code=1, Universal Transverse Mercator (UTM)
A.2	3	Code defining zone in ground planimetric reference system	INTEGER*2	I6	I3	I8	Codes for UTM coordinate zones are given in Appendix C.
A.2	4	Map projection parameters	REAL*8	5D24.I5	I9	I38	This field contains the first 5 of 15 map projection parameters. Parameters for the UTM projection are given in Appendix C.
---	---	Filler	---	---	I39	I44	6 spaces
A.3	1	Map projection parameters	REAL*8	6D24.I5	1	I44	This record contains projection parameters 6 thru 11. Parameters for the UTM projection are given in Appendix C.
A.4	1	Map projection parameters	REAL*8	4D24.I5	1	96	This field contains the last 4 projection parameters. Parameters for the UTM projection are given in Appendix C.
A.4	2	Code defining units of measure for ground	INTEGER*2	I6	97	I02	Code=2, meters

planimetric coordinates  
throughout the file

APPENDIX A.--Standard DLG Distribution Format (Record Contents)--continued

Logical Record Type A--continued							
Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
A.4	3	Resolution	REAL*8	D24.I5	I03	I26	The true ground distance corresponding to one unit (0.001 inch at map scale) in the file internal reference system.
					<u>Scale</u>	<u>Resolution</u>	
					1:24,000	0.61 M	
					1:25,000	0.635 M	
					1:48,000	1.22 M	
					1:62,500	1.587 M	
A.4	4	Accuracy code of planimetric data	INTEGER*2	I6	I27	I32	Code=0, unknown accuracy
A.4	5	Number (n) of sides in the polygon which defines the coverage of the cell	INTEGER*2	I6	I33	I38	n=4
---	---	Filler	---	---	139	I44	6 spaces
A.5	1	A (4,2) array contain-	REAL*8	3(2D24.I5)	1	I44	The four registration points
A.6		ing geographic coordinates which constitute the registration points for the DLG. In quadrangle-based mapping, these points form a geographic rectangle/square which contains the domain of the DLG.	2D24.I5	I	48		will usually coincide with an area defined by one of the standard map formats of the National Mapping Program. Coordinates are in geographic longitude and latitude in units of degrees and decimal degrees and are expressed in the order=SW, NW, NE, SE.
---	---	Filler	---	---	49	I44	96 spaces

---

APPENDIX A.--Standard DLG Distribution Format (Record Contents)--continued

Logical Record Type B							
Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
B.1	1	Parameters (A1, A2, A3, A4) of file-to-ground projection transformation; the explicit form of the transformation is: $X = A1x + A2y + A3$ $Y = A1y - A2x + A4$ where: x,y are coordinates in file internal reference system X,Y are coordinates in map projection reference system	REAL*8	4D24.I5	1	96	X,Y coordinates resulting from this transformation will be in ground meters in UTM zone defined by data element 3 of record A.2.
B.1	2	Number (m) of registration points	INTEGER*2	I6	97	I02	m=4
---	---	Filler	---	I03	I44	42 spaces	
B.2	1	A (4,3) array containing identifications and coordinates of registration points. Coordinates are expressed in the file internal reference system.	ALPHA/INTEGER*2	4(A2, 2I6)	1	56	The corners of a four-sided polygon are used as registration points. The identification sequence is SW, NW, NE, SE. The array is stored by row. Coordinates in the file internal reference system are expressed in units of thousandths of an inch and fall in the range -32768 to +32767. These coordinates correspond to the geographic



coordinates contained in  
records A.5 and A.6.

---	---	Filler	---	---	57	144	88 spaces
-----	-----	--------	-----	-----	----	-----	-----------

---

APPENDIX A.--Standard DLG Distribution Format (Record Contents)--continued

Logical Record Type C							
Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
C.1	1	Number (q) of categories in the DLG file	INTEGER*4	I6	1	6	The value of q may be from 1 to 32. Up to 32 categories can be represented in a given file. The value will be 1.
---	---	Filler	---	---	7	I44	I38 spaces
C.2 <sup>1</sup> to C.N	1	A (q,7) array containing category names as well as maximum and actual number of node, area, and line elements in each category	ALPHA/ INTEGER*2	q (A20,I6)	1 (57	56 112)	This array is stored by row. The first element is the category name consisting of 20 alphanumeric characters the first four of which are unique. Columns 2 and 3 of the array contain maximum and actual number of nodes in the category. Columns 4 and 5 contain maximum and actual number of areas in the category. Columns 6 and 7 are the maximum and actual number of line segments. (Note: the maximum number of nodes or areas within a category is 25,960. The maximum number of lines is 25,938. This field is used only during initial processing of data).
---	---	Filler	---	---	---	144	32 or 88 spaces

<sup>1</sup>The number of categories "q" is given in record C.1. There will be 56 bytes of data per category, and thus a maximum of

two categories can be described on a 144-character record. The space filler will vary in size depending on the value of "q."

APPENDIX A.--Standard DLG Distribution Format (Record Contents)--continued

Logical Record Type D							
Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
D.1	1	Type of element code	ALPHA	A2	1	2	Code ='Nb' for Node element, 'Ab' for Area element.
D.1	2	Element's internal identification number	INTEGER*2	I6	3	8	Number is positive and sequential from 1-n within each category and element type.
D.1	3	x,y file coordinate of node point or representative point for the area element	INTEGER*2	2I6	9	20	The representative area point is usually, but not always, contained within the area it represents.
D.1	4	Number (t) of attribute codes which are attached to the node or area element (t≥0)	INTEGER*2	I6	2I	26	Absence of attribute codes is indicated by t=0.
D.1	5	Number (k) of pairs of text characters which are attached to the node or area element (k≥0)	INTEGER*2	I6	27	32	k=0. Not currently used.
---	---	Filler	---	---	33	I44	I12 spaces
D.2	1	Code indicating a line segment graph element	ALPHA	A2	I	2	Code='Lb' for line segment.
D.2	2	Line segment's internal identification number	INTEGER*2	I6	3	8	Number is positive and sequential from 1-n within each category and element

type.

D.2	3	Internal identification number of starting node	INTEGER*2	I6	9	I4	Number refers to data element 2 in record D.I.
-----	---	--	-----------	----	---	----	---

APPENDIX A.--Standard DLG Distribution Format (Record Contents)--continued

Logical Record Type D--continued							
Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
D.2	4	Internal identification number of ending node	INTEGER*2	I6	I5	20	Number refers to data element 2 in record D.I.
D.2	5	Internal identification number of left area	INTEGER*2	I6	21	26	Number refers to data element 2 in record D.I.
D.2	6	Internal identification number of right area	INTEGER*2	I6	27	32	Number refers to data element 2 in record D.I.
D.2	7	Number (v) of coordinate pairs which define the line segment	INTEGER*2	I6	33	38	The value of v is from 2 to 3000.
D.2	8	Number (t) of attribute codes which are attached to the line segment (t <sub>≥</sub> 0)	INTEGER*2	I6	39	44	Absence of classification attribute codes is indicated by t=0.
D.2	9	Number (k) of pairs of text characters which are attached to the line segment (k <sub>≥</sub> 0)	INTEGER*2	I6	45	50	k=0. Not currently used.
---	Filler	---	---	5I	144	94 spaces	
E.I to <sup>2</sup> E.n	1	A (v,2) array containing an ordered sequence of coordinate pairs which define the image presentation of a line element	INTEGER*2	v(2I6)	1		Coordinates are expressed in internal file reference system, in units of thousandths of an inch. The array is stored by row.
---	---	Filler	---	---	144	0 to I32 spaces	

<sup>2</sup>The number of coordinate pairs, "v", is given in record D.2. There will be v(216) coordinate pairs of which a maximum of 12 pairs will fit on a 144-character ASCII record. The space filler will vary in size depending on the value of "v." If "v" is an integer multiple of 12, there will be no spaces as filler at the end of the record.

APPENDIX A.--Standard DLG Distribution Format (Record Contents)--continued

							Logical Record Type F
Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
F.I <sup>3</sup> to F.n	1	A (t,2) array containing major and minor attribute codes for a graph element	INTEGER* 2	t(2i6)	1		The array is stored by row with the first column containing the major attribute code and the second column containing the minor attribute code.
---	---	Filler	---	---	---	144	0 to i32 spaces

<sup>3</sup>The number of feature (attribute) codes, "t" is given in the D.I and D.2 records. The F record is an array of t(2i6) codes of which a maximum of i2(2i6) will fit on a i44 character ASCII record. The space filler will vary depending on the value of "t". If "t" is an integer multiple of i2 there will be no spaces as filler at the end of the record.



## APPENDIX B.--Optional DLG Distribution Format (Record Contents)

In the optional DLG distribution format, topological linkages are explicitly encoded for node and area elements as well as for line elements. The files are physically comprised of 8-bit ASCII characters organized into fixed-length logical records of 80 characters (bytes). Bytes 1-72 of each record may contain DLG data, and bytes 73-80 may contain a record sequence number.

The 11 distinct record types used in the optional DLG distribution format may be categorized as header and data records.

Four types of records are considered header records:

- File identification and description records
- Accuracy records (not currently used)
- Control-point identification records
- Data-category identification records

Seven types of records are considered data records:

- Node and area identification records
- Node-to-line linkage records
- Area-to-line linkage records
- Line identification records (also contains line-to-node and line-to-area linkages)
- Coordinate string records
- Attribute code records
- Text records (not currently used)

The actual sequence of records in an optional distribution format DLG file is as follows:

### 1. Header records

Ten file identification and  
description records  
Accuracy records (not currently used)  
Control point identification records  
(one per control-point)  
Data category identification records  
(one per data category in the file)

### 2. Data records

Node identification record	Repeated	
Node-to-line linkage record(s)	for each	
Attribute code record(s)	node within a	
Text record(s)	data category	
Area identification record	Repeated	Repeated
Area-to-line linkage record(s)	for each	for each
Attribute code record(s)	area within a	data category
Text record(s)	data category	
Line identification records	Repeated	
Coordinate string record(s)	for each	
Attribute code record(s)	line within a	
Text record(s)	data category	

Descriptions of the contents of the various types of records in an optional distribution format DLG are contained in the following tables.

APPENDIX B.--Optional DLG Distribution Format (Record Contents)--continued

FILE IDENTIFICATION AND DESCRIPTION RECORDS

Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte*	Comment
1	1	Banner	ALPHA	A72	1	72	Descriptive text.
2	1	Name of digital cartographic unit	ALPHA	A40	1	40	When practical, the name of the source map followed by the State two-character designators.
---	---	Filler	---	---	41	41	1 space
2	2	Date of original source material	ALPHA	A10	42	51	Year of original source material followed by latest revision date if applicable; for example, 1956, 1965.
2	3	Date qualifier	ALPHA	A1	52	52	Qualifier to discriminate revision date if present. (P=photorevision, I=photo-inspection, L=limited revision).
2	4	Scale of original source material	INTEGER*4	I8	53	60	Scale denominator of source material, for example, 24000.
---		Filler	---		61	63	3 spaces

\*The logical record length for the optional distribution format is 80 bytes, with 8 spaces of blank fill in bytes 73-80 of each record which may be used for a record sequence number.

## FILE IDENTIFICATION AND DESCRIPTION RECORDS--continued

Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
2	5	Arbitrary quad number (24K files)	ALPHA	---	64	66	Quad number assigned for USGS internal use.
2		Filler	---	---	67	72	6 spaces
3		Filler	---	---	1	41	41 spaces
3	1	Largest primary contour interval	ALPHA	A4	42	45	Largest primary contour interval, followed by the interval unit (1=feet, 2=meters). Present only if two or more primary contour intervals exist. (Selected overlays.)
3	2	Comma	ALPHA	A1	46	46	Comma separator
3	3	Largest primary bathymetric contour interval	ALPHA	A4	47	50	Largest primary bathymetric interval, followed by the interval unit (1=feet, 2=meters, 3=fathoms). Present only if two or more primary intervals exist.
---	---	Filler					1 space
3	4	Smallest primary contour interval	ALPHA	A4	52	55	Smallest or only primary contour interval, followed by the interval unit (1=feet, 2=meters). (Selected overlays.)
3	5	Comma	ALPHA	A1	56	56	Comma separator

APPENDIX B.--Optional DLG Distribution Format (Record Contents)--continued

FILE IDENTIFICATION AND DESCRIPTION RECORDS--continued

Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
3	6	Smallest primary bathymetric contour interval	ALPHA	A4	57	60	Smallest or only primary bathymetric interval, followed by the interval unit (1=feet, 2=meters, 3=fathoms).
3	7-9	Coded Flags	ALPHA	A1	61	63	3 flags for future use
3	10	Coded Flag	ALPHA	A1	64	64	Database coded edge flag
3	11	EDGEWS	ALPHA	A1	65	65	Status flag for west edge, values are: b = unchecked, 0 = passed, 1 = alignment discontinuity, 2 = attribute discontinuity, 3 = attribute and alignment discontinuity.
3	12	EDGEWR	ALPHA	A1	66	66	Reason for EDGEWS, values are: b = unchecked, 4 = adjacent data do not exist, 5 = adjacent data unavailable, 6 = temporal discontinuity, 7 = attribute mismatch valid, 8 = paneling unauthorized.
3	13	EDGENS	ALPHA	A1	67	67	Status flag for north edge, values = b,0,1,2, or 3 as above.
3	14	EDGENR	ALPHA	A1	68	68	Reason for EDGENS, values are b,4,5,6,7, or 8 as above.
3	15	EDGEES	ALPHA	A1	69	69	Status flag for east edge Values are b,0,1,2, or 3 as above.

APPENDIX B.--Optional DLG Distribution Format (Record Contents)--continued

FILE IDENTIFICATION AND DESCRIPTION RECORDS--continued

Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
3	16	EDGEER	ALPHA	A1	70	70	Reason for EDGEER. Values are b,4,5,6,7, or 8 as above.
3	17	EDGEES	ALPHA	A1	71	71	Status flag for south edge. Values are b,0,1,2, or 3 as above.
3	18	EDGESR	ALPHA	A1	72	72	Reason for EDGEES. Values are b,4,5,6,7, or 8 as above.
4	1	DLG level code	INTEGER*2	I6	1	6	Code=3, DLG-3
4	2	Code defining ground planimetric reference system	INTEGER*2	I6	7	12	Code=I, UTM
4	3	Code defining zone in ground planimetric reference system	INTEGER*2	I6	13	18	Codes for UTM coordinate zones are given in appendix C.
4	4	Code defining units of measure for ground planimetric coordinates throughout the file	INTEGER*2	I6	19	24	Code=2, meters
4	5	Resolution	REAL*4	D18.11	25	42	The true ground distance corresponding to one unit (0.001 inch at map scale) in the file internal coordinate system used in data collection.
					<u>Scale</u>	<u>Resolutions</u>	
					1:24,000	0.61 M	
					1:25,000	0.635 M	
					1:48,000	1.22 M	
					1:62,500	1.587 M	

APPENDIX B.--Optional DLG Distribution Format (Record Contents)--continued

FILE IDENTIFICATION AND DESCRIPTION RECORDS--continued

Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
4	6	Number of file-to-map transformation parameters	INTEGER*2	I6	43	48	Usually 4.
4	7	Number of accuracy/miscellaneous records	INTEGER*2	I6	49	54	Currently=0, none included
4	8	Number (n) of sides in the polygon which define the coverage of the cell. Number (n) also defines the number of control-points	INTEGER*2	I6	55	60	n = 4.
4	9	Number (q) of categories in the DLG file	INTEGER*2	I6	61	66	Value of q may be from 1 to 32. The value will be 1.
---	---	Filler	---	---	67	72	6 spaces
5-9	1	Projection parameters for map transformation	REAL*8	3D24.I5	I	72	Three parameters on each of 5 records. Parameters for the UTM projection are given in Appendix C.
10	1	Internal file-to-map projection transformation parameters	REAL*4	4D18.II	1	72	A transformation of this type is not required, since coordinates are expressed in a ground planimetric coordinate system (usually UTM). These parameters are however, valid for transformation as described in record B.1, data element 1, of the standard format.

## CONTROL-POINT IDENTIFICATION RECORDS

Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
1-n	1	Control-point label	ALPHA	A2	1	2	"SW," "NW," "NE," or "SE" for four quadrangle corners.
		Filler		3	6	4	spaces
	2	Latitude	REAL*4	F12.6	7	18	In degrees and decimal degrees.
	3	Longitude	REAL*4	F12.6	19	30	In degrees and decimal degrees.
		Filler		31	36	6	spaces
	4	X coordinate	REAL*4	F12.2	37	48	In units in the appropriate zone of the ground plani- metric coordinate system.
	5	Y coordinate	REAL*4	F12.2	49	60	In units in the appropriate zone of the ground plani- metric coordinate system.
---	---	Filler	---	---	61	72	12 spaces

## DATA CATEGORY IDENTIFICATION RECORDS

Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
1-q	1	Category name	ALPHA	A20	1	20	The first 4 characters are unique.
	2	Attribute format codes	INTEGER*2	I4	21	24	Blank or zero (0) indicates default (216) attribute formatting in major-minor pairs.
	3	Number of nodes referenced in file	INTEGER*2	I6	25	30	Number of nodes referenced in file as start and end nodes of lines.
	4	Actual number of nodes in file	INTEGER*2	I6	31	36	Only if some or all node records were excluded from the file, would this number be different from data element 3.
	Filler	---	---	37	37		1 space
	5	Presence of node-to-area linkage records	INTEGER*2	I1	38	38	Flag=0, node-to-area linkage records not present. <sup>1</sup>
	6	Presence of node-to-line linkage records	INTEGER*2	I1	39	39	Flag=1, node-to-line linkage records are included. <sup>1</sup>
	---	Filler	---	40	40		1 zero or space
	7	Number of areas referenced in file	INTEGER*2	I6	41	46	Number of areas referenced in file as areas left and areas right of lines.

<sup>1</sup>The flags for lists present or absent are the current default values, and are the only current values used.



## DATA CATEGORY IDENTIFICATION RECORDS--continued

Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
1-q	8	Actual number of areas in file	INTEGER*2	I6	47	52	Only if some or all area records were excluded from the file would the number be different from the data element 7.
---	Filler	---	---	53	53	1 space	
9	Presence of area-to-node linkage records		INTEGER*2	II	54	54	Flag=0, area-to-node linkage records not present. <sup>1</sup>
10	Presence of area-to-line linkage records		INTEGER*2	II	55	55	Flag=1, area-to-line linkage records are included. <sup>1</sup>
11	Presence of area-coordinate lists		INTEGER*2	II	56	56	Flag=0, area-coordinate lists not present. <sup>1</sup>
12	Number of lines referenced in file		INTEGER*2	I6	57	62	Number of lines referenced in area-to-line and node-to-line records.
13	Actual number of lines in file		INTEGER*2	I6	63	68	Only if some lines were excluded from the file would this number be different from data element 12.
---	Filler	---	---	69	71	3 spaces	
14	Presence of line-coordinate lists		INTEGER*2	II	72	72	Flag=1, line-coordinate lists are included. <sup>1</sup>

<sup>1</sup>The flags for lists present or absent are the current default values, and are the only current values used.

## NODE AND AREA IDENTIFICATION RECORDS

Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
1	Record type		ALPHA AI	1	1		"N" or "A"
2	Element internal ID number		INTEGER*2	I5	2	6	This number is positive and sequential from 1-n within each category and element type.
3	Coordinates of node point or representative point for area		REAL*4	2F12.2	7	30	The area point is usually, but not always within the polygon it represents.
4	Number of elements in an area list (for nodes), or in a node list (for areas)		INTEGER*2	I6	31	36	Blank or zero (0). These lists are not currently included.
5	Number of elements in line segment list		INTEGER*2	I6	37	42	Number of line segments that intersect at the node, or bound the area.
6	Number of x,y or lat-long points in area-coordinate list		INTEGER*2	I6	43	48	Blank or zero (0). These lists are not currently included.
7	Number of attribute codes listed		INTEGER*2	I6	49	54	Number of attribute codes listed.
8	Number of text characters listed		INTEGER*2	I6	55	60	Zero (0). There are no text attributes for 7.5- and 15-minute DLG data.
9	Number of islands within area		INTEGER*2	I6	61	66	Area records only, 6 spaces for node records.
---	---	Filler	---	---	67	72	6 spaces

#### NODE-TO-LINE LINKAGE RECORDS

FORTRAN FORMAT (I2I6), for each node: The list consists of line segment internal ID numbers (which appear in bytes 2-6 of the line identification records). The line segments which begin at this node are included in the list as positive ID numbers. The line segments which terminate at this node are included as negative ID numbers. There is no logical order to the list.

#### AREA-TO-LINE LINKAGE RECORDS

FORTRAN format (I2I6), for each area: The list consists of line segment internal ID numbers (which appear in bytes 2-6 of the line identification records) and, for those areas with islands (indicated by bytes 61-66 of the area's first record), zero (0) elements marking the beginning of islands. Line segments with this area to the right are included as positive ID numbers. Line segments with this area to the left are included as negative ID numbers. The list is ordered clockwise around the perimeter of the area and counterclockwise around each island, if any (counterclockwise around an island of an area is still a clockwise direction in reference to the area itself). A zero (0) element is inserted in the list before each island sublist.

## LINE IDENTIFICATION RECORDS

Record Number	Data Element	Contents	Type (Fortran Notation)	Starting Format	Ending Byte	Byte	Comment
1	Record type		A1	1	1	"L"	
2	Element internal ID number		I5	2	6		This number is positive and sequential from 1-n within each category and element type.
3	Starting node		I6	7	12		Internal ID number. This refers to data element 2 of the node identification record.
4	Ending node		I6	13	18		Internal ID number. This refers to data element 2 of the node identification record.
5	Left area		I6	19	24		Internal ID number. This refers to data element 2 of the area identification record.
6	Right area		I6	25	30		Internal ID number. This refers to data element 2 of the area identification record.
---	Filler		---	31	42	12 spaces	
7	Number of x,y coordinates listed		I6	43	48		Number of coordinate pairs listed.
8	Number of attribute codes listed		I6	49	54		Number of attribute codes (or two element attribute pairs) listed.
9	Number of text characters listed		I6	55	60		Zero (0). There are no text data associated with 7.5- and 15-minute DLG data.

#### COORDINATE STRING RECORDS

FORTRAN format (3(2F12.2)): The coordinates are in appropriate units in the designated ground planimetric coordinate system (usually meters in UTM). The file-to-map projection parameters in Header record 10 are set to (1.0,0.0,0.0,0.0) for real map projection coordinates (the transformation formulas still apply).

#### CODE RECORDS

As major-minor code attribute pairs, FORTRAN format (6(2I6)): Within each pair, the first integer is the major code and the second integer is the minor code. Each major and minor code is a one-to-four-digit integer, right justified within the six-byte field.

## APPENDIX C.--Map Projection Parameters Universal Transverse Mercator (UTM)

The standard and optional DLG distribution formats include 15 fields reserved for map projection parameters. These parameters are typically used as input for a coordinate transformation package such as the USGS General Cartographic Transformation Package (GCTP).

When the ground coordinate system of a DLG is the Universal Transverse Mercator system, as in the case for all DLG's digitized from 1:24,000scale maps, only the first two of the 15 parameter fields are used:

- |       |                                     |                         |
|-------|-------------------------------------|-------------------------|
| 1.    | Longitude of any point in UTM zone. | Normally placed at the  |
| 2.    | Latitude of any point in UTM zone.  | center of the DLG cell. |
| 3-15. | Not used (=0).                      |                         |

A transformation to or from UTM using GCTP can be controlled by specifying the UTM zone or by supplying the geographic coordinate in parameters 1 and 2, from which the UTM zone is computed by GCTP. In a DLG file, the parameters are encoded as packed, degrees-minutes-seconds (DMS) as follows:

degrees \* 1000000 + minutes \* 1000 + seconds

Example: If degrees = +50, minutes = 30, and seconds = 36.25, then the parameter value is 50030036.25 stored as a REAL\*8 variable, and "bbb0.500300362500000D 08" encoded in FORTRAN D24.15 format.

### Codes for UTM Coordinate Zones

<u>West Longitude (degrees)</u>	<u>Zone</u>
180-174	1
174-168	2
168-162	3
162-156	4
156-150	5
150-144	6
144-138	7
138-132	8
132-126	9
126-120	10
120-114	11
114-108	12
108-102	13
102- 96	14
96- 90	15
90- 84	16
84- 78	17
78- 72	18
72- 66	19
66- 60	20

APPENDIX D.--DLG Attribute Codes

DATA CATEGORY	TYPE OF CODE	APPLICATION	CODE	CODE	DESCRIPTION	MAJOR	MINOR
Hypsography	Feature identification	Nodes	020	NONE			
	Areas	020	0100		Void area		
	Lines	020	0200		Contour (index or intermediate)		
			0201		Carrying contour		
			0202		Supplementary contour		
			0203		Continuation contour		
			0204		Auxiliary contour		
			0205		Bathymetric contour		
			0206		Depth curve		
			0207		Watershed divides		
			0299		Processing line		
	Points (degenerate lines)	020	0300		Spot elevation, less than third order		
		020	0301		Spot elevation, less than third order, not at ground level		
	Multiple element types	020	NONE				
Descriptive types	Multiple element types	020	0600-		Decimal fractions of feet		
			0609		or meters		
			0610		Approximate		
			0611		Depression		
			0612		Glacier or snow field		
			0613		Underwater		
			0614		Best estimate of contour elevation value		
		020	0000		Photorevised feature		
Parameter	Multiple element types	02N	----		Elevation in whole feet or meters, right-justified		

029 00-- Coincident feature

---



APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	APPLICATION	CODE	CODE	DESCRIPTION	MAJOR	MINOR
Hydrography	Feature identification	Nodes	050	0001	Upper origin of stream		
			0002		Upper origin of stream at water body		
			0003		Sink, channel no longer evident		
			0004		Stream entering water body		
			0005		Stream exiting water body		
	Areas	050	0100		Alkali flat		
			0101		Reservoir		
			0102		Covered reservoir		
			0103		Glacier or permanent snowfield		
			0104		Salt evaporator		
			0105		Inundation area		
			0106		Fish hatchery or farm		
			0107		Industrial water impoundment		
			0108		Area to be submerged		
			0109		Sewage disposal pond or filtration beds		
			0110		Tailings pond or settling basin		
			0111		Marsh, wetland, swamp, bog		
			0112		Mangrove area		
			0113		Rice field		
			0114		Cranberry bog		
			0115		Flats (tidal, mud, sand, gravel)		
			0116		Bays, estuaries, gulfs, oceans, seas		
			0117		Shoal		
			0118		Soda evaporator		
			0119		Duck Pond		
	Lines	050	0200		Shoreline		
			0201		Manmade shoreline		
			0202		Closure line		
			0203		Indefinite shoreline		
			0204		Apparent limit		
			0205		Outline of a Carolina bay		
			0206		Danger curve		
			0207		Apparent shoreline		

0208 Sounding datum  
0209 Low water line  
0299 Processing line

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Hydrography (cont'd.)	Feature identification (degenerate lines)	Points	050	0300	Spring	
			0301		Non-flowing well	
			0302		Flowing well	
			0303		Riser	
			0304		Geyser	
			0305		Windmill	
			0306		Cistern	
	Multiple element types		050	0400	Rapids	
			0401		Falls	
			0402		Gravel pit or quarry filled with water	
			0403		Gaging station	
			0404		Pumping station	
			0405		Water intake	
			0406		Dam or weir	
			0407		Canal lock or sluice gate	
			0408		Spillway	
			0409		Gate (flood, tidal, head, check)	
			0410		Rock	
			0411		Crevasse	
			0412		Stream	
			0413		Braided stream	
			0414		Ditch or canal	
			0415		Aqueduct	
			0416		Flume	
			0417		Penstock	
			0418		Siphon	
			0419		Channel in water area	
			0420		Wash or ephemeral drain	
			0421		Lake or pond	
			0422		Coral reef	
			0423		Sand in open water	
			0424		Spoil area	
			0425		Fish ladders	
			0426		Holiday area	

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Hydrography (cont'd.)	Descriptive types	Multiple element	050	060I		Underground
			0602			Overpassing
			0603			Elevated
			0604			Tunnel
			0605			Right bank
			0606			Left bank
			0607			Under construction
			0608			Salt
			0609			Unsurveyed
			0610			Intermittent
			0611			Abandoned or discontinued
			0612			Submerged or sunken
			0613			Wooded
			0614			Dry
			0615			Mineral or hot (sulphur, alkali, etc.)
			0616			Navigable, transportation
			0617			Underpassing
			0618			Earthen construction
			0621-			Decimal fractions in
			0629			feet or meters
			050	0000		Photorevised feature
Parameter	Multiple element types	05N	----			Water surface elevation
						N=1 for feet, 2 for meters, 6 for
						feet below datum, and 7 for whale
						meters below datum. Elevation value
						in four spaces, right justified.
		053	0---			Angle of clockwise rotation (nearest
						whole degree)
		055	----			River mile, value in four spaces,
						right justified
		058	0000			Best estimate of classification
						or position
		059	00--			Coincident feature

---

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Vegetative						
Surface Cover	Feature identification	Nodes	070	NONE		
	Areas	070 0101	Woods or brushwood			
		0102	Scrub			
		0103	Orchard or plantation			
		0104	Vineyard			
		0105	Scattered trees			
	Lines	070 0200	Closure line			
		070 0299	Processing line			
	Points	070	NONE			
	Multiple element types	070	NONE			
Descriptive	Multiple element types	070 0000	Photorevised feature			
Parameter	Multiple element types	078 0000	Best estimate of position or classification			
		079 00--	Coincident feature			
Nonvegetative Features	Feature identification	Nodes	080	NONE		
	Areas	080 0100	Glacial moraine			
		0101	Gravel beach			
		0102	Sand beach			
		0103	Shifting sand or dune area			
		0104	Lava			
	Lines	080 0299	Processing line			

Points            080   0300   Located surface feature  
(degenerate lines)

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Nonvegetative Features (cont'd.)	Feature identification (cont'd.)	Multiple element types	080	NONE		
	Descriptive	Multiple element types	080	0000		Photorevised feature
	Parameter	Multiple element types	088	0000		Best estimate of position or classification
			089	00--		Coincident feature
Boundaries	Feature identification	Nodes	090	0001		Monumented point on a boundary
	Areas	090	0100			Civil township, district, precinct, or barrio
			0101			Incorporated city, village, town, borough, or hamlet
			0103			National park, monument, lakeshore, seashore, parkway, battlefield, or recreation area
			0104			National forest or grassland
			0105			National wildlife refuge, game preserve, or fish hatchery
			0106			National scenic waterway, riverway, wild and scenic river, or wilderness area
			0107			Indian reservation
			0108			Military reservation
			0110			Federal prison
			0111			Miscellaneous Federal reservation
			0129			Miscellaneous State reservation
			0130			State park, recreation area, arboretum, or lake
			0131			State wildlife refuge, game preserve,



or fish hatchery  
0132 State forest or grassland  
0133 State prison  
0134 County game preserve  
0135 Ahupuaa (Hawaii)  
0136 Homestead (Hawaii)

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Boundaries (cont'd.) (cont'd.)	Feature identification	Areas (cont'd.)	090	0150		Large park (city, county, or private)
			0151			Small park (city, county, or private)
			0197			Canada
			0198			Mexico
			0199			Open water
	Lines	090	0201			Indefinite (or approximate) boundary
			0202			Disputed boundary
			0203			Historical line
			0204			Boundary closure line
			0299			Processing line
	Points (degenerate lines)	090	0301			Reference monuments for boundary points
	Multiple element types	090	NONE			
Descriptive	Multiple element types	090	0000			Photorevised feature
Parameter	Multiple element types		091	00--		State or state equivalent FIPS code
			092	0---		County or county equivalent FIPS code
			095	----		Monument number
			099	00--		Coincident feature

Survey Control and						
Markers	Feature identification	Nodes	150	0300-		Node elements only when located on
			0332			a closure line otherwise points (degenerate lines)
	Areas	150	0100			Void area
	Lines	150	0200			Closure line

Points	150	0300	Horizontal control station, third order or better, permanent mark
(degenerate lines)		0301	Horizontal and vertical control station, third order or better
		0302	Horizontal control station, vertical angle bench mark (VABM)

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR APPLICATION	MINOR CODE	CODE	DESCRIPTION
Survey Control and Markers (cont'd.)	Feature identification (cont'd.)	Points (degenerate lines)	0303		Horizontal control station, checked spot elevation
			0310		Vertical control station, third order or better, tablet
			0311		Vertical control station, recoverable mark, third order or better, no tablet
			0320		Boundary monument, third order or better, tablet
			0321		Boundary monument, third order or better, no tablet
			0330		Reference monument
			0331		U.S. Mineral or location monument
			0332		Other control point
		Multiple element types	NONE		
Descriptive	Multiple element types	150	0000		Photorevised feature
		150	0601-0609		Fractions of elevation values
Parameter	Multiple element types	151	----		State or state equivalent FIPS code
		152	----		County or county equivalent FIPS code
		153	----		Elevation in feet
		154	----		Elevation in meters
		156	----		Elevation minus 10,000, for elevations greater than 9,999 feet
		159	00--		Coincident feature
Transportation, Roads and Trails	Feature identification	Nodes	170	0001	Bridge abutment
			0002		Tunnel portal
			0004		Gate

0005 Cul-de-sac  
0006 Dead end  
0007 Drawbridge

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Transportation, Roads, and Trails (cont'd.)	Feature identification (cont'd.)	Areas	170	0100		Void area
	Lines		170	0201		Primary route, class 1, symbol undivided
				0202		Primary route, class 1, symbol divided by centerline
				0203		Primary route, class 1, divided, lanes separated
				0204		Primary route, class 1, one way, other than divided highway
				0205		Secondary route, class 2, symbol undivided
				0206		Secondary route, class 2, symbol divided by centerline
				0207		Secondary route, class 2, symbol divided, lanes separated
				0208		Secondary route, class 2, one way, other than divided highway
				0209		Road or street, class 3
				0210		Road or street, class 4
				0211		Trail, class 5, other than four-wheel-drive vehicle
				0212		Trail, class 5, four-wheel-drive vehicle
				0213		Footbridge
				0214		Road ferry crossing
				0215		Perimeter of parking area
				0216		Arbitrary extension of line (join or closure)
				0217		Road or street, class 3, symbol divided by centerline
				0218		Road or street, class 3, divided lanes separated
				0219		Road or street, class 4, one way

0220 Closure line  
0221 Road or street, class 3, one way  
0222 Road in transition  
0299 Processing line

Points NONE  
(degenerate lines)

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Transportation, Roads, and Trails (cont'd.)	Feature identification (cont'd.) types	Multiple element	170	0401		Traffic circle
			0402			Cloverleaf or interchange
			0403			Toll gate, toll plaza or perimeter of toll plaza
			0404			Weigh station
			0405			Nonstandard section of road
Descriptive	Multiple element types	170	0601			In tunnel
			0602			Overpassing, on bridge
			0603			Under construction, classification known
			0604			Under construction, classification unknown
			0605			Labeled "old railroad grade"
			0606			Submerged or in ford
			0607			Underpassing
			0608			Limited access
			0609			Toll road
			0610			Privately operated or controlled public access
			0611			Proposed
			0612			Double-decked
			0613			In service facility or rest area
			0614			Elevated
			0615			Bypass route
			0616			Alternate route
			0617			Business route
			0618			On drawbridge
			0619			Spur
			0620			Loop
			0621			Connector
			0622			Truck route
			0650			Road width 46-55 feet, 0.025 inches at 1:24,000
			0651			Road width 56-65 feet, 0.030 inches



at 1:24,000  
0652 Road width 66-75 feet, 0.035 inches  
at 1:24,000

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR APPLICATION	MINOR CODE	CODE	DESCRIPTION
Transportation, Roads, and trails (cont'd.)	Descriptive (cont'd.) types (cont'd.)	Multiple element	170	0653	Road width 76-85 feet, 0.040 inches at 1:24,000
		0654			Road width 86-95 feet, 0.045 inches at 1:24,000
		0655			Road width 96-105 feet, 0.050 inches at 1:24,000
		0656			Road width 106-115 feet, 0.055 inches at 1:24,000
		0657			Road width 116-125 feet, 0.060 inches at 1:24,000
		0658			Road width 126-135 feet, 0.065 inches at 1:24,000
		0659			Road width 136-145 feet, 0.070 inches at 1:24,000
		170	0000		Photorevised feature
		Parameter			
		Multiple element types	171	----	Number of lanes
			172	----	Interstate route number
			173	----	U.S. route number
			174	----	State route number
			175	----	Reservation, park, or military route number
			176	----	County route
			177	XXYY	Alphabetic portion of any route number. Substitute numeric equivalent of alphabetic for XX and for YY as follows: 00 = blank, 01 = A, 02 = B, 03 = C, 04 = D, 05 = E, 06 = F, 07 = G, 08 = H, 09 = I, 10 = J, 11 = K, 12 = L, 13 = M, 14 = N, 15 = O, 16 = P, 17 = Q, 18 = R, 19 = S, 20 = T, 21 = U, 22 = V, 23 = W, 24 = X, 25 = Y,

$$26 = Z.$$

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR APPLICATION	MINOR CODE	CODE	DESCRIPTION
Transportation, Roads, and Trails (cont'd.)	Parameter (cont.) types (cont'd.)	Multiple element (cont'd.)	178	0000	Best estimate of position or classification
		179 00--			Coincident feature
Transportation, Railroads	Feature identification	Nodes	180	0001	Bridge abutment
				0002	Tunnel portal
				0007	Drawbridge
	Areas	180 0100			Void area
	Lines	180 0201			Railroad
				0202	Railroad in street or road
				0204	Carline
				0205	Cog railroad, incline railway, logging tram
				0207	Railroad ferry crossing
				0208	Railroad siding
				0209	Perimeter or limit of yard
				0210	Arbitrary line extension (join, closure)
				0299	Processing line
	Points (degenerate lines)	180 NONE			
Descriptive	Multiple element types	180 0400			Railroad station, perimeter of station
				0401	Turntable
				0402	Roundhouse
	Multiple element types	180 0601			In tunnel
				0602	Overpassing, on bridge
				0603	Abandoned
				0604	Dismantled

0605 Underpassing  
0606 Narrow gauge  
0607 In snowshed or under structure  
0608 Under construction

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR APPLICATION	MINOR CODE	CODE	DESCRIPTION
Transportation, Railroads (cont'd.)	Descriptive (cont'd.) types	Multiple element	180	0609	Elevated
		types (cont'd.)	0610		Rapid transit
			0611		On drawbridge
			0612		Private
			0613		U.S. Government
			0614		Juxtaposition
	Parameter types	180 0000			Photorevised feature
		Multiple element	181	----	Number of tracks
		183	0---		Angle of clockwise rotation (nearest whole degree)
		188	0000		Best estimate of position or classification
		189	00--		Coincident feature
Transportation, Pipelines, Trans- mission Lines, Miscellaneous Trans- portation Features	Feature identification Nodes	Nodes	190	0001	End of transmission line at power station, substation, or hydroelectric plant
				0002	End of pipeline at oil or gas field
				0003	End of pipeline at refinery, depot, or tank farm
	Areas	190	NONE		
	Lines	190	0201		Pipeline
			0202		Power transmission line
			0203		Telephone or telegraph line
			0204		Aerial tramway, monorail, ski lift
			0205		Arbitrary extension closure line
	Points (degenerate lines)	190	0300		Seaplane anchorage

Multiple element	190	0400	Power station
types		0401	Substation
		0402	Hydroelectric Plant

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR APPLICATION	MINOR CODE	CODE	DESCRIPTION
Transportation, Pipelines, Transmission Lines, Miscellaneous Transportation Features (cont'd.)	Feature Identification (cont'd.)	Multiple element types (cont'd.)	190	0403	Landing strip, airport, perimeter of airport
			0404		Heliport, perimeter of heliport
			0405		Launch complex, perimeter of launch complex
			0406		Pumping station (other than water)
			0407		Seaplane ramp or landing area
			0408		Measuring station, valve station
Descriptive	Multiple element types	190	0600		Underground
			0601		Under construction
			0602		Abandoned
			0603		Above ground
			0604		Labeled "closed"
			0605		Unimproved, loose surface
			0606		Submerged
			0607		Nuclear
			190	0000	Photorevised feature
Parameters	Multiple element types	193	0---		Angle of clockwise rotation (nearest whole degree)
			198	0000	Best estimate of position or classification
			199	00--	Coincident feature
Manmade Features	Feature identification	Nodes	200	NONE	
			200	0100	Church complex (convent, retreat, etc.)
			0101		School campus (university, college, etc.)
			0102		Hospital complex (sanatorium, nursing



home, etc.)  
0103 Orphanage

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Manmade Features (cont'd.)	Feature identification (cont'd.)	Areas (cont'd.)	200	0104		Prison compound
			0105			Trailer park
		0120				Ski area
		0122				Athletic field
		0123				Golf course
		0124				Shopping center
		0125				Zoo
		0126				Drive-in theater
		0127				Race track, raceway
		0128				Playground
		0140				Marina
		0141				Cable area
		0150				Built-up, urban, or house-omission area
		0160				Industrial park
		0161				Materials storage area
		0162				Refinery or industrial plant
		0163				Tailings
		0164				Intricate surface area
		0165				Oil sump or sludge pit
		0180				Tank farm
		0181				Feedlot
		0182				Experimental farm
		0183				Proving grounds
		0184				Firing range
		0190				Void area
	Lines	0200				Conveyor
		0201				Boardwalk
		0202				Wall
		0203				Sea wall
		0206				Fence line
		0207				Flume (nonwater)
		0209				Sewer line
		0211				Coke ovens

0212 Recreational slide  
0213 Screen (drive-in theatre)  
0214 Drag strip  
0215 Athletic track  
0250 Arbitrary closure line  
0299 Processing line

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Manmade Features (cont'd.)	Feature identification (cont'd.)	Points (degenerate lines)	200	0300		Grave site
			0301			Historical marker
			0302			Mine tunnel entrance or cave
			0303			Mine shaft
			0304			Prospect
			0305			Tower
			0306			Burner/stack
			0307			Drilled well
			0308			Cliff dwelling
			0309			Light
			0310			Brick kiln
			0311			Drill hole
			0312			Watermill
			0313			Anchorage
			0314			Guzzler
			0315			Located object, landmark object
		Multiple element types	200	0400		Class 1 building
			0401			Class 2 building
			0402			Church
			0403			School
			0404			Municipal building
			0405			Courthouse
			0406			Post office
			0407			City or town hall
			0408			Hospital
			0409			Prison
			0410			Town, village, settlement, locality, unincorporated village
			0411			Amphitheater
			0420			Cemetery
			0421			Sewage disposal plant
			0422			Waterworks
			0423			Oil reservoir
			0424			Drilled well field

0425 Tank  
0426 Offshore oil or gas platform  
0427 Mine dump  
0428 Open pit mine  
0429 Quarry

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR APPLICATION	MINOR CODE	CODE	DESCRIPTION
Manmade Features (cont'd.)	Feature identification (cont'd.)	Multiple element types (cont'd.)	200	0430	Strip mine
			0431		Land fill
			0432		Pit, unconsolidated material
			0433		Radio or television facility
			0434		Storage bin
			0435		Levee
			0436		Spoil bank
			0445		Fairgrounds
			0446		Rodeo grounds
			0447		Corral
			0448		Boat ramp
			0449		Campground, campsite
			0450		Fort
			0451		Swimming pool
			0452		Archaeological site, ruin
			0453		Recreation area, public use area
			0454		Picnic area
			0455		Port of entry
			0456		Stadium
			0465		Pile, dolphin, stump, or snag
			0466		Breakwater, jetty, pier, dock, causeway, or wharf
			0467		Exposed wreck or wreckage
			0468		Sunken wreck
			0469		Drydock
Descriptive	Multiple element types	200	0601		Underground
			0602		Under construction
			0603		Abandoned
			0604		Water
			0605		Oil
			0606		Gas
			0607		Chemical
			0608		Covered
			0609		Gravel

0610 Sand  
0611 Clay  
0612 Borrow

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Manmade Features (cont'd.)	Descriptive (cont'd.) types (cont'd.)	Multiple element	200	0613	Radio	
		0614	Lookout			
		0615	Unincorporated			
		0616	No population			
		0617	Submerged			
		0618	Ruin			
	Parameter	200 0000	Photorevised feature			
		Multiple element	203 0---	Angle of clockwise rotation (nearest		
		types	whole degree)			
		202 ----	Width in mils of feature to scale			
		208 0000	Best estimate of position or			
		classification				
		209 00--	Coincident feature or symbol			
U.S. Public Land Survey System (PLSS)	Feature identification	Nodes	300 0001	U.S. Public Land Survey System		
			section corner			
		0002	Point on section line (no corner)			
		0003	Closing corner			
		0004	Meander corner			
		0005	Auxiliary meander corner			
		0006	Special meander corner			
		0007	Witness corner			
		0008	Witness point			
		0009	Angle point			
		0010	Location monument (includes amended			
		monument and mineral monument)				
		0011	Reference mark			
		0012	Quarter-section corner			
		0013	Tract corner			
		0014	Land grant corner			
		0015	Arbitrary section corner			
	Nodes (identifi-	300 0040	Corner identified in field			



cation procedures      0041 Corner with horizontal coordinates  
                             0042 Corner with elevation value

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR APPLICATION	MINOR APPLICATION	CODE	CODE	DESCRIPTION
U.S. Public Land Survey System (PLSS) (cont'd)	Parameters	Areas				Select one parameter code from each of the following A, B, C, and D lists and/or consult list E.
		306	00--			A. Origin of Survey  Insert two-digit code from Appendix K.
		30-	----			B. Township number(s)  Insert 2 for north of the baseline or 3 for south of the baseline in first space. In the second space, insert a 0 for full township, 2 for 1/4 township, 4 for 1/2 township, or 6 for 3/4 township. Insert township number in the last three spaces, right justified.
		30-	----			C. Range number(s)  Insert 4 for east of the principal meridian or 5 for west of the principal meridian in the first space. In the second space, insert a 0 for a full range, 2 for 1/4 range, 4 for 1/2 range, 6 for 3/4 range, 8 for duplicate to the north or east of the original township, or 9 for triplicate to the north or east of the original township. Insert range number in last three spaces, right justified.

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR APPLICATION	MINOR APPLICATION	CODE	CODE	DESCRIPTION
U.S. Public Land Survey System (PLSS) (cont'd)	Parameters	Areas (cont'd.)				
		301	----			
		307	----			
		0				
		1				
		2				
		3				
		4				
		5				
		6				
		7				

D. Section number

In the first space, insert 0 for numeric section identifier, 1 for numeric portion of alphanumeric identifier, or 2 for alphabetic part of alphanumeric identifier. In the last three spaces, insert section number or numeric representation of alphabetic character (01-26), right justified.

E. Land grant identifier

In the first space, insert the appropriate number:

for numeric grant identifier  
for numeric portion of alphanumeric identifier  
for alphabetic portion of alphanumeric identifier  
for alphabetic identifier  
for identifier of named grant in Arizona  
for identifier of named grant in California  
for identifier of named grant in Colorado  
for identifier of named grant in New Mexico

In the last three spaces after 0-3 above, insert the grant number or numeric representation of the alphabetic character (01-26), right-justified. In the last three spaces after 4-7 above, insert the three-digit code of the named grant as designated in Appendix L.

APPENDIX D.--DLG Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR APPLICATION	MINOR APPLICATION	CODE	CODE	DESCRIPTION
U.S. Public Land Survey System (PLSS) (cont'd)	Parameters	Areas (cont'd)				
		300				
	Feature identification	Lines	300			
		Points (degenerate lines)	300			
	Parameter	Multiple element types	308 position 309			

# F. Excluded areas

- 0100 Indian lands
- 0101 Homestead entries
- 0102 Donation land claims
- 0103 Land grants; civil colonies
- 0104 Private extension of public land survey
- 0105 Area of public and private survey overlap
- 0106 Overlapping land grants
- 0107 Military reservation
- 0198 Water
- 0199 Unsurveyed area
- 0201 Approximate position (within 200 feet)
- 0202 Protracted position
- 0203 Arbitrary closure line
- 0204 Base line
- 0205 Claim line, grant line
- 0300 Location monument
- 0301 Isolated found section corner
- 0302 Witness corner (off surveyed line)
- 0000 Best estimate of classification and/or
- 00-- Coincident feature or symbol

## APPENDIX E.--Coordinate Conversion

This appendix illustrates the procedure for converting the internal file coordinates of the standard DLG format to the ground planimetric UTM reference coordinates. The formulas for this conversion, representing a simple offset, rotation, and scale, are as follows:

$$\begin{aligned} X &= A1x + A2y + A3, \text{ and} \\ Y &= A1y - A2x + A4, \end{aligned}$$

where X and Y are the ground planimetric coordinate values and x and y are the internal file coordinates.

The parameters for these formulas (A1, A2, A3, and A4) are contained in Header Record B, as double-precision floating-point numbers.

This example converts four coordinate pairs from internal file coordinates to ground planimetric UTM zone 10 coordinate values. The parameters are as follows:

$$\begin{aligned} A1 &= 0.60959440759 \\ A2 &= -0.0028817856942 \\ A3 &= 538248.79341 \\ A4 &= 4240374.4556 \end{aligned}$$

The internal file coordinates to be converted are as follows:

x	y
1st pair-8971	-11376
2nd pair-8955	11375
3rd pair 8955	11376
4th pair 8971	-11376

The calculations to determine the ground planimetric coordinates for the first pair are as follows:

$$\begin{aligned} X &= (0.60959440759) (-8971) + (-0.0028817856942) (-11376) + (538248.79341) \\ &= 532812.91 \end{aligned}$$

$$\begin{aligned} Y &= (0.60959440759) (-11376) - (-0.0028817856942) (-8971) + (4240374.4556) \\ &= 4233413.86 \end{aligned}$$

The resulting X,Y coordinate values for the four pairs are as follows:

X	Y
1st pair 532,812.91	4,233,413.86
2nd pair 532,757.10	4,247,282.79
3rd pair 543,674.93	4,247,335.01
4th pair 543,750.25	4,233,465.56

APPENDIX F.--Sample DLG Data File (Standard Distribution Format)  
(Each 144-character record is shown as two consecutive 72-character lines.)

```

GLEN ELLEN                                1968    24000
      3      1    10 -0.122033045000000D 09  0.380180450000000D 08  0.0
                        0.0                        0.0
      0.0                        0.0                        0.0
      0.0                        0.0                        0.0
      0.0                        0.0                        0.0
      0.0                        2    0.610000000000000D 00  0    4
-0.122625000000000D 03  0.382500000000000D 02 -0.122625000000000D 03
0.383750000000000D 02 -0.122500000000000D 03  0.383750000000000D 02
-0.122500000000000D 03  0.382500000000000D 02
      0.609594407590000D 00 -0.288178569420000D-02  0.538248793410000D 06
      0.424037445560000D 07  4
SW -8971-11376NW -8955 11375NE 8955 11376SE 8971-11376

      1
BOUNDARIES (24&25)    795    16    795    7    530    20
N      1 -8971-11376    0    0
N      2 -8955 11375    0    0
N      3 8955 11376    0    0
N      4 8971-11376    0    0
N      5 -8966 3203    0    0
N      6 2101 11374    0    0
N      7 5832 11376    0    0
N      8 7513 11376    0    0
N      9 8956 7494    0    0
N     10 8961 2884    0    0
N     11 3469 10371    0    0
N     12 5530 9112    0    0
N     13 -3115-10127    0    0
N     14 7520 11175    1    0
90      1

```

APPENDIX F.--Sample DLG Data File (Standard Distribution Format)--continued  
(Each 144-character record is shown as two consecutive 72-character lines.)

N	15	-1450	4596	1	0				
	90	1							
N	16	895	4984	1	0				
	90	1							
A	1	22	253	1	0				
	0	0							
A	2	-4738	7527	2	0				
	91	6	92	97					
A	3	8325	10166	2	0				
	91	6	92	97					
A	4	4728	10834	3	0				
	91	6	92	97	90	113			
A	5	6463	8917	3	0				
	91	6	92	97	90	113			
A	6	161	-1378	3	0				
	91	6	92	97	90	113			
A	7	-3058	-10280	4	0				
	91	6	92	97	90	113	90	130	
L	1	1	5	1	6	2	0	0	
	-8971	-11376	-8966	3203					
L	2	5	2	1	2	2	0	0	
	-8966	3203	-8955	11375					
L	3	2	6	1	2	2	0	0	
	-8955	11375	2101	11374					

APPENDIX F.--Sample DLG Data File (Standard Distribution Format)--continued  
(Each 144-character record is shown as two consecutive 72-character lines.)

L	4	6	7	1	2	4	0	0
2101 11374 5832 11376								
L	5	7	8	1	2	5	2	0
5832 11376 7513 11376								
L	6	8	3	1	3	2	0	0
7513 11376 8955 11376								
L	7	3	9	1	3	2	0	0
8955 11376 8956 7494								
L	8	9	10	1	5	2	0	0
8956 7494 8961 2884								
L	9	10	4	1	6	2	0	0
8961 2884 8971-11376								
L	10	4	1	1	6	2	0	0
8971-11376 -8971-11376								
L	11	13	13	7	6	6	0	0
-3115-10127 -3189-10286 -2985-10432 -2890-10296 -2943-10236 -3115-10127								
L	12	5	15	2	6	4	2	0
-8966 3203 -5538 798 -1933 5820 -1450 4596								
99 30 90 203								
L	13	15	16	2	6	2	2	0
-1450 4596 895 4984								
99 30 90 203								
L	14	14	8	5	3	2	2	0
7520 11175 7513 11376								
99 30 90 203								



(Each 144-character record is shown as two consecutive 72-character lines.)

7520 11175 7532 10014 7228 9681 7318 8896 8956 7494

L	16	16	11	2	6	116	2	0
---	----	----	----	---	---	-----	---	---

895	4984	403	5222	275	5186	261	5244	247	5272	188	5344
166	5364	146	5388	117	5441	107	5501	110	5561	104	5591
106	5621	122	5681	144	5769	169	5829	199	5882	236	5931
257	5952	313	5979	336	5999	350	6028	362	6087	362	6147
352	6208	350	6238	355	6268	372	6295	415	6339	427	6367
487	6471	496	6500	482	6682	491	6742	496	6803	510	6891
512	6921	507	6955	507	6984	516	7015	530	7040	553	7062
629	7111	656	7124	686	7132	741	7160	800	7179	858	7205
921	7210	982	7223	1011	7236	1026	7261	1068	7309	1119	7386
1181	7491	1228	7529	1254	7543	1285	7548	1316	7558	1339	7577

...etc...

# APPENDIX G.--Sample DLG Data File (Optional Distribution Format)

(Each 80-character record is shown as a single line.)

USGS-NMD DLG DATA - CHARACTER FORMAT - 09-29-82 VERSION

GLEN ELLEN 1968 24000

```

      3      1      10      2 0.610000000000D+00      4      0      4      1
-0.1220330450000000D+09 0.3801804500000000D+08 0.0
0.0 0.0 0.0 0.0 0.0 0.0
0.0 0.0 0.0 0.0 0.0 0.0
0.0 0.0 0.0 0.0 0.0 0.0
0.100000000000D+01 0.0 0.0 0.0 0.0 0.0
SW 38.250000 -122.625000 532812.91 4233413.86
NW 38.375000 -122.625000 532757.10 4247282.79
NE 38.375000 -122.500000 543674.93 4247335.01
SE 38.250000 -122.500000 543750.25 4233465.56
BOUNDARIES (24&25) 0 16 16 010 7 7 010 20 20 1
N 1 532812.91 4233413.86 2 0 0
1 -10
N 2 532757.10 4247282.79 2 0 0
-2 3
N 3 543674.93 4247335.01 2 0 0
-6 7
N 4 543750.25 4233465.56 2 0 0
-9 10
N 5 532773.94 4242301.15 3 0 0
-1 2 12
N 6 539496.77 4247314.04 3 0 0
-3 4 17
N 7 541771.16 4247326.01 3 0 0
-4 5 -19
N 8 542795.89 4247330.85 3 0 0
-5 6 -14
N 9 543686.72 4244968.57 3 0 0
-7 8 -15
N 10 543703.06 4242158.35 3 0 0
-8 9 -20
N 11 540333.59 4246706.56 3 0 0
-16 -17 18
N 12 541593.59 4245945.02 3 0 0
-18 19 20
N 13 536379.09 4234192.12 2 0 0
11 -11
N 14 542800.74 4247208.34 2 1 0
14 15
90 1
N 15 537351.64 4243171.97 2 1 0
-12 13
90 1
N 16 538780.02 4243415.25 2 1 0
-13 16
90 1

```

APPENDIX G.--Sample DLG Data File (Optional Distribution Format)--continued  
(Each 80-character record is shown as a single line.)

A	1	538261.48	4240528.75		10	0	1	0	0
	-10	-9	-8	-7	-6	-5	-4	-3	-2
	0	0							
A	2	535338.84	4244949.22		6	0	2	0	0
	-12	2	3	17	-16	-13			
	91	6	92	97					
A	3	543294.37	4246595.58		4	0	2	0	0
	-15	14	6	7					
	91	6	92	97					
A	4	541099.73	4246992.43		4	0	3	0	0
	-17	4	-19	-18					
	91	6	92	97	90	113			
A	5	542162.91	4245828.83		6	0	3	0	0
	19	5	-14	15	8	-20			
	91	6	92	97	90	113			
A	6	538350.91	4239534.90		10	0	3	0	1
	10	1	12	13	16	18	20	9	0
	91	6	92	97	90	113			
A	7	536414.28	4234099.01		1	0	4	0	0
	-11								
	91	6	92	97	90	113	90	130	
L	1	1	5	1	6			0	0
	532812.91	4233413.86	532773.94	4242301.15					
L	2	5	2	1	2		2	0	0
	532773.94	4242301.15	532757.10	4247282.79					
L	3	2	6	1	2		2	0	0
	532757.10	4247282.79	539496.77	4247314.04					
L	4	6	7	1	4		2	0	0
	539496.77	4247314.04	541771.16	4247326.01					
L	5	7	8	1	5		2	0	0
	541771.16	4247326.01	542795.89	4247330.85					
L	6	8	3	1	3		2	0	0
	542795.89	4247330.85	543674.93	4247335.01					
L	7	3	9	1	3		2	0	0
	543674.93	4247335.01	543686.72	4244968.57					
L	8	9	10	1	5		2	0	0
	543686.72	4244968.57	543703.06	4242158.35					
L	9	10	4	1	6		2	0	0
	543703.06	4242158.35	543750.25	4233465.56					
L	10	4	1	1	6		2	0	0
	543750.25	4233465.56	532812.91	4233413.86					
L	11	13	13	7	6		6	0	0
	536379.09	4234192.12	536334.44	4234094.98				536459.22	4234006.56
	536516.74	4234089.74	536484.26	4234126.17				536379.09	4234192.12
L	12	5	15	2	6		4	2	0
	532773.94	4242301.15	534870.56	4240844.95				537053.68	4243916.72
	537351.64	4243171.97							
	99	30	90	203					

APPENDIX G.--Sample DLG Data File (Optional Distribution Format)--continued  
(Each 80-character record is shown as a single line.)

L	13	15	16	2	6	2	2	0	
	537351.64	4243171.97	538780.02	4243415.25					
	99	30	90	203					
L	14	14	8	5	3	2	2	0	
	542800.74	4247208.34	542795.89	4247330.85					
	99	30	90	203					
L	15	14	9	3	5	5	2	0	
	542800.74	4247208.34	542811.40	4246500.64	542627.04	4246296.77			
	542684.17	4245818.50	543686.72	4244968.57					
	99	30	90	203					
L	16	16	11	2	6	116	2	0	
	538780.02	4243415.25	538479.41	4243558.92	538401.49	4243536.60			
	538392.79	4243571.92	538384.17	4243588.95	538348.00	4243632.67			
	538334.53	4243644.80	538322.27	4243659.37	538304.44	4243691.60			
	538298.17	4243728.14	538299.82	4243764.73	538296.08	4243783.00			
	538297.21	4243801.29	538306.79	4243837.91	538319.95	4243891.62			
	538335.02	4243928.27	538353.15	4243960.66	538375.57	4243990.64			
	538388.31	4244003.50	538422.37	4244020.12	538436.33	4244032.38			
	538444.78	4244050.10	538451.93	4244086.10	538451.75	4244122.68			
	538445.48	4244159.83	538444.17	4244178.11	538447.14	4244196.42			
	538457.42	4244212.92	538483.51	4244239.87	538490.74	4244256.97			
	538527.02	4244320.54	538532.42	4244338.25	538523.36	4244449.15			
	538528.68	4244485.76	538531.55	4244522.96	538539.83	4244576.64			
	538540.96	4244594.93	538537.81	4244615.65	538537.73	4244633.32			
	538543.13	4244652.25	538551.59	4244667.53	538565.55	4244681.00			
	538611.74	4244711.09	538628.16	4244719.10	538646.42	4244724.06			
	538679.87	4244741.29	538715.78	4244753.04	538751.06	4244769.06			
	538789.45	4244772.29	538826.60	4244780.39	538844.24	4244788.39			
	538853.31	4244803.68	538878.78	4244833.06	538909.64	4244880.14			
	538947.14	4244944.33	538975.68	4244967.63	538991.49	4244976.24			
	539010.37	4244979.38	539029.24	4244985.56	539043.21	4244997.21			
	....	etc.....							

APPENDIX H.--Pre-1983 Hydrographic Attribute Codes

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Rivers and Streams	Feature identification	Nodes	030	0001		River/stream, upper origin
			0002			River/stream, upper origin of stream at water body
			0003			River/stream, stream junction
			0004			River/stream, stream intersection with bank/shore or estuary
			0005			River/stream, sink (stream goes underground or channel is not evident)
			0006			River/stream, change in stream classification/status
			0007			River/stream, point on stream or centerline
			0008			River/stream, stream-canal intersection
			0009			River/stream, canal-canal intersection
			0010			River/stream, end of canal
			0011			River/stream, canal-shoreline intersection
			0012			River/stream, canal over canal
			0013			River/stream, canal over stream
			0020			River/stream, stream road intersection
			0021			River/stream, stream railroad intersection
			0022			River/stream, stream trail intersection
			0023			River/stream, stream transmission line intersection
			0024			River/stream, stream pipeline intersection
			0025			River/stream, aqueduct over stream
			0026			River/stream, aqueduct over aqueduct
			0027			River/stream, stream tunnel intersection
			0028			River/stream, stream dam intersection
			0029			River/stream, spillway
			0030			River/stream, flood gate or gate

APPENDIX H.--Pre-1983 Hydrographic Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Rivers and Streams (cont'd.)	Feature identification	Nodes (cont'd.)	030	0031		River/stream, tide gate
				0032		River/stream, falls
				0033		River/stream, end of rapids
				0034		River/stream, river mile mark
				0035		River/stream, tunnel portal
				0036		River/stream, end of siphon
				0037		River/stream, end of flume
				0038		River/stream, end of penstock
				0050		River/stream, point on bank/shore+
				0051		River/stream, shore/bank dam intersection
				0052		River/stream, gaging station
				0053		River/stream, pumping station
				0054		River/stream, small dam or weir
				0055		River/stream, water intake
	Areas	000	0000			Area outside graph
	Lines	030	0226			River/stream, penstock
			0227			River/stream, irrigation ditch
			0228			River/stream, irrigation canal
			0229			River/stream, abandoned canal
			0230			River/stream, canal on levee
			0250			River/stream, right bank, intermittent stream
			0251			River/stream, left bank, intermittent stream
			0252			River/stream, right bank, perennial stream
			0253			River/stream, left bank, perennial stream
			0254			River/stream, right bank, braided stream
			0255			River/stream, left bank, braided stream
			0256			River/stream, right bank, unsurveyed stream

APPENDIX H.--Pre-1983 Hydrographic Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Rivers and Streams (cont'd.)	Feature identification	Lines (cont'd.)	030	0257	River/stream, left bank, unsurveyed stream	
			0258		River/stream, right bank, sand wash	
			0259		River/stream, left bank, sand wash	
			0260		River/stream, right bank, submerged stream	
			0261		River/stream, left bank, submerged stream	
			0270		River/stream, shore of island	
			0271		River/stream, shore of backwater	
			0272		River/stream, bank along levee	
			0273		River/stream, apparent shoreline (outer limits of vegetation)	
			0274		River/stream, shoreline along pier, wharf, or jetty	
			0280		River/stream, rapids	
			0293		River/stream, canal centerline extended into lake or pond	
			0294		River/stream, stream centerline - indefinite location	
			0295		River/stream, stream centerline extended into marsh or swamp	
			0296		River/stream, stream centerline extended into river	
			0297		River/stream, stream centerline extended into lake or pond	
			0298		River/stream, stream centerline extended underground	
			0299		River/stream, closing line (water-water)	
		Points	0350		Single-point feature, river/stream, small island or exposed rock	
		(Degenerate Lines)	0352		Single-point feature, river/stream, spillway	
			0353		Single-point feature, river/stream, flood gate or gate	
			0354		Single-point feature, river/stream, tide gate	

APPENDIX H.--Pre-1983 Hydrographic Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR APPLICATION	MINOR CODE	CODE	DESCRIPTION
Rivers and Streams (cont'd.)	Feature identification (Degenerate lines) (cont'd.)	Points	030	0355	Single-point feature, river/stream, river mile mark
			0356		Single-point feature, river/stream, gaging station
			0357		Single-point feature, river/stream, pumping station
			0358		Single-point feature, river/stream, water intake
		Multiple element types	030	0000	Feature added by photorevision methods
	Parameter Multiple element types		03N	----	Elevation of water surface (right justified) N=1 for feet, N=2 for meters, N=6 for feet below datum
			03N	----	Water depth (right justified) N=3 for feet, N=4 for meters
			035	----	River mile (right justified)
			038	0000	Best estimate of classification and/or position
			039	00--	Coincident feature or symbol (enter first two digits of major code for category of coincident feature in blanks, right justified).
Water Bodies	Feature identification	Nodes	040	0001	Water body, point on shoreline
			0002		Water body, shoreline road intersection
			0003		Water body, shoreline railroad intersection
			0004		Water body, shoreline transmission line intersection
			0005		Water body, shoreline pipeline intersection



APPENDIX H.--Pre-1983 Hydrographic Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Water Bodies (cont'd.)	Feature identification	Areas	000	0000		Area outside graph
		040	0100			Water body, perennial lake or pond
			0101			Water body, perennial salt lake or pond
			0102			Water body, intermittent lake or pond
			0103			Water body, intermittent salt lake or pond
			0104			Water body, dry lake or pond
			0105			Water body, alkali flat
			0106			Water body, reservoir
			0107			Water body, intermittent reservoir
			0110			Water body, glacier or snow field
			0111			Water body, crevasse area
			0120			Water body, salt evaporator
			0122			Water body, fish hatchery
			0123			Water body, area subject to controlled flooding for agriculture
			0124			Water body, industrial water impoundment
			0125			Water body, area to be submerged
			0126			Water body, fish farm or crawfish farm
			0127			Water body, sewage disposal pond
			0128			Water body, large water intake
			0129			Water body, tailings pond
			0130			Water body, wooded lake
			0150			Water body, island
			0199			Water body, area not in water body
			0200			Water body, shoreline
			0201			Water body, indefinite shoreline
			0202			Water body, shoreline along wall
			0203			Water body, shoreline along wharf, pier, or jetty
			0204			Water body, shoreline along dam
			0205			Water body, shoreline along causeway
			0210			Water body, edge of glacier or snowfield
			0211			Water body, edge of crevasse area
			0299			Water body, closure line (water-water)

APPENDIX H.--Pre-1983 Hydrographic Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR APPLICATION	MINOR CODE	CODE	DESCRIPTION
Water Bodies (cont'd.)	Feature identification	Lines (cont'd.)	040	0300	Single-point feature, water body, spring
			0301		Single-point feature, water body, nonflowing well
			0302		Single-point feature, water body, flowing well
			0350		Single-point feature, water body, small island or exposed rock
			0351		Single-point feature, water body, small perennial pond
			0352		Single-point feature, water body, small intermittent pond
			0353		Single-point feature, water body, riser or glory hole
			0354		Single-point feature, water body, brine or salt well
			0355		Single-point feature, water body, sulphur well
			0356		Single-point feature, water body, geyser
	Multiple element types	040	0000		Feature added by photorevision method
Parameter	Multiple element types	04N	----		Water surface elevation (right justified) N=1 for feet, N=2 for meters, N=6 for feet below datum
		04N	----		Water depth (right justified) N=3 for feet, N=4 for meters
		048	0000		Best estimate of classification and/or position
		049	00--		Coincident feature or symbol (enter first two digits of major code for category of coincident feature in blanks, right justified)

APPENDIX I.--Pre-1985 Transportation Attribute Codes

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Transportation, Roads	Feature identification	Nodes	100	0001		Road intersection
		0002				Road intersection (grade separation, no interchange)
		0003				Road intersection (grade separation with interchange)
		0004				Road intersection (grade separation, partial interchange)
		0005				Road-railroad intersection
		0006				Road-railroad intersection (grade separation)
		0007				Road-stream intersection (fixed bridge/culvert)
		0008				Road-stream intersection (movable bridge)
		0009				Road-trail intersection
		0010				Trail-trail intersection
		0011				Bridge abutment
		0012				Tunnel portal
		0013				Road-transmission line intersection
		0014				Road-pipeline intersection
		0015				Ferry landing
		0016				Change in road classification/status
		0017				Structure over road
		0018				Ford
		0019				Low water bridge
		0020				Toll gate
		0021				Traffic circle
		0022				Cul-de-sac
		0023				Gate
		0024				Road-canal intersection (where canal is a transportation feature)
		0030				Foot or bicycle bridge over road
		0050				Point on road
		0051				End of road/trail
		0060				Port of entry
		0061				U.S. Customs

APPENDIX I.--Pre-1985 Transportation Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Transportation, Roads (cont'd)	Feature identification	Areas	000	0000		Area outside graph
	Lines	100	N201			Primary route, hard surface (undivided)
			N202			Primary route, hard surface (divided, 25' or less)
			N203			Primary route, hard surface (divided, 25' or more)
			N204			Primary route, hard surface (one-way traffic)
			N205			Secondary route, hard surface (one-way traffic)
			N206			Secondary route, hard surface
			N207			Improved light duty
			N208			Unimproved dirt
			N209			Trail
			N210			4-wheel-drive vehicle trail
			N211			Urban streets
			N212			Foot trail
			N213			Bridle trail
			N214			Pack trail
			N215			Historical trail
			N216			Bicycle trail
			N217			Primary route, hard surface (interchange road)
			N218			Secondary route, hard surface (interchange road)
			N219			Improved light-duty interchange road
			N220			Secondary route, divided
			N222			Road or street, class 3, divided by centerline
			N223			Road or street, class 3, divided, lanes separated
			N240			Ferry crossing
			N241			Road through parking area
			N250			Perimeter of parking area
			N293			Road or trail subject to inundation
			N294			Road or trail on dam

APPENDIX I.--Pre-1985 Transportation Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Transportation, Roads (cont'd.)	Feature identification (cont'd.)	Lines (cont'd.)	100	N295		Road or trail on bridge
				N296		Road or trail on levee
				N297		Road or trail tunnel under ground
				N298		Road or trail tunnel under water
				N299		Road or trail under construction
						N=0 for unrestricted access, N=1 for limited access, N=2 for toll road, N=3 for privately operated or controlled public access, N=4 for proposed road, N=5 for abandoned road
		Points	100	0301		Roadside or wayside park
		(degenerate lines)		0302		Rest area
				0303		Overlook
				0304		Weigh station
				0305		Service facility
Parameter	Multiple element types	Multiple element	100	0000		Feature added by photorevision methods
						types
			101	00--		Number of lanes, right justified
			102	0---		Interstate route number, right justified
			103	0---		U.S. route number, right justified
			104	----		State route number, right justified
			105	----		Reservation, park, or military route number, right justified
			106	----		County route number, right justified
			108	0000		Best estimate of classification and/or position
			109	0---		Coincident feature or symbol (enter first two digits of major code for category of coincident feature in blanks, right justified)

APPENDIX I.--Pre-1985 Transportation Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Transportation, Railroads	Feature identification	Nodes	I10	0001		Railroad intersection
				0002		Railroad intersection (grade separation)
				0003		Siding junction
				0004		Station
				0005		Railroad-road intersection
				0006		Railroad-road intersection (grade separation)
				0007		Railroad-stream intersection (fixed bridge/culvert)
				0008		Railroad-stream intersection (movable bridge)
				0009		Railroad-trail intersection
				0010		Bridge abutment
				0011		Tunnel portal
				0012		Railroad-transmission line intersection
				0013		Railroad-pipeline intersection
				0014		Ferry landing
				0015		Change in railroad classification/status
				0016		Structure over railroad
				0017		Turntable
				0018		Turntable and roundhouse
				0019		Point within yard
				0049		Crossover
				0050		Point on railroad
				0051		End of railroad
	Areas		000	0000		Area outside graph
	Lines	I10	N201			Single track standard gage
			N202			Double track, standard gage
			N203			3-track, standard gage
			N204			4-track, standard gage
			N205			5 or more tracks, standard gage
			N206			Siding, standard gage
			N211			Single track, narrow gage

APPENDIX I.--Pre-1985 Transportation Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Transportation, Railroads (cont'd.)	Feature identification (cont'd.)	Lines (cont'd.)	110	N212		Double track, narrow gage
				N213		3-track, narrow gage
				N214		4-track, narrow gage
				N215		5 or more tracks, narrow gage
				N216		Siding, narrow gage
				N220		Carline or surface rapid transit
				N221		Elevated rapid transit
				N230		Industrial or mine railroad
				N240		Ferry crossing
				N241		Railroad through yard
				N250		Perimeter of yard
				N294		Railroad on pier
				N295		Railroad on bridge
				N296		Railroad on levee
				N297		Railroad tunnel under ground
				N298		Railroad tunnel underwater
				N299		Railroad in snowshed
						N=0 for normal use, N=1 for under construction, N=2 for abandoned, N=3 for dismantled
	Points (degenerate lines)	NONE				
	Multiple element types	110	0000			Feature added by photorevision methods
Parameter	Multiple element types	118	0000			Best estimate of classification and/or position
		119	00--			Coincident feature or symbol (enter first two digits of major code for category of coincident feature, right justified).
Pipelines, Transmission Lines	Feature identification	Nodes	130	0001		Transmission line intersection
				0002		Pipeline intersection
			0003			Transmission line - pipeline intersection

APPENDIX I.--Pre-1985 Transportation Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Pipelines, Transmission Lines	Feature identification (cont'd.)	Nodes (cont'd.)	130	0004		Transmission line - road intersection
				0005		Pipeline - road intersection
			0006			Transmission line - railroad intersection
			0007			Pipeline - stream intersection
			0008			Transmission line - stream intersection
			0009			Pipeline - stream intersection
			0010			Transmission line - telephone/telegraph line intersection
			0011			Pipeline - bank/shore intersection
			0012			Transmission line - telephone/telegraph line intersection
			0013			Pipeline - telephone/telegraph line intersection
			0014			Pumping station
			0015			Substation
			0016			Steel tower
			0020			Change in classification/status
			0030			Angle point on transmission line
			0031			Angle point on pipeline
			0032			Point on transmission line
			0033			Point on pipeline
			0034			End of transmission line
			0035			End of pipeline
			0036			End of transmission line at power station or substation
			0037			End of pipeline at refinery/oil-gas field
		Areas	000	0000		Area outside graph
		Lines	130	0201		Single- or double-pole powerline
				0202		Steel tower powerline
				0203		Single- or double-pole powerline extended over water
				0204		Steel tower powerline extended over water



APPENDIX I.--Pre-1985 Transportation Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Pipelines, Transmission Lines (cont'd.)	Feature identification (cont'd.)	Lines (cont'd.)	130	0205		Single- or double-pole powerline extended into urban area
			0206			Steel tower powerline extended into urban area
			0211			Pipeline (under ground)
			0212			Pipeline (above ground)
			0213			Pipeline (under water)
			0214			Pipeline (above water)
			0215			Pipeline, through siphon
			0216			Pipeline, through flume
			0217			Pipeline extended into urban area
			0221			Telephone or telegraph line
	Points	NONE				
	Multiple element types		I30	0000		Feature added by photorevision methods
Parameter	Multiple element types		I38	0000		Best estimate of classification and/or position
			I39	00--		Coincident feature or symbol (enter first two digits of major code for category of coincident feature, right justified).
			I39	01--		Assumed position next to parallel feature or symbol (enter first two digits of major code for category of parallel feature, right justified).

APPENDIX J.--Pre-1985 Other Significant Cultural Feature Attribute Codes

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Other Significant Cultural Features	Feature identification	Node	140	0001		End point of linear manmade feature
			0002			Point on linear manmade feature
	Area	140				
						0100 Large class 1 building
						0101 Large class 2 building
						0102 Large church
						0103 Church complex (convent, retreat, etc.)
						0104 Large school
						0105 School campus (univ., college, etc.)
						0106 Large municipal building
						0107 Large court house
						0108 Large post office
						0109 Large city or town hall
						0110 Large hospital
						0111 Hospital complex (sanatorium, VA hospital, etc.)
						0112 Orphanage
						0126 Large cemetery
						0127 Large power plant
						0128 Large power substation
						0129 Large sewage disposal plant
						0130 Large waterworks
						0131 Trailer park
						0132 Stadium
						0133 Athletic fields
						0134 Shopping center
						0135 Zoo
						0136 Golf course
						0138 Fairground
						0139 Rodeo grounds
						0140 Corral
						0141 Race track
						0142 Drag strip
						0143 Ski area
						0144 Drive-in theater
						0145 Marina

APPENDIX J.--Pre-1985 Other Significant Cultural Feature Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Other Significant Cultural Features (cont'd.)	Feature identification	Node (cont'd)	140	0146		Large boat ramp
				0147		Large dam
				0148		Large campground, recreation area, public use area, or access area (other than National or State)
				0149		Covered water reservoir
				0150		Large fort
				0151		Airport or landing strip
				0152		Abandoned airport
				0153		Prison compound
				0164		Urban tint
				0165		Unincorporated village (populated)
				0166		Locality (no population)
				0167		Industrial park
				0168		Large spoil bank
				0169		Industrial materials storage area
				0170		Oil or gas field
				0171		Large water tank
				0172		Large tank
				0173		Refinery or gas plant
				0174		Chemical plant
				0175		Nuclear plant
				0176		Gas storage area (underground)
				0177		Kilns
				0178		Charcoal ovens
				0179		Mine dump (tailings)
				0180		Open surface mine or quarry
				0182		Land fills
				0183		Disturbed areas
				0184		Sludge or slurry disposal
				0185		Oil sump or sludge pit
				0186		Large ruins
				0187		Tank farm
				0188		Feedlot
				0189		Experimental farm
				0190		Proving grounds
				0191		Firing range
				0192		Missile launch complex

APPENDIX J.--Pre-1985 Other Significant Cultural Feature Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Other Significant Cultural Features (cont'd.)	Feature identification	Node (cont'd)	140			0193 Piles, dolphins, stumps, or snags 0194 Exposed wreckage 0195 Cable area 0196 Breakwater, pier, wharf 0197 Covered pier or wharf 0199 Area outside manmade feature
	Lines		140			0240 Ski lift 0241 Tram way 0242 Snow shed 0243 Conveyor  0279 Coke oven  0282 Linear strip mine  0291 Boardwalk 0292 Wall 0293 Causeway 0294 Levee 0295 Sea wall 0296 Breakwater, pier, jetty, or wharf
	Points (degenerate lines)		140			0300 Class 1 building 0301 Class 2 building 0302 Church 0303 School 0304 Municipal building 0305 Court house 0306 Post office 0307 City or town hall 0308 Power plant 0309 Fort 0310 Power substation 0311 Sewage disposal plant 0312 Pumping station 0313 Hospital 0314 Waterworks 0315 Swimming pool



APPENDIX J.--Pre-1985 Other Significant Cultural Feature Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Other Significant Cultural Features (cont'd.)	Feature identification (degenerate lines) (cont'd)	Points (degenerate lines) (cont'd)	140	0320		Radio facility
				0321		Radio tower
				0322		Lookout tower
				0323		Windmill
				0324		Heliport
				0330		Campsite
				0331		Picnic site
				0332		Grave site
				0333		Historical site or marker
				0334		Archeological site
				0335		Cliff dwelling
				0336		Cavern
				0337		Boat ramp
				0338		Dock/wharf
				0339		Fairground
				0340		Rodeo grounds
				0341		Corral
				0350		Quarry or pit (includes gravel, clay, sand, rock, etc.)
				0351		Mine tunnel entrance or cave
				0352		Mine shaft
				0353		Prospect
				0354		Burner/stack
				0355		Storage bin
				0360		Ruins
				0361		Pile, dolphin, stump or snag
				0362		Exposed wreck
				0380		Lock
				0381		Spillway
				0382		Drydock
				0384		Oil or gas well, drill hole, or drilling platform
				0385		Small tank
				0386		Small water tank

APPENDIX J.--Pre-1985 Other Significant Cultural Feature Attribute Codes--continued

DATA CATEGORY	TYPE OF CODE	MAJOR MINOR		CODE	CODE	DESCRIPTION
		APPLICATION				
Other Significant Cultural Features (cont'd.)	Parameter	Multiple element	141			00-- Under construction (enter year of map)
		types	142			00-- Abandoned or not in use (enter year of map)
		149				00-- Coincident feature or symbol (enter major code for category of coincident feature, right justified)

APPENDIX K.--Origins of the U.S. Rectangular Surveys

Code	Designation	Type	States	Date	
01	First Principal		PM	OH,IN	1819
02	Second Principal	PM	IL,IN		1805
03	Third Principal		PM	IL	1805
04	Fourth Principal		PM	IL	1815
05	Fifth Principal		PM	AR,IA,MN,MO,ND,SD	1815
06	Sixth Principal		PM	CO,KS,NE,SD,WY	1855
07	Black Hills		PM	SD	1878
08	Boise		PM	ID	1867
09	Chickasaw		PM	MS	1833
10	Choctaw		PM	MS	1821
11	Cimmaron		PM	OK	1881
12	Copper River		PM	AK	1905
13	Fairbanks		PM	AK	1910
14	Gila and Salt River	PM	AZ		1865
15	Humboldt		PM	CA	1853
16	Huntsville		PM	AL,MS	1807
17	Indian		PM	OK	1870
18	Louisiana		PM	LA	1807
19	Michigan		PM	MI,OH	1815
20	Principal		PM	MT	1867
21	Mount Diablo		PM	CA,NV	1851
22	Navajo		PM	AZ	1869
23	New Mexico Principal	PM	CO,NM		1855
24	St. Helena		PM	LA	1819
25	St. Stephens		PM	AL,MS	1805
26	Salt Lake		PM	UT	1855
27	San Bernard		PM	CA	1852
28	Seward		PM	AK	1911
29	Tallahassee		PM	FL,AL	1824
30	Uintah		PM	UT	1875
31	Ute		PM	CO	1880
32	Washington		PM	MS	1803
33	Willamette		PM	OR,WA	1851
34	Wind River		PM	WY	1875
35	Ohio River Survey	SN	OH		1785
36	Between the Miamis	SN	OH		1802
37	Muskingum River	SN	OH		1800
38	Ohio River Base	SN	IN		1799
39	First Scioto River	SN	OH		1799
40	Second Scioto River	SN	OH		1799
41	Third Scioto River	SN	OH		1799
42	Ellicott's Line*				
43	Twelve-Mile Square	SN	OH		1805
44	Kateel River		PM	AK	1956
45	Umiat		PM	AK	1956
46	Fourth Principal		PM	MN,WI	1831
47	West of the Great Miami		SN	OH	1798
48	U.S. Military Survey	SN	OH		1797
99	Not Public Land Survey*				

\* Not digitized; included only for compatibility with BLM table.



**ARIZONA**

001 ARIBACA  
 002 LUIS MARIA BACA FLOAT #3  
 003 LUIS MARIA BACA FLOAT #5  
 004 LOS NOGALES DE ELLAS  
 005 MARIA SANTISIMA DEL CARMEN  
 006 RANCHO DE MARTINEZ  
 007 SABINO OTERO ET AL  
 008 SAN BERNARDINO

009 SAN IGNACIO DE LA CANOA  
 010 SAN IGNACIO DEL BABOCOMARI  
 011 SAN JOSE DE SONOITA  
 012 SAN JUAN DE LAS BOQUILLAS Y  
 NOGALES  
 013 SAN RAFAEL DE LA ZANJA  
 014 SAN RAFAEL DEL VALLE  
 015 TUMACACORI AND CALABAZAS  
 016 SAN RAFAEL DEL VALLE - COCHISE

**CALIFORNIA**

001 SAN BUENA VENTURA  
 002 EL PRIMER CANON  
 003 LA BARRANCA COLORADA  
 004 LAS FLORES  
 005 SAUCOS  
 006 RIO DE LOS MOLINOS  
 007 BOSQUEJO  
 008 CAPAY  
 009 ARROYO CHICO  
 010 RANCHO DE FARWELL  
 011 JACINTO  
 012 LLANO SECO  
 013 AGUAS FRIAS  
 014 ESQUON  
 015 FERNANDEZ  
 016 LARKINS CHILDRENS RANCHO  
 017 COLUSA  
 018 BOGA  
 019 HONCUT  
 020 NEW HELVETIA  
 021 JOHNSON RANCHO  
 022 JIMENO  
 023 YOKAYA  
 024 SANEL  
 025 GERMAN  
 026 MUNIZ  
 027 BODEGA  
 028 ESTERO AMERICANO  
 029 BLUCHER  
 030 LAGUNA DE SAN ANTONIO  
 031 SOULAJULE LANDS  
 032 NICASIO LANDS  
 033 PUNTA DE LOS REYES-RANDALL

034 PUNTA DE LOS REYES--SOBRANTE  
 035 LAS BAULINES  
 036 SAUCELITO  
 037 TOMALES Y BAULINES--PHELPS  
 038 TOMALES Y BAULINES--GARCIA  
 039 SAN GERONIMO (MARIN)  
 040 CANADA DE HERRERA  
 041 PUNTA DE QUENTIN  
 042 CORTE DE MADERA DEL PRESIDIO  
 043 SAN RAFAEL  
 044 SAN PEDRO SANTA MAGARITA Y  
 LAS GALLINAS  
 045 SAN JOSE--PACHECO  
 046 NOVATO  
 047 CORTE MADERA DE NOVATO  
 048 OLOMPALI  
 049 PETALUMA  
 050 ROBLAR DE LA MISERIA  
 051 CANADA DE POGOLIMI  
 052 CANADA DE JONIVE  
 053 MOLINOS  
 054 SOTOYOME  
 055 TZABACO  
 056 RINCON DE MUSALACON  
 057 CASLAMAYOMI  
 058 GUENOC  
 059 COLLAYOMI  
 060 MALLACOMES OR MORISTUL  
 061 MALLACOMES Y PLAN D AGUA  
 CALIENTE  
 062 SAN MIGUEL--WEST  
 063 CABEZA DE SANTA ROSA  
 064 LLANO DE SANTA ROSA  
 065 COTATE

## CALIFORNIA (CONT.)

066 LOS GUILICOS	110 LOS MEGANOS
067 AGUA CALIENTE (SONOMA)	111 LOS MEDANOS
068 PUEBLO LANDS OF SONOMA	112 MONTE DEL DIABLO
069 LAC	113 LAS JUNTAS
070 S F SOLAND IN SONOMA MISSION	114 CANADA DEL HAMBRE Y LOS BOLSAS
071 SONOMA CITY LOT IN	115 ARROYO DE LAS NUECES Y BOLBONES
072 HUICHICA	116 SAN RAMON--CARPENTIER
073 RINCON DE LOS CARNEROS	117 SAN RAMON--NORRIS
074 ENTRE NAPA	118 SAN RAMON--AMADOR
075 TULUCAY	119 SANTA RITA
076 NAPA	120 LAS POSITAS
077 YAJOME	121 VALLE DE SAN JOSE--SUNOL & BERNAL
078 CAYMUS	122 SAN LORENZO--CASTRO
079 CARNE HUMANA	123 LAGUNA DE LOS PALOS COLORADOS
080 LA JOTA	124 ACALANES
081 LOCOALLOMI	125 LA BOCA DE LA CANADA DEL PINOLE
082 CATAcula	126 PINOLE
083 LAS PUTAS	127 SAN PABLO
084 CANADA DE CAPAY	128 SAN ANTONIO--V & D PERALTA
085 GUESISOSI	129 SAN ANTONIO--A M PERALTA
086 RIO JESUS MARIA	130 SAN ANTONIO--Y PERALTA
087 RIO DE LOS PUTOS	131 SAN LEANDRO
088 LOS PUTOS	132 SAN LORENZO--SOTO
089 CHIMILES	133 ARROYO DE LA ALEMEDA
090 TOLENAS	134 POTRERO DE LOS CERRITOS
091 SUISUN	135 MISSION SAN JOSE
092 LOS ULPINOS	136 AGUA CALIENTE (ALAMEDA & SANTA CLARA)
093 SANJON DE LOS MOQUELUMNES	137 TULARCITOS--HIGUERA
094 COSUMNES	138 MILPITAS--ALVISO
095 OMOCHUMNES	139 RINCON DE LOS ESTEROS-WHITE
096 DEL PASO	140 RINCON DE LOS ESTEROS-BERREYESA
097 SAN JUAN	141 RINCON DE LOS ESTEROS-ALVISO
098 RIO DE LOS AMERICANOS	142 EMBARCADERO DE SANTA CLARA
099 ARROYO SECO	143 ULISTAC
100 CAMPO DE LOS FRANCESES	144 PASTORIA DE LAS BORREGAS
101 STANISLAUS RIVER	145 POSOLMI
102 RANCHERIA DEL RIO ESTANISLAO	146 RINCON DE SAN FRANCISQUITO
103 YOSEMITE & BIG TREE GRANTS	147 RINCONADA DEL ARROYO DE SAN FRANCISQUITO
104 LAS MARIPOSAS	148 PULGAS
105 ORESTIMBA	149 SAN MATEO
106 RANCHO DEL PUERTO	150 BURI BURI
107 EL PESCADERO--GRIMES	151 CANADA DE GUADALUPE VISITACION Y RODEO VIEJO
108 EL PESCADERO--PICO AND NAGLEE	
109 CANADA DE LOS VAQUEROS	

## CALIFORNIA (CONT.)

152 CANADA DE GUADALUPE Y RODEO VIEJO	194 LOS CAPITANCILLOS
153 RINCON DE LAS SALINAS Y POTRERO VIEJO	195 SAN VICENTE--BERREYESA
154 SAN MIGUEL--NOE	196 LA LAGUNA SECA
155 PUEBLO LANDS OF SAN FRANCISCO	197 CANADA DE SAN FELIPE Y LAS ANIMAS
156 MISSION DOLORES	198 SANJON DE SANTA RITA
157 MISSION DOLORES 50 VARA LOT IN DE HARO	199 OJO DE AGUA DE LA COCHE
158 MISSION DOLORES--BERNAL	200 LAS UVAS
159 OJO DE AGUA DE FIGUEROA S F	201 SHOQUEL AUGMENTATION
160 MISSION DOLORES SUERTE IN	202 SAN AUGUSTIN
161 MISSION DOLORES	203 ZAYANTA
162 SAN FRANCISCO	204 SAN VICENTE--ESCARRILLA
163 LAGUNA DE LA MERCED	205 PUNTA DEL ANO NUEVO
164 SAN PEDRO--SANCHEZ	206 AGUA PUERCA Y LAS TRANCAS
165 CORRAL DE TIERRA--PALOMARES	207 REFUGIO
166 CORRAL DE TIERRA--VASQUEZ	208 CANADA DEL RINCON EN EL RIO SAN LORENZO
167 FELIZ	209 LA CARBONERA
168 CANADA DE RAYMUNDO	210 SANTA CRUZ MISSION
169 MIRAMONTES	211 TRES OJOS DE AGUA
170 CANADA DE VERDE Y ARROYO DE LA PURISIMA	212 MESA DE OJO DE AGUA
171 SAN GREGORIO--RODRIGUEZ	213 POTRERO Y RINCON DE SAN PADRO DE REGLADO
172 SAN GREGORIO--CASTRO	214 ARROYO DEL RODEO
173 EL CORTE DE MADERA	215 SHOQUEL
174 SAN FRANCISQUITO--RODRIGUEZ	216 APTOS
175 LA PURISIMA CONCEPCION	217 LAGUNA DE LAS CALABASAS
176 SAN ANTONIO--MESA	218 LOS CORRALITOS
177 SANTA CLARA TR NR--ENRIGHT	219 SAN ANDRES
178 EL POTRERO DE SANTA CLARA	220 BOLSA DEL PAJARO
179 PUEBLO LANDS OF SAN JOSE	221 BOLSA DE SAN CAYETANO
180 PALA	222 VEGA DEL RIO DEL PAJARO
181 CANADA DE PALA	223 SALSIPUEDES
182 LOS HUECOS	224 LAS ANIMAS
183 YERBA BUENA	225 SOLIS
184 SANTA TERESA	226 SAN FRANCISCO DE LAS LLAGAS
185 SAN JUAN BAUTISTA	227 LA POLKA
186 LOS COCHES (SANTA CLARA)	228 SAN YSIDRO--GILROY
187 QUITO	229 SAN YSIDRO--ORTEGA
188 SANTA CLARA MISSION TR	230 LLANO DEL TEQUISQUITA
189 SANTA CLARA COUNTY--BENNETT	231 BOLSA DE SAN FELIPE
190 SAN ANTONIO OR PESCADERO	232 SAN JOAQUIN (SAN BENITO)
191 BUTANO	233 AUSAYMAS Y SAN FELIPE
192 RINCONADA DE LOS GATOS	234 SAN LUIS GONZAGA
193 CANADA DE LOS CAPITANCILLOS	235 PANOCHES DE SAN JUAN Y LOS CARRISALITOS

## CALIFORNIA (CONT.)

236 REAL DE LAS AGUILAS	281 MISSION CARMELOCHORRO
237 SANTA ANA Y QUIEN SABE	282 AGUAJIT
238 SAN JUSTO	283 CANADA DE LA SEGUNDA
239 LOMERIAS MUERTAS	284 JAMES MEADOWS TRACT
240 MISSION SAN JUAN BAUTISTA	285 LOS LAURELLES--RANSOM
241 JURISTA	286 EL POTRERO DE SAN CARLOS
242 LAS AROMITAS Y AGUA CALIENTE	287 SAN FRANCISQUITO
243 CANADA DE LA CARPENTERIA	288 EL SUR
244 LOS CARNEROS--LITTLEJOHN	289 LOS LAURELLES--BERONDA
245 BOLSA NUEVA Y MORO COJO	290 CORRAL DE TIERRA--MCCOBB
246 LOS CARNEROS--MCDUGAL	291 LOS TULARCITOS--GOMEZ
247 SAN JUAN BAUTISTA TR NR	292 PARAJE DE SANCHEZ
248 SAN JUAN BAUTISTA--BREEN	293 SAN VICENTE--MUNRASS
249 LOS VERGELES	294 EX-MISSION SOLEDAD
250 CIENEGA DEL GABILAN	295 MISSION SOLEDAD
251 LA NATIVIDAD	296 LOS COCHES (MONTEREY)
252 BOLSA DE LAS ESCORPINAS	297 ARROYO SECO--TORRE
253 LOS GATOS OR SANTA RITA	298 POSA DE LOS OSITOS
254 BOLSA DEL POTRERO Y MORO COJO	299 SAN LORENZO--SOBERANES
255 RINCON DE LAS SALINAS	300 SAN LORENZO--SANCHEZ
256 MONTEREY CITY	301 LAGUNA DE TACHE
257 LAS SALINAS	302 SAN LORENZO--RANDALL
258 MONTEREY COUNTY--CASTRO	303 SAN BERNABE
259 EL TUCHO	304 SAN BENITO
260 TWO SUERTES	305 SAN LUCAS
261 RINCON DE SANJON	306 SAN BERNARDO--SOBERANES
262 MONTEREY COUNTY--COCKS	307 MILPITAS
263 NACIONAL	308 MISSION SAN ANTONIO
264 SAUSAL	309 SAN MIGUELITO (MONTEREY)
265 EL ALISAL--BERNAL	310 EL PIOJO
266 LLANO DE BUENA VISTA	311 LOS OJITOS
267 EL ALISAL--HARTNELL	312 PLEYTO
268 CIENEGA DE LOS PAICINES	313 MISSION SAN MIGUEL
269 ENCINAL Y BUENA ESPERANZA	314 CHOLAME
270 CHUALAR	315 HUERHUERO
271 ZANJONES	316 SANTA MARGARITA
272 RINCON DE LA PUENTE DEL MONTE	317 ATASCADERO
273 GUADALUPE Y LLANITOS DE LOS CORREOS	318 ASUNCION
274 BUENA VISTA	319 SANTA YSABEL (SAN LUIS OBISPO)
275 EL TORO	320 PASO DE ROBLES
276 LAGUNA SECA	321 PIEDRA BLANCA
277 SAUCITO	322 SAN SIMEON
278 NOCHE BUENA	323 SANTA ROSA--ESTRADA
279 PUNTA DE PINOS	324 SAN GERONIMO (SAN LUIS OBISPO)
280 EL PESCADERO--JACK	325 MORO Y CAYUCOS
	326 SAN BERNARDO--CANE

## CALIFORNIA (CONT.)

327 SAN LUISITO	371 SANTA RITA--MALO
328 EL CHORRO	372 MISSION LA PURISMA (SANTA BARBARA)
329 POTRERO DE SAN LUIS OBISPO	373 MISSION LA PURISMA
330 HUERTA DE ROMUALDO	374 LOMPOC
331 CANADA DE LOS OSOS Y PECHO Y ISLAY	375 PUNTA DE LA CONCEPCION
332 LAGUNA	376 LA MISSION VIEJA DE LA PURISMA
333 SAN LUIS OBISPO MISSION	377 CANADA DE SALSIPUEDES
334 RANCHITA DE SANTA FE	378 SAN JULIAN
335 SAN MIGUELITO (SAN LUIS OBISPO)	379 NUESTRA SENORA DEL REFUGIO
336 PISMO	380 CANADA DEL CORRAL
337 CORRAL DE PIEDRA	381 LOS DOS PUEBLOS
338 SANTA MANUELA	382 LA GOLETA
339 ARROYO GRANDE	383 LAS CIENEGAS
340 HUASNA	384 MISSION SANTA BARBARA
341 CUYAMA--M A DE LA G Y LATAILLADE	385 LAS POSITAS Y LA CALERA
342 CUYAMA--CESARIO LATAILLADE	386 PUEBLO LANDS OF SANTA BARBARA
343 SAN EMIDIO	387 EL RINCON--ARELLANES
344 EL TEJON	388 SANTA ANA
345 CASTAC	389 OJAI
346 LOS ALAMOS Y AGUA CALIENTE	390 CANADA LARGA O VERDE
347 LA LIEBRE	391 CANADA DE SAN MIGUELITO
348 SISQUOC	392 MISSION SAN BUENAVENTURA
349 TEPUSQUET	393 LOT MISSION SAN BUENAVENTURA
350 SUEY	394 SAN MIGUEL-OLIVAS & LORENZANA
351 NIPOMO	395 SANTA PAULA Y SATICOY
352 BOLSA DE CHAMISAL	396 EX-MISSION SAN BUENAVENTURA LANDS OF
353 GUADALUPE	397 SESPE
354 PUNTA DE LA LAGUNA	398 TEMASCAL
355 CASMALIA	399 SAN FRANCISCO
356 JESUS MARIA	400 SIMI
357 TODOS SANTOS Y SAN ANTONIO	401 LAS POSAS
358 LOS ALAMOS	402 SANTA CLARA DEL NORTE
359 TINAQUAIC	403 RIO DE SANTA CLARA
360 LA LAGUNA--GUTIERREZ	404 SANTA CRUZ ISLAND OF
361 LA ZACA	405 SANTA ROSA ISLAND OF
362 CORRAL DE QUATI	406 GUADALASCA
363 CANADA DE LOS PINOS OR COLLEGE RANCHO	407 CALLEGUAS
364 SAN MARCOS	408 EL CONEJO
365 TEQUEPIS	409 EL ESCORPIO
366 LOMAS DE LA PURIFICACION	410 EX-MISSION DE SAN FERNANDO
367 NOJOQUI	411 EL ENCINO
368 MISSION OF SANTA YNEZ	412 MISSION SAN FERNANDO
369 SAN CARLOS DE JONATA	413 TUJUNGA
370 SANTA ROSA--COTA	414 LA CANADA
	415 SAN PASCUAL--GARFIAS

## CALIFORNIA (CONT.)

416 SAN GABRIEL TR NR--COURTNEY	461 RINCON DE LA BREA
417 SAN GABRIEL TR NR--LEDESMA	462 LA HABRA
418 LAND 1000 VARAS SQ--SEXTON	463 SANTA GERTRUDES--COLIMA
419 PROSPERO TRACT	464 PASO DE BARTOLO--PICO
420 SAN GABRIEL TR NR--WHITE	465 PASO DE BARTOLO--GUIRADO
421 HUERTO DE CUATI	466 SANTA GERTRUDES--MCFARLAND & DOWNEY
422 SAN PASCUAL--WILSON	467 LOS CERRITOS
423 SAN RAFAEL	468 LOS ALIMITOS
424 PROVIDENCIA	469 LA BOLSA CHICA
425 CAHUENGA	470 SANTA CATALINA ISLAND
426 LOS FELIS	471 LAS BOLSAS
427 LOS ANGELES CITY LANDS OF	472 LOS COYOTES
428 LAS CIENEGAS	473 SAN JUAN CAJON DE SANTA ANA
429 LA BREA	474 SANTIAGO DE SANTA ANA
430 SAN ANTONIO OR RODEO DE LAS AGUAS	475 CANON DE SANTA ANA
431 SAN JOSE DE BUENOS AYRES	476 EL RINCON
432 SAN VICENTE Y SANTA MONICA	477 SANTA ANA DEL CHINO
433 TOPANGA MALIBU SEQUIT	478 SANTA ANA DEL CHINO ADDITION
434 BALLONA	479 CUCAMONGA
435 RINCON DE LOS BUEYES	480 MUSCUPABE
436 CIENEGA O PASO DE LA TIJERA	481 SAN BERNARDINO
437 AGUAJE DE LA CENTINELLA	482 JURUPA--ROUBIDEAU
438 SAUSAL REDONDO	483 JURUPA--STEARNS
439 LOS PALOS VERDES	484 LA SIERRA--SEPULVEDA
440 SAN PEDRO--DOMINGUEZ	485 LA SIERRA--YORBA
441 TAJAUTA	486 EL SOBRANTE DE SAN JACINTO
442 SAN ANTONIO--LUGO	487 SAN JACINTO NUEVO Y POTRERO
443 LA MERCED	488 SAN JACINTO & SAN GORGONIO TRACT BETWEEN
444 PORTRERO CHICO	489 SAN JACINTO VIEJO
445 PORTRERO GRANDE	490 PAUBA
446 POTRERO DE FELIPE LUGO	491 VALLEY O TEMECULA
447 SAN FRANCISCO--DALTON	492 TEMECULA
448 MISSION SAN GABRIEL	493 SANTA ROSA--MORINO
449 SAN GABRIEL TR NR--AGUILAR	494 POTREROS SAN JUAN CAPISTRANO
450 SAN GABRIEL TR NR--SALES	495 LA LAGUNA--STEARNS
451 SAN GABRIEL TR NR--SIMEON	496 MISSION VIEJO OR LA PAZ
452 SAN GABRIEL TR NR--SEXTON	497 TRABUCO
453 SAN GABRIEL TR NR--DOMINGO	498 CANADA DE LOS ALISOS
454 SANTA ANITA	499 LOMAS DE SANTIAGO
455 AZUSA--DUARTE	500 SAN JOAQUIN (ORANGE)
456 AZUSA--DALTON	501 NIGUEL
457 SAN JOSE ADDITION TO	502 BOCA DE LA PLAYA
458 SAN JOSE--DALTON ET AL	503 MISSION SAN JUAN CAPISTRANO 5 TR AT
459 LOS NOGALES	
460 LA PUENTE	

**CALIFORNIA (CONT.)**

504 EX-MISSION SAN JUAN CAPISTRANO # TR AT	540 ARROYO DE LA LAGUNA
505 SANTA MARGARITA Y LAS FLORES	541 JAMUL
506 MONSERATE	542 PUEBLO LOT NO 6
507 PAUMA	543 CAMARITAS IN SAN FRANCISCO
508 VALLE DE SAN JOSE--PORTILLA	545 LAS VIRGENES
509 SAN JOSE DEL VALLE	546 CANADA DE LOS NOGALES
510 SANTA YSABEL (SAN DIEGO)	547 PASO DE BARTOLO--MCFARLAND & DOWNEY
511 VALLE DE SAN FELIPA	548 PASO DE BARTOLO--SEPULVEDA
512 CUYAMACA	549 LAS CRUCES
513 CANADA DE SAN VICENTE Y MESA DEL PADRE BARONA	550 EL SOBRANTE
514 VALLE DE PAMO OR SANTA MARIA	551 CANADA DEL CORTE DE MADERA
515 GUEJITO	552 SAN JOSE Y SUR CHIQUITO
516 RINCON DEL DIABLO	553 ONE SUERTE
517 LOS VALLECITOS DE SAN MARCOS	554 RESSIGHINI
518 BUENA VISTA	556 100 VARA LOT AT SAN PEDRO
519 GUAJOME	557 RANCHO AGUAS NIEVES
520 EX-MISSION SAN LUIS REY 4 TRACTS	558 JUAN SILVAS
521 AGUA HEDIONDA	560 EX-MISSION SAN JOSE
522 LOS ENCENITOS	561 AUGA JITA
523 SAN DIEGUITO	562 APTOS
524 SAN BERNARDO--SNOOK	563 CANAL RANCH
525 LOS PENASQUITOS	564 GUADALUPE Y LLANITOS DE LOS CORREOS
526 SAN DIEGO PUEBLO LANDS OF	565 LITTLE TEMECULA
527 SAN DIEGO ISLAND OR PENINSULA	566 MISSION LANDS (SAN LUIS OBISPO)
528 LA NACION	567 MISSION SAN DIEGO DE ACALA
529 OTAY--ESTUDILLO	568 MISSION SAN RAFAEL
530 OTAY--DOMINGUEZ	569 NAVAJO
531 JAMACHO	570 PESCADERO
532 MISSION SAN DIEGO	571 POTRERO DE LA CIENAGA
533 EX-MISSION SAN DIEGO 3 TR AT --CH PR	572 POTRERO EL CARISO
534 EL CAJON	573 POTRERO LOS PINOS
535 CANADA DE LOS COCHES-INSIDE 534	574 PUEBLO LANDS OF SAN DIEGO
536 EL CHAMISAL	575 SAN BERNARDINO
537 LOS PRIETOS Y NAJALAYEGUA	576 SAN VINCENTE
538 CUCA OR EL POTRER	577 SANTA GERTRUDES
539 BOCA DE SANTA MONICA	578 SANTA ROSA

**COLORADO**

001 BEAUBIEN AND MIRANDA	007 ZAPATO
002 LUIS MARIA BACA NO. 4	008 DURANGO RESRV
003* LUIS MARIA B.	009* SANGRE DE CRI.
004 MONTROSE RES	010 NOLAN GRANT
005 SANGRE DE CRISTO	011 VIGIL AND SAINT VRAIN
006 TIERRA AMARILLA	012* VIGIL AND SAINT VRAIN NO. 6

\*Alternate representations as entered in the land records.

## NEW MEXICO

001 AGUA SALADA	068 ELENA GALLEGOS
003 ALAMEDA	069 PUEBLO OF SANTA ANA
004 ALAMITOS	072 JUAN BATISTA VALDEZ
007 CASA COLORADA	074 ESTANCIA
008 ANGOSTURA	076 FELIPE TAFOYA
010 JOSE SUTTON	077 FERNANDO DE TAOS
011 ANTON CHICO	078 FRANCISCO MONTES VIGIL
2012 ANTONIO DE ABEYTA	079 GALISTEO
013 ANTONIO GUTIERREZ AND JOAQUIN SEDILLO	080 GIJOSA
014 ANTONIO MARTINEZ	081 BENJAMIN EDWARDS
015 ANTONIO ORTIZ	082 GOTERA
018 PEDRO ARMENDARIS	087 IGNACIO CHAVEZ
021 ARROYO HONDO	088 JACONA
022 ARROYO SECO	090 JOHN SCOLLY
024 BARTOLOME FERNANDEZ	091 JUAN DE GABALDON
025 BARTOLOME SANCHEZ	092 SIERRA MOSCA
026 MAXWELL	093 NUESTRA SENORA DE LA LUZ DE LAS LAGUNITAS
027 BELEN	094 LAGUNA PUEBLO
028 BERNABE MONTANO	096 LA MAJADA
029 BERNALLILO	098 LA SALINA
030 BLACK MESA	099 LAS VEGAS
031 BOSQUE DEL APACHE	101 LO DE PADILLA
032 M AND S MONTOYA	102 LOS CERRILLOS
033 BRAZITO	105 LOS FRIJOLES
034 CAJA DEL RIO	107 LOS TRIGOS
035 CANADA DE COCHITI	108 ANTONIO SALAZAR
036 CANADA DE LOS ALAMOS	110 UNA DE GATO
037 ANTONIO SEDILLO	111 MANZANO
041 ANTONIO ARMENTA	113 MESITA DE JUANA LOPEZ
042 CANON DE CARNUE	115 JUAN DE MESTAS
043 CANON DE CHAMA	116 MORA
044 CANON DEL AGUA	118 NICOLAS DURAN DE CHAVEZ
046 BACA LOCATION NUMBER TWO	121 NUESTRA SENORA DEL ROSARIO SAN FERNANDO
047 CANON DE SAN DIEGO	124 OJO DEL BORREGO
049 NOLAN	125 OJO CALIENTE
050 SALVADOR GONZALES	126 OJO DE LA CABRA
051 GASPAR ORTIZ	127 OJO DEL ESPIRITU SANTO
052 CHILILI	129 OJO DE SAN JOSE
056 DONA ANA BEND COLONY	130 SAN MATEO SPRINGS
057 MESILLA CIVIL COLONY	132 ORTIZ MINE
058 SANTO TOMAS DE YTURBIDE	133 PABLO MONTOYA
059 REFUGIO COLONY	134 PACHECO
060 JUAN JOSE LOBATO	135 PAGUATE PURCHASE
061 CRISTOVAL DE LA SERNA	136 PAJARITO
062 CUBERO	137 PENA BLANCA
063 CUYAMUNGUE PUEBLO	138 PETACA
064 DABOLOS	



## NEW MEXICO (CONT.)

140 PIEDRE LUMBRE	220 SEVILLETA
141 PLAZA BLANCA	221 SITIO DE JUANA LOPEZ
142 PLAZA COLORADA	222 SITIO DE LOS CERRILLOS
143 POLVADERA	223 SOCORRO
144 PRESTON BECK	224 TAJIQUE
145 PUEBLO OF ACOMA	225 TALAYA HILL
146 PUEBLO OF COCHITI	226 TECOLOTE
148 PUEBLO OF ISLETA	227 TEJON
149 PUEBLO OF JEMEZ	228 TIERRA AMARILLA
150 PUEBLO OF NAMBE	229 TOME
152 PECOS PUEBLO	230 TORREON
153 PUEBLO OF PICURIS	231 TOWN OF ABIQUI
154 PUEBLO OF POJOAQUE	232 TOWN OF ALAMEDA
156 PUEBLO OF SANDIA	233 TOWN OF ALBUQUERQUE
157 PUEBLO OF SAN FELIPE	237 TOWN OF ATRISCO
158 PUEBLO OF SAN ILDEFONSO	241 CEBOLLETA
159 PUEBLO OF SAN JUAN	242 SEBASTIAN MARTIN
160 JOSE MANUEL SANCHEZ BACA	243 TOWN OF CHIMITA
162 SANTA CLARA PUEBLO	245 CIENEGUILLA
163 PUEBLO OF SANTO DOMINGO	250 IGNACIO SANCHEZ VERGASA
164 PUEBLO OF TAOS	251 TOWN OF LOS TRAMPAS
165 PUEBLO OF TESUQUE	253 LUIS ARMENTA
166 PUEBLO OF ZIA	257 SANTA ANA
167 PUEBLO OF ZUNI	258 BALTHAZAR BACA
168 RAMON VIGIL	259 TOWN OF TECOLATE
180 RANCHO DEL RIO GRANDE	260 TOWN OF TEJON
181 RANCHO EL RIJO	262 LAS TRUCHAS
189 RIO COLORADO	264 VALLECITO
192 RIO DE TESUQUE	265 BISHOP JOHN LAMY
195 RITO DE LOS	266 AGUA NEGRA
196 SAN ANTONIO DEL RIO	267 JOSE PEREA
COLORADO	269 ALEXANDER VALLEY
197 SAN ANTONIO DE LAS HUERTAS	270 ANTONIO CHAVEZ
198 SAN CLEMENTE	271 NERIO ANTONIO MONTOYA
199 SAN CRISTOVAL	272 BACA LOCATION NUMBER ONE
200 SANGRE DE CRISTO	274 JOSE TRUJILLO
202 SAN JOAQUIN DEL NACIMIENTO	275 ANTOINE LEROUX
203 SAN MARCOS PUEBLO	276 ROGUE LOVATO
204 SAN MIGUEL DEL BADO	278 MARQUEZ AND PADILLA
205 SAN PEDRO	279 CEBOLLA
206 SANTA BARBARA	280 JOSE F BACA Y TERRUS
207 SANTA CRUZ	281 JOAQUIN MESTAS
208 SANTO DOMINGO DE CUNDIYO	283 BACA Y PINO
209 SANTE FE	285 PUEBLO OF SANTA CLARA
211 SANTA ROSA DE CUBERO	286 PUEBLOS OF SANTO DOMINGO AND
213 SANTA TERESA	SAN FELIPE
216 SANTIAGO RAMIREZ	300 ZIA SANTA ANA AND JEMEZ
218 SAN YSIDRO	301 SERAFIN RAMIREZ
219 SEBASTIAN DE VARGAS	302 PUEBLO OF SANTA ANA

APPENDIX L.--Named Land Grant Codes--continued

**NEW MEXICO (CONT.)**

303 ACOMA PURCHASE	307 JUAN OTERO GRANT
304 BEAUBIEN & MIRANDA -- MAXWELL	308 LAS TRAMPAS GRANT
305 ELRANCHITO GRANT	309 SHO 1235
306 EL RITO	310 SHO 1898

**OTHER STATES**

001 CLARK'S MILITARY GRANT (INDIANA)	015 H M GOMEZ (FLORIDA)
002 FRENCH GRANT (OHIO)	016 ANTELM GAY (FLORIDA)
003 FLEMING GRANT (FLORIDA)	017 PABLO ROSETTE (FLORIDA)
004 DELESPINE GRANT (FLORIDA)	018 JOHN LOW (FLORIDA)
005 ARREDONDO GRANT (FLORIDA)	019 JOSEPH WALES (FLORIDA)
006 MOSES E LEVY (FLORIDA)	020 CHARLES SIBBOLD (FLORIDA)
007 GOMEZ (FLORIDA)	021 C E MC HARDY (FLORIDA)
008 HANSON (FLORIDA)	022 JOSEPH GAUNT (FLORIDA)
009 BERNARDO SEGUI (FLORIDA)	023 GEORGE F CLARK (FLORIDA)
010 DOMINGO ACOSTA (FLORIDA)	024 JANE MURRAY (FLORIDA)
011 WILLIAM GARVIN (FLORIDA)	025 JOHN BOLTON (FLORIDA)
012 PETER FOUCHARD (FLORIDA)	026 SAMUEL BETTS (FLORIDA)
013 LUCAS CRAYON (FLORIDA)	027 AMBROSE HULL (FLORIDA)
014 JOHN H MC INTOSH (FLORIDA)	028 GERONIMO ALVAREZ (FLORIDA)
	029 DORMAN (OHIO)