



Prepared by the U.S. Army Topographic Command (AMT), Washington, D.C. Controlled in 1955 by photogrammetric methods and from United States quadrangles, 1:62,500, 1:50,000. Planimetry revised from aerial photographs taken 1953. Photographs field annotated 1955. Revised by the U.S. Geological Survey 1970.

Transverse Mercator Projection, 10,000-meter Universal Transverse Mercator grid, zone 14. 100,000-foot grid ticks based on Nebraska coordinate system, south zone, 1927 North American Datum. To place on the predicted North American Datum 1983 move the projection lines 4 meters north and 32 meters east.

Area covered by dashed light-blue pattern is subject to controlled inundation. Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.

There may be private inholdings within the boundaries of the National or State reservations shown on this map.

LEGEND

Figures in red denote approximate distances in miles between stars.

POPULATED PLACES

Over 500,000
100,000 to 500,000
25,000 to 100,000
5,000 to 25,000
1,000 to 5,000
Less than 1,000

ROADS

Primary, all-weather, hard surface
Secondary, all-weather, hard surface
Light duty, all-weather, hard or improved surface
Fair or dry weather, unimproved surface
Trail
Interchange

RAILROADS

Single track
Double or multiple
Standard gauge
Narrow gauge

BOUNDARIES

International
State
County

Other Features

Landing area
Seaplane airport
Seaplane anchorage
Woods-brushwood
Windmill
Spot elevation in feet
Marsh or swamp
Intermittent or dry stream
Power line

Scale 1:250,000

CONTOUR INTERVAL 50 FEET
WITH SUPPLEMENTARY CONTOURS AT 25 FOOT INTERVALS

1970 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 10°N (130 MILS) EASTERLY FOR THE CENTER OF THE WEST EDGE TO 9°W (170 MILS) EASTERLY FOR THE CENTER OF THE EAST EDGE.

FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092

LOCATION DIAGRAM