

RECREATIONAL INTERPRETATIONS  
Anderson County, Kansas

### Recreation

The soils of the survey area are rated in the following tables according to limitations that affect their suitability for recreation. The ratings are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect the recreational uses. Not limited indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. Slightly limited indicates that the soil has features that are favorable for the specified use. The limitations are minor and can be easily overcome. Good performance and low maintenance can be expected. Somewhat limited indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. Very limited indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Numerical ratings in the tables indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.00 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

The ratings in the tables are based on restrictive soil features, such as wetness, slope, and texture of the surface layer. Susceptibility to flooding is considered. Not considered in the ratings, but important in evaluating a site, are the location and accessibility of the area, the size and shape of the area and its scenic quality, vegetation, access to water, potential water impoundment sites, and access to public sewer lines. The capacity of the soil to absorb septic tank effluent and the ability of the soil to support vegetation also are important. Soils that are subject to flooding are limited for recreational uses by the duration and intensity of flooding and the season when flooding occurs. In planning recreational facilities, onsite assessment of the height, duration, intensity, and frequency of flooding is essential.

The information in this table can be supplemented by other information in this survey, for example, interpretations for building site development, construction materials, sanitary facilities, and water management.

Camp areas require site preparation, such as shaping and leveling the tent and parking areas, stabilizing roads and intensively used areas, and installing sanitary facilities and utility lines. Camp areas are subject to heavy foot traffic and some vehicular traffic. The ratings are based on the soil properties that affect the ease of developing camp areas and the performance of the areas after development. Slope, stoniness, and depth to bedrock or a cemented pan are the main concerns affecting the development of camp areas.

The soil properties that affect the performance of the areas after development are those that influence trafficability and promote the growth of vegetation, especially in heavily used areas. For good trafficability, the surface of camp areas should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Picnic areas are subject to heavy foot traffic. Most vehicular traffic is confined to access roads and parking areas. The ratings are based on the soil properties that affect the ease of developing picnic areas and that influence trafficability and the growth of vegetation after development. Slope and stoniness are the main concerns affecting the development of picnic areas. For good trafficability, the surface of picnic areas should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Playgrounds require soils that are nearly level, are free of stones, and can withstand intensive foot traffic. The ratings are based on the soil properties that affect the ease of developing playgrounds and that influence trafficability and the growth of vegetation after development. Slope and stoniness are the main concerns affecting the development of playgrounds. For good trafficability, the surface of the playgrounds should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Paths and trails for hiking and horseback riding should require little or no slope modification through cutting and filling. The ratings are based on the soil properties that affect trafficability and erodibility. These properties are stoniness, depth to a water table, ponding, flooding, slope, and texture of the surface layer.

Golf fairways are subject to heavy foot traffic and some light vehicular traffic. Cutting or filling may be required. Irrigation is not considered in the ratings. The ratings are based on the soil properties that affect plant growth and trafficability after vegetation is established. The properties that affect plant growth are reaction; depth to a water table; ponding; depth to bedrock or a cemented pan; the available water capacity in the upper 40 inches; the content of salts, sodium, or calcium carbonate; and sulfidic materials. The properties that affect trafficability are flooding, depth to a water table, ponding, slope, stoniness, and the amount of sand, clay, or organic matter in the surface layer. The suitability of the soil for traps, tees, roughs, and greens is not considered in the ratings.

RECREATIONAL INTERPRETATIONS--Continued  
Anderson County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
001CA: Catoosa-----	90	Not limited		Not limited		Not limited	
001CB: Catoosa-----	58	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.87 0.71
Rock Outcrop-----	29	Not rated		Not rated		Not rated	
001CC: Collinsville-----	50	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to bedrock Slope Content of large stones	1.00 1.00 0.03
Bates-----	41	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.87 0.29
001EC: Eram, eroded-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability Slope Depth to bedrock	1.00 0.94 0.87 0.46
031EB: Eram-----	85	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.00
031EC: Eram-----	85	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability Slope Depth to bedrock	1.00 0.94 0.87 0.65
031EP: Eram-----	50	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Slope Restricted permeability Depth to bedrock	1.00 1.00 0.94 0.80
Apperson-----	35	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.94	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.87
031ER: Eram-----	65	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.04	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.04	Very limited Depth to saturated zone Slope Restricted permeability Depth to bedrock	1.00 1.00 0.94 0.65
Collinsville-----	20	Very limited Depth to bedrock Slope	1.00 0.16	Very limited Depth to bedrock Slope	1.00 0.16	Very limited Depth to bedrock Slope Content of large stones	1.00 1.00 0.03
031LU: Lula-----	85	Not limited		Not limited		Not limited	
059CM: Clareson-----	55	Somewhat limited Restricted permeability Slope	0.94 0.04	Somewhat limited Restricted permeability Slope	0.94 0.04	Very limited Slope Restricted permeability Depth to bedrock Content of large stones	1.00 0.94 0.80 0.20
Eram-----	30	Very limited		Very limited		Very limited	

RECREATIONAL INTERPRETATIONS--Continued  
Anderson County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
059DN: Dennis-----	60	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Slope	1.00
		Slope	0.00	Slope	0.00	Restricted permeability Depth to bedrock	0.94 0.01
059EA: Eram-----	60	Very limited Depth to saturated zone	1.00	Somewhat limited Restricted permeability	0.94	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.94	Depth to saturated zone	0.94	Restricted permeability Slope	0.94 0.50
		Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.50 0.16
059EC: Eram-----	55	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.96	Restricted permeability	0.96	Slope	1.00
		Slope	0.16	Slope	0.16	Restricted permeability Depth to bedrock	0.96 0.01
059LN: Lebo-----	35	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope Depth to bedrock	1.00 0.65
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability Slope Depth to bedrock	0.94 0.87 0.01
059OV: Osage-----	25	Not limited		Not limited		Somewhat limited Slope	0.50
		Very limited Slope Content of large stones	1.00 0.14	Very limited Slope Content of large stones	1.00 0.14	Very limited Slope Content of large stones Gravel content Depth to bedrock	1.00 1.00 0.90 0.65
		Not rated		Not rated		Not rated	
602CM: Clareson-----	15	Not rated		Not rated		Not rated	
		Very limited Depth to saturated zone	1.00	Very limited Ponding	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Depth to saturated zone	1.00	Ponding	1.00
602EF: Eram-----	90	Ponding	1.00	Restricted permeability Too clayey	1.00	Restricted permeability Too clayey	1.00
		Restricted permeability Too clayey	1.00			Flooding	1.00 0.60
602CM: Clareson-----	60	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.37	Slope	0.37	Restricted permeability Depth to bedrock Content of large stones	0.94 0.20 0.20
		Not rated		Not rated		Not rated	
602EF: Eram-----	20	Not rated		Not rated		Not rated	
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Slope	1.00
Lebo-----	55	Slope	0.04	Slope	0.04	Restricted permeability Depth to bedrock	0.94 0.71
		Somewhat limited		Somewhat limited		Very limited	

RECREATIONAL INTERPRETATIONS--Continued  
Anderson County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
602LB: Lebo-----	85	Slope	0.96	Slope	0.96	Slope Depth to bedrock	1.00 0.01
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Gravel content	0.25	Gravel content	0.25	Gravel content Depth to bedrock	1.00 0.01
AED: Arents, Earthen Dam-	100	Not rated		Not rated		Not rated	
BOP: Borrow Pits-----	100	Not rated		Not rated		Not rated	
Cb: Catoosa-----	85	Not limited		Not limited		Somewhat limited Slope	0.00
Cc: Clareson-----	60	Somewhat limited		Somewhat limited		Very limited	
		Restricted permeability	0.94	Restricted permeability	0.94	Content of large stones	1.00
		Content of large stones	0.32	Content of large stones	0.32	Restricted permeability	0.94
Rock Outcrop-----	20					Depth to bedrock	0.90
						Slope	0.13
		Not rated		Not rated		Not rated	
Cd: Collinsville-----	65	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.04	Slope	0.04	Slope	1.00
Bates-----	20					Content of large stones	0.03
		Not limited		Not limited		Somewhat limited Slope	0.87
						Depth to bedrock	0.06
Db: Dennis-----	85	Very limited		Somewhat limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	0.94	Depth to saturated zone	1.00
		Restricted permeability	0.94	Depth to saturated zone	0.94	Restricted permeability	0.94
De: Dennis, eroded-----	85					Slope	0.13
		Very limited		Somewhat limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	0.94	Depth to saturated zone	1.00
Eb: Eram-----	85	Restricted permeability	0.94	Depth to saturated zone	0.94	Restricted permeability	0.94
						Depth to bedrock	0.20
		Very limited		Very limited		Slope	0.13
Ec: Eram-----	85	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Very limited	
		Restricted permeability	0.94	Restricted permeability	0.94	Depth to saturated zone	1.00
						Slope	1.00
Ed: Eram, eroded-----	85					Restricted permeability	0.94
		Very limited		Very limited		Depth to bedrock	0.20
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Slope	0.13
Eh: Eram, eroded-----	85	Restricted permeability	0.94	Restricted permeability	0.94	Very limited	
						Depth to saturated zone	1.00
		Very limited		Very limited		Restricted permeability	0.94
Eh: Eram, eroded-----	85	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to bedrock	0.20
						Slope	0.13
						Very limited	
Eh: Eram, eroded-----	85					Depth to saturated zone	1.00
		Very limited		Very limited		Restricted permeability	0.94
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to bedrock	0.20
Eh: Eram, eroded-----	85					Slope	0.13
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00

RECREATIONAL INTERPRETATIONS--Continued  
Anderson County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ek: Eram-----	60	Restricted permeability	0.94	Restricted permeability	0.94	Slope	1.00
						Restricted permeability	0.94
						Depth to bedrock	0.20
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Clareson-----	20	Restricted permeability	0.94	Restricted permeability	0.94	Slope	1.00
		Slope	0.00	Slope	0.00	Restricted permeability	0.94
						Depth to bedrock	0.20
		Somewhat limited Restricted permeability	0.84	Somewhat limited Restricted permeability	0.84	Very limited Content of large stones	1.00
Eo: Eram, eroded-----	40	Content of large stones	0.32	Content of large stones	0.32	Slope	1.00
		Slope	0.00	Slope	0.00	Depth to bedrock	0.90
						Restricted permeability	0.84
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Gullied Land-----	40	Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
						Slope	0.87
						Depth to bedrock	0.20
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Ep: Eram-----	45	Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Slope	1.00
Talihina-----	35	Slope	0.84	Slope	0.84	Restricted permeability	0.94
						Depth to bedrock	0.20
		Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Slope	1.00
Ev: Eram-----	50	Slope	0.84	Slope	0.84	Restricted permeability	0.94
						Content of large stones	0.03
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
Verdigris-----	15					Slope	0.87
						Depth to bedrock	0.20
		Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
GRP: Gravel Pits-----	100	Not rated		Not rated		Not rated	
Kb: Kenoma-----	85	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
Kd: Kenoma, eroded-----	85	Slope	0.13	Slope	0.13	Slope	0.13
		Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
						Slope	0.13
Kh: Kenoma-----	40	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
Olpe-----	35					Slope	0.87
		Somewhat limited		Somewhat limited		Very limited	

RECREATIONAL INTERPRETATIONS--Continued  
Anderson County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
La: Lanton-----	85	Restricted permeability	0.94	Restricted permeability	0.94	Gravel content	1.00
		Gravel content	0.50	Gravel content	0.50	Restricted permeability	0.94
						Slope	0.87
		Very limited Flooding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
Le: Leanna, drained----	85	Ponding	1.00	Restricted permeability	0.94	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	0.75	Restricted permeability	0.94
		Restricted permeability	0.94			Flooding	0.60
		Very limited Flooding	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
Lh: Lula-----	85	Restricted permeability	1.00	Depth to saturated zone	0.94	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Flooding	0.60
		Not limited		Not limited		Somewhat limited Slope	0.00
LIQ: Limestone Quarry----	100	Not rated		Not rated		Not rated	
Me: Mason-----	85	Very limited Flooding	1.00	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15
		Restricted permeability	0.15				
Mf: Mayes-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
Ok: Okemah-----	85	Very limited Depth to saturated zone	1.00	Somewhat limited Restricted permeability	0.94	Somewhat limited Depth to saturated zone	1.00
		Restricted permeability	0.94	Depth to saturated zone	0.75	Restricted permeability	0.94
Op: Olpe-----	85	Somewhat limited Restricted permeability	0.96	Somewhat limited Restricted permeability	0.96	Very limited Gravel content	1.00
		Gravel content	0.50	Gravel content	0.50	Slope	1.00
		Slope	0.04	Slope	0.04	Restricted permeability	0.96
Os: Osage-----	85	Very limited Depth to saturated zone	1.00	Very limited Ponding	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Depth to saturated zone	1.00	Ponding	1.00
		Ponding	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00			Flooding	0.60
Se: Stony Land-----	60	Not rated		Not rated		Not rated	
Talihina-----	20	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Slope	1.00
		Slope	0.37	Slope	0.37	Restricted permeability	0.94
Sf: Summit-----	85					Content of large stones	0.03
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
						Slope	0.13

RECREATIONAL INTERPRETATIONS--Continued  
Anderson County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sh: Summit-----	85	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
						Restricted permeability	0.94
Sk: Summit, eroded-----	85	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
						Slope	0.13
So: Summit, eroded-----	55	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
						Restricted permeability	0.94
Eram, eroded-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Slope	1.00
						Restricted permeability	0.94
						Depth to bedrock	0.20
VC: Verdigris-----	85	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Vf: Verdigris-----	85	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
Vx: Verdigris-----	55	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
W: Water-----	100	Not rated		Not rated		Not rated	
Wb: Welda-----	85	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15
Wc: Welda-----	85	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50
						Restricted permeability	0.15
Wd: Woodson-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
Wf: Woodson-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
						Slope	0.00
Wh: Woodson, eroded-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
						Slope	0.00

RECREATIONAL INTERPRETATIONS--Continued  
Anderson County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Paths and trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value
001CA: Catoosa-----	90	Not limited		Somewhat limited Depth to bedrock	0.71
001CB: Catoosa-----	58	Not limited		Somewhat limited Depth to bedrock	0.71
Rock Outcrop-----	29	Not rated		Not rated	
001CC: Collinsville-----	50	Not limited		Very limited Depth to bedrock	1.00
				Droughty	1.00
				Slope	0.04
				Content of large stones	0.03
Bates-----	41	Not limited		Somewhat limited Depth to bedrock	0.29
001EC: Eram, eroded-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
				Depth to bedrock	0.46
031EB: Eram-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
				Depth to bedrock	0.35
031EC: Eram-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
				Depth to bedrock	0.65
031EP: Eram-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
				Depth to bedrock	0.80
				Droughty	0.00
Apperson-----	35	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
031ER: Eram-----	65	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
				Depth to bedrock	0.65
				Slope	0.04
Collinsville-----	20	Not limited		Very limited Depth to bedrock	1.00
				Droughty	0.90
				Slope	0.16
				Content of large stones	0.03
031LU: Lula-----	85	Not limited		Not limited	
059CM: Clareson-----	55	Not limited		Somewhat limited Depth to bedrock	0.80
				Droughty	0.31
				Content of large stones	0.20
				Slope	0.04
Eram-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
				Depth to bedrock	0.01
				Slope	0.00
059DN: Dennis-----	60	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
Bates-----	30	Not limited		Somewhat limited Depth to bedrock	0.16
059EA: Eram-----	55	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
				Slope	0.16
				Depth to bedrock	0.01
Lebo-----	35	Not limited		Somewhat limited	

RECREATIONAL INTERPRETATIONS--Continued  
Anderson County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Paths and trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value
059EC: Eram-----	60	Very limited Depth to saturated zone	1.00	Depth to bedrock Slope	0.65 0.16
Lula-----	25	Not limited		Very limited Depth to saturated zone	1.00
059LN: Lebo-----	75	Very limited Slope Content of large stones	1.00 0.14	Depth to bedrock Not limited	0.01
Rock Outcrop-----	15	Not rated		Very limited Slope Content of large stones	1.00 1.00
059OV: Osage-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Depth to bedrock Droughty	0.65 0.18
		Too clayey	1.00	Not rated	
602CM: Clareson-----	60	Not limited		Not rated	
Rock Outcrop-----	20	Not rated		Very limited Ponding	1.00
602EF: Eram-----	55	Very limited Depth to saturated zone	1.00	Depth to saturated zone	1.00
Lebo-----	35	Not limited		Too clayey	1.00
602LB: Lebo-----	85	Somewhat limited Slope	0.92	Flooding	0.60
AED: Arents, Earthen Dam-	100	Not rated		Somewhat limited Slope	0.37
BOP: Borrow Pits-----	100	Not rated		Depth to bedrock	0.20
Cb: Catoosa-----	85	Not limited		Content of large stones	0.20
Cc: Clareson-----	60	Somewhat limited Content of large stones	0.32	Droughty	0.04
Rock Outcrop-----	20	Not rated		Not rated	
Cd: Collinsville-----	65	Not limited		Very limited Slope	0.96
Bates-----	20	Not limited		Depth to bedrock	0.01
Db: Dennis-----	85	Somewhat limited		Very limited Slope Gravel content Depth to bedrock	1.00 0.25 0.01

RECREATIONAL INTERPRETATIONS--Continued  
Anderson County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Paths and trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.86	Depth to saturated zone	0.94
De: Dennis, eroded-----	85	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
Eb: Eram-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Depth to bedrock	1.00 0.20
Ec: Eram-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Depth to bedrock	1.00 0.20
Ed: Eram, eroded-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Depth to bedrock	1.00 0.20
Eh: Eram, eroded-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Depth to bedrock	1.00 0.20
Ek: Eram-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Depth to bedrock Slope	1.00 0.20 0.00
Clareson-----	20	Somewhat limited Content of large stones	0.32	Very limited Content of large stones Droughty Depth to bedrock Slope	1.00 1.00 0.90 0.00
Eo: Eram, eroded-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Depth to bedrock	1.00 0.20
Gullied Land-----	40	Very limited Slope Water erosion	1.00 1.00	Very limited Slope	1.00
Ep: Eram-----	45	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope Depth to bedrock	1.00 0.84 0.20
Talihina-----	35	Not limited		Very limited Depth to bedrock Slope Droughty Content of large stones	1.00 0.84 0.83 0.03
Ev: Eram-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Depth to bedrock	1.00 0.20
Verdigris-----	15	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
GRP: Gravel Pits-----	100	Not rated		Not rated	
Kb: Kenoma-----	85	Not limited		Not limited	
Kd: Kenoma, eroded-----	85	Not limited		Not limited	
Kh: Kenoma-----	40	Not limited		Not limited	
Olpe-----	35	Not limited		Very limited Droughty Gravel content	1.00 0.50
La: Lanton-----	85	Very limited Ponding	1.00	Very limited Ponding	1.00

RECREATIONAL INTERPRETATIONS--Continued  
Anderson County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Paths and trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.44	Depth to saturated zone	0.75
Le: Leanna, drained-----	85	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone Flooding	0.60
Lh: Lula-----	85	Not limited		Not limited	0.94
LIQ: Limestone Quarry----	100	Not rated		Not rated	0.60
Me: Mason-----	85	Not limited		Not limited	
Mf: Mayes-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Ok: Okemah-----	85	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.75
Op: Olpe-----	85	Not limited		Very limited Droughty Gravel content Slope	1.00 0.50 0.04
Os: Osage-----	85	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
Se: Stony Land-----	60	Not rated		Not rated	
Talihina-----	20	Not limited		Very limited Depth to bedrock Droughty Slope Content of large stones	1.00 0.83 0.37 0.03
Sf: Summit-----	85	Not limited		Not limited	
Sh: Summit-----	85	Not limited		Not limited	
Sk: Summit, eroded-----	85	Not limited		Not limited	
So: Summit, eroded-----	55	Not limited		Not limited	
Eram, eroded-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Depth to bedrock	1.00 0.20
VC: Verdigris-----	85	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Vf: Verdigris-----	85	Not limited		Somewhat limited Flooding	0.60
Vx: Verdigris-----	55	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
W: Water-----	100	Not rated		Not rated	
Wb: Welda-----	85	Not limited		Not limited	
Wc: Welda-----	85	Not limited		Not limited	
Wd: Woodson-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Wf: Woodson-----	85	Very limited		Very limited	

RECREATIONAL INTERPRETATIONS--Continued  
Anderson County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Paths and trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Wh: Woodson, eroded-----	85	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

