

WILDLIFE INTERPRETATIONS  
Barber County, Kansas

#### Use and Explanation of Wildlife Interpretations

Soils directly affect the kind and amount of vegetation that is available to wildlife as food and cover. They also affect the development of water impoundments. The kind and abundance of wildlife that populate an area depend largely on the amount and distribution of food, cover, water, and living space. If any one of these elements is missing, inadequate, or inaccessible, wildlife will be scarce or will not inhabit the area. If the soils have the potential, wildlife habitat can be created or improved by planting appropriate vegetation, properly managing the existing plant cover, and fostering the natural establishment of desirable plants.

In the Wildlife Interpretations table, the soils in the survey area are rated according to their potential for providing habitat for various kinds of wildlife. This information can be used in planning parks, wildlife refuges, nature study areas, and other developments for wildlife; in selecting soils that are suitable for establishing, improving, or maintaining specific elements of wildlife habitat; and in determining the intensity of management needed for each element of the habitat.

#### Suitability Ratings

The potential of the soil is rated good, fair, poor, or very poor.

Good - means that the element of wildlife habitat or the kind of habitat is easily created, improved, or maintained. Few or no limitations affect management, and satisfactory results can be expected if the soil is used for the designated purpose.

Fair - means that the element of wildlife habitat or kind of habitat can be created, improved, or maintained in most places. Moderately intensive management is required for satisfactory results.

Poor - means that limitations are severe for the designated element or kind of wildlife habitat. Habitat can be created, improved, or maintained in most places, but management is difficult and requires intensive effort.

Very Poor - means that limitations are very severe for the designated element or kind of wildlife habitat. Habitat is difficult to create, improve, or maintain in most places, and management is difficult and requires intensive effort.

#### Description of Wildlife Habitat Elements

Openland habitat consists of croplands, pastures, meadows, and areas that are overgrown with grasses, herbs, shrubs, and vines. These areas produce grain and seed crops, grasses and legumes, and wild herbaceous plants. The kind of wildlife attracted to these areas include bobwhite quail, pheasant, meadowlark, field sparrow, killdeer, cottontail rabbit, red fox, and coyote.

Woodland habitat consists of hardwood or conifers, or a mixture of these and associated grasses, legumes and wild herbaceous plants. Examples of wildlife attracted to this habitat are wild turkey, thrushes, woodpeckers, owl, tree squirrels, raccoon, and deer.

Wetland habitat consists of water-tolerant plants in open, marshy or swampy, shallow water areas. Examples of wildlife attracted to this habitat are ducks, geese, herons, bitterns, rails, kingfishers, shorebirds, muskrat, mink, and beaver.

The elements of wildlife habitat are described in the following paragraphs.

Grain and seed crops are domestic grains and seed-producing herbaceous plants. Soil properties and features that affect the growth of grain and seed crops are depth of the root zone, texture of the surface layer, available water capacity, wetness, slope, surface stoniness, and flooding. Soil temperature and soil moisture also are considerations. Examples of grain and seed crops are corn, wheat, oats, and barley.

Grasses and legumes are domestic perennial grasses and herbaceous legumes. Soil properties and features that affect the growth of grasses and legumes are depth of the root zone, texture of the surface layer, available water capacity, wetness, surface stoniness, flooding, and slope. Soil temperature and soil moisture also are considerations. Examples of grasses and legumes are fescue, lovegrass, bromegrass, clover, and alfalfa.

Wild herbaceous plants are native or naturally established grasses and forbs, including weeds. Soil properties and features that affect the growth of these plants are depth of the root zone, texture of the surface layer, available water capacity, wetness, surface stoniness, and flooding. Soil temperature and soil moisture also are considerations. Examples of wild herbaceous plants are bluestem, goldenrod, beggarweed, wheatgrass, and grama.

Hardwood trees and woody understory produce nuts or other fruit, buds, catkins, twigs, bark, and foliage. Soil properties and features that affect the growth of hardwood trees and shrubs are depth of the root zone, available water capacity, and wetness. Examples of these plants are oak, poplar, cherry, sweetgum, apple, hawthorn, dogwood, hickory, blackberry, and blueberry. Examples of fruit-producing shrubs that are suitable for planting on soils rated good are Russian-olive, autumn-olive, and crabapple.

Coniferous plants furnish browse and seeds. Soil properties and features that affect the growth of coniferous trees, shrubs, and ground cover are depth of the root zone, available water capacity, and wetness. Examples of coniferous plants are pine, spruce, fir, cedar, and juniper.

Shrubs are bushy woody plants that produce fruit, buds, twigs, bark, and foliage. Soil properties and features that affect the growth of shrubs are depth of the root zone, available water capacity, salinity, and soil moisture. Examples of shrubs are fragrant sumac, chokecherry, American plum, sand plum, and gorden currant.

Wetland plants are annual and perennial wild herbaceous plants that grow on moist or wet sites. Submerged or floating aquatic plants are excluded. Soil properties and features affecting wetland plants are texture of the surface layer, wetness, reaction, salinity, slope, and surface stoniness. Examples of wetland plants are smartweed, wild millet, saltgrass, cordgrass, rushes, sedges, and cattails.

Shallow water areas have an average depth of less than 5 feet. Some are naturally wet areas. Others are created by dams, levees, or other water-control structures. Soil properties and features affecting shallow water areas are depth to bedrock, wetness, surface stoniness, slope, and permeability. Examples of shallow water areas are marshes, waterfowl feeding areas, and ponds.

The habitat for various kinds of wildlife is described in the following paragraphs.

Habitat for openland wildlife consists of cropland, pasture, meadows, and areas that are overgrown with grasses, herbs, shrubs, and vines. These areas produce grain and seed crops, grasses and legumes, and wild herbaceous plants. Wildlife attracted to these areas include bobwhite quail, pheasant, meadowlark, field sparrow, cottontail, red fox and coyote.

Habitat for woodland wildlife consists of areas of deciduous and/or coniferous plants and associated grasses, legumes, and wild herbaceous plants. Wildlife attracted to these areas include wild turkey, thrushes, woodpeckers, squirrels, gray fox, raccoon, and deer.

Habitat for wetland wildlife consists of open, marshy or swampy shallow water areas. Some of the wildlife attracted to such areas are ducks, geese, herons, shore birds, muskrat, mink, and beaver.

Habitat for rangeland wildlife consists of areas of shrubs and wild herbaceous plants. Wildlife attracted to rangeland include antelope, deer, cottontail rabbit, prairie chicken, meadowlark, quail, and pheasant.

WILDLIFE INTERPRETATIONS  
Barber County, Kansas

Map symbol and soil name	Potential for habitat elements								Potential as habitat for--			
	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous plants	Shrubs	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	Range- land wild- life
033CP: CLAIREMONT-----	Very poor	Poor	Fair	---	Very poor	Good	Very poor	Very poor	Poor	---	---	Fair
033OA: OBARO-----	Poor	Fair	Fair	---	Very poor	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
033OB: OBARO-----	Poor	Fair	Fair	---	Very poor	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
ROCK OUTCROP----	---	---	---	---	---	---	---	---	---	---	---	---
033QR: QUINLAN-----	Poor	Poor	Fair	---	---	Poor	Very poor	Very poor	Fair	---	Very poor	Poor
WOODWARD-----	Fair	Good	Good	---	---	Fair	Very poor	Very poor	Good	---	Very poor	Fair
033QT: QUINLAN-----	Poor	Poor	Fair	---	---	Poor	Very poor	Very poor	Fair	---	Very poor	Poor
WOODWARD-----	Poor	Fair	Good	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
033YE: YAHOLA-----	Good	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor	Good
077BP: WOODWARD-----	Fair	Good	Good	---	---	Fair	Very poor	Very poor	Good	---	Very poor	Fair
PORT-----	Poor	Fair	Fair	---	---	Good	Poor	Very poor	Fair	---	Very poor	Fair
077FU: FARNUM-----	Fair	Good	Good	---	---	Good	Poor	Very poor	Good	---	Very poor	Good
077GE: GERLANE-----	Good	Good	Good	---	---	Fair	Poor	Poor	Good	---	Poor	Fair
077MC: MINCO-----	Good	Good	Good	---	---	Good	Poor	Very poor	Good	---	Very poor	Good
077MN: MINCO-----	Good	Good	Good	---	---	Good	Poor	Very poor	Good	---	Very poor	Good
077MO: MINCO-----	Good	Good	Good	---	---	Good	Poor	Very poor	Good	---	Very poor	Good
077QU: QUINLAN-----	Poor	Poor	Fair	---	---	Poor	Poor	Very poor	Fair	---	Very poor	Poor
077SE: SHELLABARGER----	Good	Good	Good	---	---	Good	Poor	Very poor	Good	---	Very poor	Good
077WE: QUINLAN-----	Poor	Poor	Fair	---	---	Poor	Poor	Very poor	Fair	---	Very poor	Poor
WOODWARD-----	Fair	Good	Good	---	---	Fair	Poor	Very poor	Good	---	Very poor	Fair
095AC: ALBION-----	Fair	Good	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
095DA: DILLWYN-----	Poor	Fair	Good	---	---	Fair	Fair	Fair	Fair	---	Fair	Fair
PLEVNA-----	Poor	Fair	Fair	---	---	Fair	Good	Good	Fair	---	Good	Fair
095FA: FARNUM-----	Good	Good	Good	---	---	Good	Poor	Poor	Good	---	Poor	Good

WILDLIFE INTERPRETATIONS--Continued  
Barber County, Kansas

Map symbol and soil name	Potential for habitat elements								Potential as habitat for--			
	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous plants	Shrubs	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	Range- land wild- life
095PB: PRATT-----	Fair	Good	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
095SB: SHELLABARGER----	Good	Good	Good	---	---	Good	Poor	Very poor	Good	---	Very poor	Good
095WA: WALDECK-----	Fair	Good	Good	---	---	Good	Fair	Fair	Good	---	Fair	Good
097LN: LINCOLN-----	Fair	Fair	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
097QW: QUINLAN-----	Poor	Poor	Fair	---	---	Poor	Very poor	Very poor	Fair	---	Very poor	Poor
WOODWARD-----	Fair	Good	Good	---	---	Fair	Very poor	Very poor	Good	---	Very poor	Fair
097WA: WALDECK-----	Fair	Good	Good	---	---	Good	Fair	Fair	Good	---	Fair	Good
151AB: ALBION-----	Fair	Good	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
151AO: ALBION-----	Fair	Good	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
151AS: ALBION-----	Poor	Fair	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
SHELLABARGER----	Poor	Fair	Good	---	---	Good	Very poor	Very poor	Fair	---	Very poor	Good
151BC: BLANKET-----	Good	Good	Fair	---	Good	Good	Poor	Very poor	Good	---	Very poor	Fair
151CA: CARWILE-----	Fair	Good	Good	---	---	Good	Good	Fair	Good	---	Fair	Good
151CK: CASE-----	Poor	Fair	Fair	---	---	Fair	Poor	Very poor	Fair	---	Very poor	Fair
CLARK-----	Poor	Fair	Fair	Fair	Fair	Fair	Poor	Very poor	Fair	---	Very poor	Fair
151CM: CLARK-----	Fair	Good	Fair	Fair	Fair	Fair	Poor	Very poor	Fair	---	Very poor	Fair
151CN: CLARK-----	Fair	Good	Fair	Fair	Fair	Fair	Poor	Very poor	Fair	---	Very poor	Fair
151CO: CLARK-----	Good	Good	Fair	Fair	Fair	Fair	Poor	Very poor	Good	---	Very poor	Fair
OST-----	Good	Good	Fair	---	---	Fair	Poor	Poor	Good	---	Poor	Fair
151FA: FARNUM-----	Fair	Good	Good	---	---	Good	Poor	Very poor	Good	---	Very poor	Good
151KP: KANZA-----	Very poor	Poor	Fair	---	---	Fair	Fair	Fair	Poor	---	Fair	Fair
PLEVNA-----	Poor	Fair	Fair	---	---	Fair	Good	Good	Fair	---	Good	Fair
151OS: OST-----	Good	Good	Fair	---	---	Fair	Poor	Poor	Good	---	Poor	Fair
151PM: PRATT-----	Fair	Good	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair

WILDLIFE INTERPRETATIONS--Continued  
Barber County, Kansas

Map symbol and soil name	Potential for habitat elements								Potential as habitat for--			
	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous plants	Shrubs	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	Range- land wild- life
151PN: PRATT-----	Fair	Good	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
151PO: PRATT-----	Fair	Good	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
CARWILE-----	Fair	Good	Good	---	---	Good	Good	Fair	Good	---	Fair	Good
151SA: ALBION-----	Poor	Fair	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
KASKI-----	Good	Good	Good	---	---	Good	Poor	Very poor	Good	---	Very poor	Good
151SE: SHELLABARGER----	Good	Good	Good	---	---	Good	Poor	Very poor	Good	---	Very poor	Good
1439: CRISFIELD-----	Good	Good	Good	---	---	Fair	Poor	Very poor	Good	---	Very poor	Fair
Ad: ALBION-----	Fair	Good	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
SHELLABARGER----	Fair	Good	Good	---	---	Good	Poor	Very poor	Good	---	Very poor	Good
Ae: ALBION-----	Poor	Fair	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
SHELLABARGER----	Poor	Fair	Good	---	---	Good	Very poor	Very poor	Fair	---	Very poor	Good
AED: ARENTS, EARTHEN DAM-----	---	---	---	---	---	---	---	---	---	---	---	---
AN: ALBION-----	Poor	Fair	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
SHELLABARGER----	Poor	Fair	Good	---	---	Good	Very poor	Very poor	Fair	---	Very poor	Good
As: CLAIREMONT-----	Poor	Poor	Poor	---	---	Poor	Poor	Poor	Poor	---	Poor	Poor
At: ATTICA-----	Fair	Fair	Good	---	---	Fair	Poor	Very poor	Fair	---	Very poor	Fair
Ba: BLANKET-----	Good	Good	Fair	---	Good	Good	Poor	Very poor	Good	---	Very poor	Fair
Bb: BLANKET-----	Good	Good	Fair	---	Good	Good	Poor	Very poor	Good	---	Very poor	Fair
Bc: BLANKET-----	Fair	Good	Fair	---	Good	Good	Poor	Very poor	Fair	---	Very poor	Fair
Bf: QUINLAN-----	Very poor	Very poor	Fair	---	---	Poor	Very poor	Very poor	Poor	---	Very poor	Poor
CLAIREMONT-----	Very poor	Poor	Fair	---	Very poor	Good	Very poor	Very poor	Poor	---	---	Fair
Ca: CANADIAN-----	Good	Good	Good	---	---	Good	Poor	Very poor	Good	---	Very poor	Good
Cc: CASE-----	Fair	Good	Fair	---	---	Fair	Poor	Very poor	Fair	---	Very poor	Fair

WILDLIFE INTERPRETATIONS--Continued  
Barber County, Kansas

Map symbol and soil name	Potential for habitat elements								Potential as habitat for--			
	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous plants	Shrubs	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	Range- land wild- life
CLARK-----	Fair	Good	Fair	Fair	Fair	Fair	Poor	Very poor	Fair	---	Very poor	Fair
Cd: CLAIREMONT-----	Good	Good	Fair	---	Very poor	Good	Very poor	Very poor	Good	---	---	Fair
Cf: CLAIREMONT-----	Very poor	Poor	Fair	---	Very poor	Good	Very poor	Very poor	Poor	---	---	Fair
Ck: CLARK-----	Fair	Good	Fair	Fair	Fair	Fair	Poor	Very poor	Fair	---	Very poor	Fair
Fa: FARNUM-----	Good	Good	Good	---	---	Good	Poor	Poor	Good	---	Poor	Good
Fm: FARNUM-----	Good	Good	Good	---	---	Good	Poor	Poor	Good	---	Poor	Good
Fr: FARNUM-----	Good	Good	Good	---	---	Good	Poor	Poor	Good	---	Poor	Good
Fu: FARNUM-----	Good	Good	Good	---	---	Good	Poor	Poor	Good	---	Poor	Good
Ga: GRANT-----	Good	Good	Good	---	---	Fair	Poor	Very poor	Good	---	Very poor	Fair
Gb: GRANT-----	Good	Good	Good	---	---	Fair	Poor	Very poor	Good	---	Very poor	Fair
Gc: GRANT-----	Good	Good	Good	---	---	Fair	Poor	Very poor	Good	---	Very poor	Fair
GRP: GRAVEL PITS-----	---	---	---	---	---	---	---	---	---	---	---	---
INT: AQUOLLS-----	---	---	---	---	---	---	---	---	---	---	---	---
Ka: KANZA-----	Very poor	Poor	Fair	---	---	Fair	Fair	Fair	Poor	---	Fair	Fair
Kf: KINGFISHER-----	Good	Good	Good	---	---	Fair	Poor	Very poor	Good	---	Very poor	Fair
Kv: KINGFISHER-----	Good	Good	Good	---	---	Fair	Poor	Very poor	Good	---	Very poor	Fair
VERNON-----	Fair	Good	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
Kz: KINGFISHER-----	Good	Good	Good	---	---	Fair	Poor	Very poor	Good	---	Very poor	Fair
VERNON-----	Fair	Good	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
Ln: LINCOLN-----	Poor	Fair	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
LNN: LINCOLN-----	Fair	Fair	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
Ma: MANGUM-----	Good	Good	Fair	---	Very poor	Fair	Poor	Poor	Good	---	Poor	Fair
Mg: MANGUM-----	Good	Good	Fair	---	Very poor	Fair	Poor	Poor	Good	---	Poor	Fair
DRUMMOND-----	Poor	Fair	Fair	---	Poor	Poor	Fair	Fair	Fair	---	Fair	Poor

WILDLIFE INTERPRETATIONS--Continued  
Barber County, Kansas

Map symbol and soil name	Potential for habitat elements								Potential as habitat for--			
	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous plants	Shrubs	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	Range- land wild- life
Mn: MINCO-----	Good	Good	Good	---	---	Good	Poor	Very poor	Good	---	Very poor	Good
Na: NARON-----	Good	Good	Good	---	---	Fair	Poor	Very poor	Good	---	Very poor	Fair
Nb: NARON-----	Good	Good	Good	---	---	Fair	Poor	Very poor	Good	---	Very poor	Fair
Os: OST-----	Good	Good	Fair	---	---	Fair	Poor	Poor	Good	---	Poor	Fair
Ot: OST-----	Good	Good	Fair	---	---	Fair	Poor	Poor	Good	---	Poor	Fair
Pa: POND CREEK-----	Good	Good	Good	---	---	Fair	Poor	Very poor	Good	---	Very poor	Fair
Pd: POND CREEK-----	Good	Good	Good	---	---	Fair	Poor	Very poor	Good	---	Very poor	Fair
Ph: DALE-----	Good	Good	Fair	---	---	Good	Poor	Very poor	Good	---	Very poor	Fair
Pk: BUTTERMILK-----	Fair	Fair	Fair	---	---	Fair	Poor	Very poor	Fair	---	Very poor	Fair
Ps: PRATT-----	Fair	Good	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
Pt: PRATT-----	Fair	Good	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
TIVOLI-----	Poor	Poor	Fair	---	---	Poor	Very poor	Very poor	Poor	---	Very poor	Poor
Qn: QUINLAN-----	Poor	Poor	Fair	---	---	Poor	Poor	Very poor	Fair	---	Very poor	Poor
Qw: QUINLAN-----	Poor	Poor	Fair	---	---	Poor	Very poor	Very poor	Fair	---	Very poor	Poor
WOODWARD-----	Fair	Good	Good	---	---	Fair	Very poor	Very poor	Good	---	Very poor	Fair
Rb: KNOCO-----	Very poor	Very poor	Poor	---	---	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
ROCK OUTCROP----	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
Sb: SHELLABARGER----	Fair	Good	Good	---	---	Good	Poor	Very poor	Good	---	Very poor	Good
SBB: SHELLABARGER----	Good	Good	Good	---	---	Good	Poor	Very poor	Good	---	Very poor	Good
Sc: SHELLABARGER----	Fair	Good	Good	---	---	Good	Poor	Very poor	Good	---	Very poor	Good
Tv: TIVOLI-----	Poor	Poor	Fair	---	---	Poor	Very poor	Very poor	Poor	---	Very poor	Poor
Vn: VERNON-----	Fair	Good	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair

WILDLIFE INTERPRETATIONS--Continued  
Barber County, Kansas

Map symbol and soil name	Potential for habitat elements								Potential as habitat for--			
	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous plants	Shrubs	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	Range- land wild- life
Vr: VERNON-----	Fair	Good	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
Vs: KNOCO-----	Very poor	Very poor	Poor	---	---	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
VERNON-----	Fair	Good	Fair	---	---	Fair	Very poor	Very poor	Fair	---	Very poor	Fair
W: WATER-----	---	---	---	---	---	---	---	---	---	---	---	---
Wa: WALDECK-----	Fair	Good	Good	---	---	Good	Fair	Fair	Good	---	Fair	Good
Wo: WOODWARD-----	Fair	Good	Good	---	---	Fair	Poor	Very poor	Good	---	Very poor	Fair
QUINLAN-----	Poor	Poor	Fair	---	---	Poor	Poor	Very poor	Fair	---	Very poor	Poor
Ws: WOODWARD-----	Fair	Good	Good	---	---	Fair	Poor	Very poor	Good	---	Very poor	Fair
QUINLAN-----	Poor	Poor	Fair	---	---	Poor	Poor	Very poor	Fair	---	Very poor	Poor
Ya: YAHOLA-----	Good	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor	Good
Ze: ZENDA-----	Fair	Good	Good	---	---	Good	Fair	Fair	Good	---	Fair	Good



