

RECREATIONAL INTERPRETATIONS  
Cowley County, Kansas

### Recreation

The soils of the survey area are rated in the following tables according to limitations that affect their suitability for recreation. The ratings are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect the recreational uses. Not limited indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. Slightly limited indicates that the soil has features that are favorable for the specified use. The limitations are minor and can be easily overcome. Good performance and low maintenance can be expected. Somewhat limited indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. Very limited indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Numerical ratings in the tables indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.00 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

The ratings in the tables are based on restrictive soil features, such as wetness, slope, and texture of the surface layer. Susceptibility to flooding is considered. Not considered in the ratings, but important in evaluating a site, are the location and accessibility of the area, the size and shape of the area and its scenic quality, vegetation, access to water, potential water impoundment sites, and access to public sewer lines. The capacity of the soil to absorb septic tank effluent and the ability of the soil to support vegetation also are important. Soils that are subject to flooding are limited for recreational uses by the duration and intensity of flooding and the season when flooding occurs. In planning recreational facilities, onsite assessment of the height, duration, intensity, and frequency of flooding is essential.

The information in this table can be supplemented by other information in this survey, for example, interpretations for building site development, construction materials, sanitary facilities, and water management.

Camp areas require site preparation, such as shaping and leveling the tent and parking areas, stabilizing roads and intensively used areas, and installing sanitary facilities and utility lines. Camp areas are subject to heavy foot traffic and some vehicular traffic. The ratings are based on the soil properties that affect the ease of developing camp areas and the performance of the areas after development. Slope, stoniness, and depth to bedrock or a cemented pan are the main concerns affecting the development of camp areas.

The soil properties that affect the performance of the areas after development are those that influence trafficability and promote the growth of vegetation, especially in heavily used areas. For good trafficability, the surface of camp areas should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Picnic areas are subject to heavy foot traffic. Most vehicular traffic is confined to access roads and parking areas. The ratings are based on the soil properties that affect the ease of developing picnic areas and that influence trafficability and the growth of vegetation after development. Slope and stoniness are the main concerns affecting the development of picnic areas. For good trafficability, the surface of picnic areas should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Playgrounds require soils that are nearly level, are free of stones, and can withstand intensive foot traffic. The ratings are based on the soil properties that affect the ease of developing playgrounds and that influence trafficability and the growth of vegetation after development. Slope and stoniness are the main concerns affecting the development of playgrounds. For good trafficability, the surface of the playgrounds should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Paths and trails for hiking and horseback riding should require little or no slope modification through cutting and filling. The ratings are based on the soil properties that affect trafficability and erodibility. These properties are stoniness, depth to a water table, ponding, flooding, slope, and texture of the surface layer.

Golf fairways are subject to heavy foot traffic and some light vehicular traffic. Cutting or filling may be required. Irrigation is not considered in the ratings. The ratings are based on the soil properties that affect plant growth and trafficability after vegetation is established. The properties that affect plant growth are reaction; depth to a water table; ponding; depth to bedrock or a cemented pan; the available water capacity in the upper 40 inches; the content of salts, sodium, or calcium carbonate; and sulfidic materials. The properties that affect trafficability are flooding, depth to a water table, ponding, slope, stoniness, and the amount of sand, clay, or organic matter in the surface layer. The suitability of the soil for traps, tees, roughs, and greens is not considered in the ratings.

RECREATIONAL INTERPRETATIONS--Continued  
Cowley County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
015CS: Cline-----	67	Somewhat limited Too clayey Restricted permeability Slope	0.50 0.39 0.04	Somewhat limited Too clayey Restricted permeability Slope	0.50 0.39 0.04	Very limited Slope Too clayey Restricted permeability Depth to bedrock	1.00 0.50 0.39 0.20
Sogn-----	30	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to bedrock Slope Content of large stones	1.00 1.00 0.00
015FC: Florence-----	85	Very limited Gravel content Slope	1.00 0.00	Very limited Gravel content Slope	1.00 0.00	Very limited Gravel content Slope Content of large stones	1.00 1.00 0.00
015LC: Labette-----	90	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Slope Restricted permeability Depth to bedrock	0.50 0.39 0.01
015LS: Ladysmith-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 0.45	Very limited Depth to saturated zone Restricted permeability	1.00 0.45	Very limited Depth to saturated zone Restricted permeability	1.00 0.45
015NS: Norge-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
015NT: Norge, eroded-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
015ON: Olpe-----	50	Somewhat limited Restricted permeability Gravel content	0.94 0.50	Somewhat limited Restricted permeability Gravel content	0.94 0.50	Very limited Gravel content Restricted permeability Slope Somewhat limited Slope	1.00 0.94 0.87 0.87
Norge-----	30	Not limited		Not limited		Very limited Flooding Slope	1.00 0.00
015VE: Verdigris-----	85	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding Slope	1.00 0.00
019MB: Martin-----	85	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94 0.13
049FM: Florence-----	60	Very limited Gravel content	1.00	Very limited Gravel content	1.00	Very limited Gravel content Slope Content of large stones	1.00 1.00 0.00
Martin-----	30	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
049IV: Ivan-----	85	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
191MB: Milan-----	100	Not limited		Not limited		Somewhat limited Slope	0.00
191MC: Milan-----	100	Not limited		Not limited		Somewhat limited Slope	0.87
191PX: Pratt-----	100	Somewhat limited Too sandy	0.37	Somewhat limited Too sandy	0.37	Very limited Slope Too sandy	1.00 0.37
191RO: Rosehill-----	100	Somewhat limited		Somewhat limited		Somewhat limited	

RECREATIONAL INTERPRETATIONS--Continued  
Cowley County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
191RS: Rosehill-----	100	Restricted permeability	0.45	Restricted permeability	0.45	Restricted permeability Slope	0.45
		Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45	Somewhat limited Slope	0.87
						Restricted permeability Depth to bedrock	0.45 0.06
191TV: Tivoli-----	100	Very limited Too sandy Slope	1.00 1.00	Very limited Too sandy Slope	1.00 1.00	Very limited Too sandy Slope	1.00 1.00
191US: Ustifluvents-----	100	Very limited Restricted permeability Slope	1.00 1.00	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope	1.00
Aa: Attica-----	85	Somewhat limited Too sandy	0.92	Somewhat limited Too sandy	0.92	Restricted permeability	1.00
Ab: Attica-----	70	Somewhat limited Too sandy	0.92	Somewhat limited Too sandy	0.92	Somewhat limited Too sandy Slope	0.92 0.87
Tivoli-----	25	Somewhat limited Too sandy Slope	0.88 0.16	Somewhat limited Too sandy Slope	0.88 0.16	Very limited Slope Too sandy	1.00 0.88
AED: Arents, Earthen Dam-	100	Not rated		Not rated		Not rated	
Ba: Bethany-----	100	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39
Bb: Bethany-----	95	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability Slope	0.39 0.00
Bc: Brewer-----	90	Very limited Flooding	1.00	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39
Ca: Canadian-----	90	Very limited Flooding	1.00	Not limited		Not limited	
Cb: Clime-----	55	Very limited Slope Too clayey Restricted permeability	1.00 0.50 0.39	Very limited Slope Too clayey Restricted permeability	1.00 0.50 0.39	Very limited Slope Too clayey Restricted permeability Depth to bedrock	1.00 0.50 0.39 0.06
Rock Outcrop-----	25	Not rated		Not rated		Not rated	
Cc: Clime-----	60	Somewhat limited Too clayey Restricted permeability Slope	0.50 0.39 0.04	Somewhat limited Too clayey Restricted permeability Slope	0.50 0.39 0.04	Very limited Slope Too clayey Restricted permeability Depth to bedrock	1.00 0.50 0.39 0.06
Sogn-----	20	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to bedrock Slope Content of large stones	1.00 1.00 0.00
Da: Dale-----	90	Very limited Flooding	1.00	Not limited		Not limited	
Db: Dwight-----	90	Very limited Sodium content	1.00	Very limited Sodium content	1.00	Very limited Sodium content	1.00

RECREATIONAL INTERPRETATIONS--Continued  
Cowley County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fa: Florence-----	85	Restricted permeability	0.45	Restricted permeability	0.45	Restricted permeability	0.45
		Very limited Gravel content	1.00	Very limited Gravel content	1.00	Very limited Gravel content	1.00
		Slope	0.16	Slope	0.16	Slope	1.00
Florence-----	85					Content of large stones	0.00
		Very limited Gravel content	1.00	Very limited Gravel content	1.00	Very limited Gravel content	1.00
		Slope	0.00	Slope	0.00	Slope	1.00
Ia: Irwin-----	85					Content of large stones	0.00
		Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45
						Slope	0.00
Ib: Ivan-----	85	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
INT: Aguolls-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
La: Labette-----	85	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39
						Slope	0.00
Lb: Labette-----	90	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Slope	0.87
						Restricted permeability	0.39
						Depth to bedrock	0.06
Lc: Labette, eroded----	85	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Slope	0.87
						Restricted permeability	0.39
						Depth to bedrock	0.06
Ld: Labette-----	55	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39
						Slope	0.00
Dwight-----	35	Very limited Sodium content	1.00	Very limited Sodium content	1.00	Very limited Sodium content	1.00
		Restricted permeability	0.45	Restricted permeability	0.45	Restricted permeability	0.45
						Slope	0.00
Le: Labette-----	60	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Slope	0.87
						Restricted permeability	0.39
						Depth to bedrock	0.06
Sogn-----	30	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
						Slope	0.87
						Content of large stones	0.00
Lf: Lesho-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
Lg: Lincoln-----	55	Very limited Flooding	1.00	Somewhat limited Too sandy	0.50	Somewhat limited Flooding	0.60
		Too sandy	0.50			Too sandy	0.50
Tivoli-----	30	Somewhat limited Too sandy	0.98	Somewhat limited Too sandy	0.98	Very limited Slope	1.00
		Slope	0.00	Slope	0.00	Too sandy	0.98
M-W: Miscellaneous Water-	100	Not rated		Not rated		Not rated	

RECREATIONAL INTERPRETATIONS--Continued  
Cowley County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ma: Martin-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94 0.00
Mb: Martin-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94 0.87
Mc: Martin, eroded-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94 0.87
MCC: Martin-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
Md: Florence-----	85	Very limited Gravel content Slope	1.00 0.00	Very limited Gravel content Slope	1.00 0.00	Very limited Gravel content Slope Content of large stones	1.00 1.00 0.00
Martin-----	55	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
Florence-----	30	Very limited Gravel content	1.00	Very limited Gravel content	1.00	Very limited Gravel content Slope Content of large stones	1.00 1.00 0.00
Me: Milan-----	90	Not limited		Not limited		Somewhat limited Slope	0.13
Mf: Minco-----	90	Not limited		Not limited		Somewhat limited Slope	0.87
Mg: Minco-----	85	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
Na: Norge-----	90	Not limited		Not limited		Somewhat limited Slope	0.00
Nb: Norge-----	85	Not limited		Not limited		Somewhat limited Slope	0.87
Nc: Norge, eroded-----	85	Not limited		Not limited		Somewhat limited Slope	0.87
Oa: Olpe-----	85	Somewhat limited Restricted permeability Gravel content	0.94 0.50	Somewhat limited Restricted permeability Gravel content	0.94 0.50	Very limited Gravel content Slope Restricted permeability	1.00 1.00 0.94
Ob: Osage-----	90	Very limited Depth to saturated zone Flooding Ponding Restricted permeability Too clayey	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Restricted permeability Too clayey	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Ponding Restricted permeability Too clayey Flooding	1.00 1.00 1.00 1.00 0.60
Ra: Reading-----	85	Very limited Flooding	1.00	Not limited		Not limited	
Rb: Rosehill-----	90	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability	0.50 0.45

RECREATIONAL INTERPRETATIONS--Continued  
Cowley County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rc: Rosehill-----	90	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Slope Somewhat limited Slope Too clayey Restricted permeability Depth to bedrock	0.00 0.87 0.50 0.45 0.03
Sa: Smolan-----	90	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability Slope	0.39 0.00
Sb: Smolan-----	90	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Slope Restricted permeability	0.87 0.39
Sc: Smolan, eroded-----	90	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Slope Restricted permeability	0.87 0.39
Sd: Sogn-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock Slope Content of large stones	1.00 0.87 0.00
Ta: Tabler-----	95	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45
Tb: Tabler-----	100	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability Slope	0.45 0.00
Va: Vanoss-----	95	Not limited		Not limited		Not limited	
Vb: Vanoss-----	95	Not limited		Not limited		Somewhat limited Slope	0.00
Vc: Vanoss-----	90	Not limited		Not limited		Somewhat limited Slope	0.87
Vd: Verdigris-----	85	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
W: Water Areas-----	100	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00
Wa: Waurika-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00

RECREATIONAL INTERPRETATIONS--Continued  
Cowley County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Paths and trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value
015CS: Clime-----	67	Somewhat limited Too clayey	0.50	Very limited Too clayey Depth to bedrock Slope	1.00 0.20 0.04
Sogn-----	30	Not limited		Very limited Depth to bedrock Droughty Slope Content of large stones	1.00 1.00 0.04 0.00
015FC: Florence-----	85	Not limited		Very limited Gravel content Droughty Slope Content of large stones	1.00 0.02 0.00 0.00
015LC: Labette-----	90	Not limited		Somewhat limited Depth to bedrock	0.01
015LS: Ladysmith-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
015NS: Norge-----	85	Not limited		Not limited	
015NT: Norge, eroded-----	85	Not limited		Not limited	
015ON: Olpe-----	50	Not limited		Very limited Droughty Gravel content	1.00 0.50
Norge-----	30	Not limited		Not limited	
015VE: Verdigris-----	85	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
019MB: Martin-----	85	Not limited		Not limited	
049FM: Florence-----	60	Not limited		Very limited Gravel content Droughty Content of large stones	1.00 0.12 0.00
Martin-----	30	Not limited		Not limited	
049IV: Ivan-----	85	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
191MB: Milan-----	100	Not limited		Not limited	
191MC: Milan-----	100	Not limited		Not limited	
191PX: Pratt-----	100	Somewhat limited Too sandy	0.37	Not limited	
191RO: Rosehill-----	100	Not limited		Somewhat limited Depth to bedrock	0.06
191RS: Rosehill-----	100	Not limited		Somewhat limited Depth to bedrock	0.06
191TV: Tivoli-----	100	Very limited Too sandy Slope	1.00 0.18	Very limited Slope Droughty	1.00 1.00
191US: Ustifluvents-----	100	Very limited Water erosion Slope	1.00 0.00	Very limited Slope	1.00
Aa: Attica-----	85	Somewhat limited Too sandy	0.92	Not limited	
Ab: Attica-----	70	Somewhat limited Too sandy	0.92	Not limited	
Tivoli-----	25	Somewhat limited Too sandy	0.88	Somewhat limited Droughty Slope	0.96 0.16
AED: Arents, Earthen Dam-	100	Not rated		Not rated	

RECREATIONAL INTERPRETATIONS--Continued  
Cowley County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Paths and trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ba: Bethany-----	100	Not limited		Not limited	
Bb: Bethany-----	95	Not limited		Not limited	
Bc: Brewer-----	90	Not limited		Not limited	
Ca: Canadian-----	90	Not limited		Not limited	
Cb: Clime-----	55	Somewhat limited Too clayey Slope	0.50 0.50	Very limited Slope Too clayey Depth to bedrock	1.00 1.00 0.06
Rock Outcrop-----	25	Not rated		Not rated	
Cc: Clime-----	60	Somewhat limited Too clayey	0.50	Very limited Too clayey Depth to bedrock Slope	1.00 0.06 0.04
Sogn-----	20	Not limited		Very limited Depth to bedrock Droughty Slope Content of large stones	1.00 1.00 0.04 0.00
Da: Dale-----	90	Not limited		Not limited	
Db: Dwight-----	90	Not limited		Very limited Sodium content	1.00
Fa: Florence-----	85	Not limited		Very limited Gravel content Slope Droughty Content of large stones	1.00 0.16 0.01 0.00
Florence-----	85	Not limited		Very limited Gravel content Droughty Slope Content of large stones	1.00 0.02 0.00 0.00
Ia: Irwin-----	85	Not limited		Not limited	
Ib: Ivan-----	85	Not limited		Somewhat limited Flooding	0.60
INT: Aquolls-----	100	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
La: Labette-----	85	Not limited		Somewhat limited Depth to bedrock	0.06
Lb: Labette-----	90	Not limited		Somewhat limited Depth to bedrock	0.06
Lc: Labette, eroded-----	85	Not limited		Somewhat limited Depth to bedrock	0.06
Ld: Labette-----	55	Not limited		Somewhat limited Depth to bedrock	0.06
Dwight-----	35	Not limited		Very limited Sodium content	1.00
Le: Labette-----	60	Not limited		Somewhat limited Depth to bedrock	0.06
Sogn-----	30	Not limited		Very limited Depth to bedrock Droughty Content of large stones	1.00 1.00 0.00
Lf: Lesho-----	90	Not limited		Very limited	



RECREATIONAL INTERPRETATIONS--Continued  
Cowley County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Paths and trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value
				Droughty Flooding	1.00 0.60
Lg: Lincoln-----	55	Somewhat limited Too sandy	0.50	Somewhat limited Droughty Flooding	0.74 0.60
Tivoli-----	30	Somewhat limited Too sandy	0.98	Somewhat limited Droughty Slope	0.96 0.00
M-W: Miscellaneous Water-	100	Not rated		Not rated	
Ma: Martin-----	90	Not limited		Not limited	
Mb: Martin-----	90	Not limited		Not limited	
Mc: Martin, eroded-----	90	Not limited		Not limited	
MCC: Martin-----	90	Not limited		Not limited	
Md: Florence-----	85	Not limited		Very limited Gravel content Droughty Slope Content of large stones	1.00 0.02 0.00 0.00
Martin-----	55	Not limited		Not limited	
Florence-----	30	Not limited		Very limited Gravel content Droughty Content of large stones	1.00 0.01 0.00
Me: Milan-----	90	Not limited		Not limited	
Mf: Minco-----	90	Not limited		Not limited	
Mg: Minco-----	85	Not limited		Somewhat limited Slope	0.37
Na: Norge-----	90	Not limited		Not limited	
Nb: Norge-----	85	Not limited		Not limited	
Nc: Norge, eroded-----	85	Not limited		Not limited	
Oa: Olpe-----	85	Not limited		Very limited Droughty Gravel content	1.00 0.50
Ob: Osage-----	90	Very limited Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Flooding	1.00 1.00 1.00 0.60
Ra: Reading-----	85	Not limited		Not limited	
Rb: Rosehill-----	90	Somewhat limited Too clayey	0.50	Very limited Too clayey Depth to bedrock	1.00 0.03
Rc: Rosehill-----	90	Somewhat limited Too clayey	0.50	Very limited Too clayey Depth to bedrock	1.00 0.03
Sa: Smolan-----	90	Not limited		Not limited	
Sb: Smolan-----	90	Not limited		Not limited	
Sc: Smolan, eroded-----	90	Not limited		Not limited	
Sd: Sogn-----	90	Not limited		Very limited Depth to bedrock Droughty Content of large stones	1.00 1.00 0.00

RECREATIONAL INTERPRETATIONS--Continued  
Cowley County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Paths and trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ta: Tabler-----	95	Not limited		Not limited	
Tb: Tabler-----	100	Not limited		Not limited	
Va: Vanoss-----	95	Not limited		Not limited	
Vb: Vanoss-----	95	Not limited		Not limited	
Vc: Vanoss-----	90	Not limited		Not limited	
Vd: Verdigris-----	85	Not limited		Somewhat limited Flooding	0.60
W: Water Areas-----	100	Very limited Slope Water erosion	1.00 1.00	Very limited Slope	1.00
Wa: Waurika-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

