

WATER MANAGEMENT
Franklin County, Kansas

The soils of the survey area are rated in the Water Management table according to limitations that affect their suitability for water management. Soils are rated for pond reservoir areas, drainage, irrigation, terraces and diversions, and grassed waterways. Restrictive features that affect each soil for the specified use is also provided in the table.

The ratings in the table are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect the specified use. Not limited indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. Slightly limited indicates that the soil has features that are favorable for the specified use. The limitations are minor and can be easily overcome. Good performance and low maintenance can be expected. Moderately limited indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. Limited indicates that the soil has one or more features that are significant limitations for the specified use. The limitations can be overcome, but generally require special design, soil reclamation, or installation procedures that may result in additional expense. Fair performance and moderate to high maintenance can be expected. Very limited indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Limitation class terms, such as very limited or limited, etc., limitation ratings, and numerical ratings are shown for each soil feature listed. As many as three soil features may be listed for each soil component if applicable. The overall limitation rating for the soil component is based on the most severe limitation.

Pond reservoir areas hold water behind a dam or embankment. Soils best suited to this use have low seepage potential in the upper 60 inches. The seepage potential is determined by the permeability of the soil and the depth to fractured bedrock or other permeable material. Excessive slope can affect the storage capacity of the reservoir area.

Embankments, dikes, and levees are raised structures of soil material, generally less than 20 feet high, constructed to impound water or to protect land against overflow. In this table, the soils are rated as a source of material for embankment fill. The ratings apply to the soil material below the surface layer to a depth of about 5 feet. It is assumed that soil layers will be uniformly mixed and compacted during construction.

The ratings do not indicate the ability of the natural soil to support an embankment. Soil properties to a depth even greater than the height of the embankment can affect performance and safety of the embankment. Generally, deeper onsite investigation is needed to determine these properties.

Soil material in embankments must be resistant to seepage, piping, and erosion and have favorable compaction characteristics. Unfavorable features include less than 5 feet of suitable material and a high content of stones or boulders, organic matter, or salts or sodium. A high water table affects the amount of usable material. It also affects traffic ability.

Aquifer-fed excavated ponds are pits or dugouts that extend to a ground-water aquifer or to a depth below a permanent water table. Excluded are ponds that are fed only by surface runoff and embankment ponds that impound water 3 feet or more above the original surface. Excavated ponds are affected by depth to a permanent water table, permeability of the aquifer, and quality of the water as inferred from the salinity of the soil. Depth to bedrock and the content of large stones affect the ease of excavation.

Drainage is the removal of excess surface and subsurface water from the soil. How easily and effectively the soil is drained depends on the depth to bedrock, to a cemented pan, or to other layers that affect the rate of water movement; permeability; depth to a high water table or depth of standing water if the soil is subject to ponding; slope; susceptibility to flooding; subsidence of organic layers; and the potential for frost action. Excavating and grading and the stability of ditch banks are affected by depth to bedrock or to a cemented pan, large stones, slope, and the hazard of cutbanks caving. The productivity of the soil after drainage is adversely affected by extreme acidity or by toxic substances in the root zone, such as salts, sodium, and sulfur. Availability of drainage outlets is not considered in the ratings.

Irrigation is the controlled application of water to supplement rainfall and support plant growth. The design and management of an irrigation system are affected by depth to the water table, the need for drainage, flooding, available water capacity, intake rate, permeability, erosion hazard, and slope. The construction of a system is affected by large stones and depth to bedrock or to a cemented pan. The performance of a system is affected by the depth of the root zone, the amount of salts or sodium, and soil reaction.

Terraces and diversions are embankments or a combination of channels and ridges constructed across a slope to control erosion and conserve moisture by intercepting runoff. Slope, wetness, large stones, and depth to bedrock or to a cemented pan affect the construction of terraces and diversions. A restricted rooting depth, a very limited hazard of wind erosion or water erosion, an excessively coarse texture, and restricted permeability adversely affect maintenance.

Grassed waterways are natural or constructed channels, generally broad and shallow, which conduct surface water to outlets at a non-erosive velocity. Large stones, wetness, slope, and depth to bedrock or to a cemented pan affect the construction of grassed waterways. A hazard of wind erosion, low available water capacity, restricted rooting depth, toxic substances such as salts and sodium, and restricted permeability adversely affect the growth and maintenance of the grass after construction.

WATER MANAGEMENT--Continued
Franklin County, Kansas

(The information in this report indicates the dominant soil condition but does not eliminate the need for onsite investigation)

Map symbol and soil name	Features affecting--			
	Drainage	Irrigation	Terraces and diversions	Grassed waterways
003DB: Dennis-----	Limitation: percs slowly	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness
003EC: Eram-----	Limitation: percs slowly slope thin layer	Limitation: percs slowly slope thin layer	Limitation: area reclaim erodes easily wetness	Limitation: area reclaim erodes easily wetness
003LA: Lanton-----	Limitation: flooding percs slowly	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily wetness	Limitation: erodes easily percs slowly wetness
031EC: Eram-----	Limitation: percs slowly slope thin layer	Limitation: percs slowly slope thin layer	Limitation: area reclaim erodes easily wetness	Limitation: area reclaim erodes easily wetness
139CM: Clareson-----	Limitation: deep to water	Limitation: large stones slope droughty	Limitation: large stones slope depth to rock	Limitation: large stones slope droughty
Eram-----	Limitation: percs slowly slope depth to rock	Limitation: percs slowly slope wetness	Limitation: erodes easily wetness depth to rock	Limitation: erodes easily wetness depth to rock
602CB: Catoosa-----	Limitation: deep to water	Limitation: erodes easily depth to rock	Limitation: erodes easily depth to rock	Limitation: erodes easily depth to rock
602CM: Clareson-----	Limitation: deep to water	Limitation: large stones slope droughty	Limitation: large stones slope depth to rock	Limitation: large stones slope droughty
Rock Outcrop----	---	---	---	---
602LA: Lanton-----	Limitation: flooding	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
602VC: Verdigris-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
1366: Clareson-----	Limitation: deep to water	Limitation: large stones slope droughty	Limitation: large stones slope depth to rock	Limitation: large stones slope droughty
Rock Outcrop----	Limitation: deep to water	Limitation: slope depth to rock	Limitation: slope depth to rock	Limitation: slope depth to rock
2326: Kenoma-----	Limitation: percs slowly	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness
2540: Leanna-----	Limitation: flooding percs slowly	Limitation: percs slowly wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness
3494: Summit-----	Limitation: percs slowly	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness
3815: Verdigris-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
3816: Verdigris-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
3951: Woodson-----	Limitation: percs slowly	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness
AED: Arents, Earthen Dam-----	---	---	---	---

WATER MANAGEMENT--Continued
Franklin County, Kansas

(The information in this report indicates the dominant soil condition but does not eliminate the need for onsite investigation)

Map symbol and soil name	Features affecting--			
	Drainage	Irrigation	Terraces and diversions	Grassed waterways
Bc: Bates-----	Limitation: deep to water	Limitation: depth to rock	Limitation: depth to rock	Limitation: depth to rock
Bd: Bates-----	Limitation: deep to water	Limitation: slope thin layer	Limitation: area reclaim	Limitation: area reclaim
Collinsville----	Limitation: deep to water	Limitation: slope thin layer	Limitation: large stones thin layer	Limitation: large stones thin layer
Bh: Bates-----	Limitation: deep to water	Limitation: slope depth to rock	Limitation: depth to rock	Limitation: depth to rock
Collinsville----	Limitation: deep to water	Limitation: large stones slope depth to rock	Limitation: large stones slope depth to rock	Limitation: large stones slope depth to rock
Bo: Bolivar-----	Limitation: deep to water	Limitation: slope depth to rock	Limitation: depth to rock	Limitation: depth to rock
Hector-----	Limitation: deep to water	Limitation: slope depth to rock droughty	Limitation: depth to rock	Limitation: depth to rock droughty
Bs: Bolivar-----	Limitation: deep to water	Limitation: slope depth to rock	Limitation: slope depth to rock	Limitation: slope depth to rock
Hector-----	Limitation: deep to water	Limitation: slope depth to rock droughty	Limitation: slope depth to rock	Limitation: slope depth to rock droughty
Cm: Clareson-----	Limitation: deep to water	Limitation: large stones slope droughty	Limitation: large stones slope depth to rock	Limitation: large stones slope droughty
Eram-----	Limitation: percs slowly slope depth to rock	Limitation: percs slowly slope wetness	Limitation: erodes easily wetness depth to rock	Limitation: erodes easily wetness depth to rock
Dc: Dennis-----	Limitation: percs slowly slope	Limitation: percs slowly slope wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness
Dn: Dennis-----	Limitation: percs slowly slope	Limitation: percs slowly slope wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness
Bates-----	Limitation: deep to water	Limitation: slope depth to rock	Limitation: depth to rock	Limitation: depth to rock
Do: Dennis, eroded--	Limitation: percs slowly slope	Limitation: percs slowly slope wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness
Bates, eroded---	Limitation: deep to water	Limitation: slope depth to rock	Limitation: depth to rock	Limitation: depth to rock
Ea: Eram-----	Limitation: percs slowly slope depth to rock	Limitation: percs slowly slope wetness	Limitation: erodes easily slope depth to rock	Limitation: erodes easily slope wetness
Lebo-----	Limitation: deep to water	Limitation: slope depth to rock	Limitation: slope depth to rock	Limitation: slope depth to rock
Ec: Eram-----	Limitation: percs slowly slope depth to rock	Limitation: percs slowly slope wetness	Limitation: erodes easily wetness depth to rock	Limitation: erodes easily wetness depth to rock
Lula-----	Limitation: deep to water	Limitation: erodes easily slope	Limitation: erodes easily large stones	Limitation: erodes easily large stones
INT: Aquolls-----	---	---	---	---
Ke: Kenoma-----	Limitation: deep to water	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly

WATER MANAGEMENT--Continued
Franklin County, Kansas

(The information in this report indicates the dominant soil condition but does not eliminate the need for onsite investigation)

Map symbol and soil name	Features affecting--			
	Drainage	Irrigation	Terraces and diversions	Grassed waterways
Le: Leanna, drained-	Limitation: flooding percs slowly	Limitation: percs slowly wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness
Ln: Lebo-----	Limitation: deep to water	Limitation: slope depth to rock droughty	Limitation: large stones slope depth to rock	Limitation: large stones slope droughty
Rock Outcrop----	---	---	---	---
Lo: Lula-----	Limitation: deep to water	Limitation: erodes easily	Limitation: erodes easily	Limitation: erodes easily
LU: Lula-----	Limitation: deep to water	Limitation: erodes easily	Limitation: erodes easily large stones	Limitation: erodes easily large stones
M-W: Miscellaneous Water-----	---	---	---	---
Mb: Mason-----	Limitation: deep to water	Limitation: erodes easily	Limitation: erodes easily	Limitation: erodes easily
Oe: Olpe-----	Limitation: deep to water	Limitation: percs slowly slope droughty	Limitation: erodes easily	Limitation: erodes easily droughty
Kenoma-----	Limitation: deep to water	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
Os: Osage-----	Limitation: flooding percs slowly	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness
Ov: Osage-----	Limitation: flooding percs slowly	Limitation: slow intake wetness droughty	Limitation: percs slowly wetness	Limitation: percs slowly wetness droughty
Pt: Pits, Quarries--	---	---	---	---
Sn: Summit-----	Limitation: percs slowly	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly
So: Summit-----	Limitation: percs slowly slope	Limitation: percs slowly slope wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly
Vb: Verdigris-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
Vc: Verdigris-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
W: Water-----	---	---	---	---
Wb: Welda-----	Limitation: deep to water	Limitation: erodes easily slope	Limitation: erodes easily	Limitation: erodes easily
Wo: Woodson-----	Limitation: percs slowly	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness
Wt: Woodson-----	Limitation: percs slowly	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness

WATER MANAGEMENT--Continued
Franklin County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Pond Reservoir Area		Embankments, Dikes, and Levees		Excavated Ponds (Aquifer- fed)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
003DB: Dennis-----	85	Somewhat limited Depth to bedrock	0.00	Very limited Depth to saturated zone Hard to pack Thin layer	1.00 0.25 0.01	Very limited Deep to water	1.00
003EC: Eram-----	90	Somewhat limited Depth to bedrock	0.06	Very limited Depth to saturated zone Thin layer Hard to pack	1.00 0.77 0.32	Very limited Deep to water	1.00
003LA: Lanton-----	85	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Very limited Deep to water	1.00
031EC: Eram-----	90	Somewhat limited Depth to bedrock	0.08	Very limited Depth to saturated zone Thin layer Hard to pack	1.00 0.81 0.32	Very limited Deep to water	1.00
139CM: Clareson-----	55	Somewhat limited Depth to bedrock Seepage	0.98 0.00	Somewhat limited Thin layer Content of large stones	0.98 0.53	Very limited Deep to water	1.00
Eram-----	30	Somewhat limited Depth to bedrock	0.17	Very limited Depth to saturated zone Thin layer Hard to pack	1.00 0.91 0.32	Very limited Deep to water	1.00
602CB: Catoosa-----	85	Somewhat limited Depth to bedrock Seepage	0.96 0.70	Somewhat limited Thin layer Piping	0.96 0.28	Very limited Deep to water	1.00
602CM: Clareson-----	60	Somewhat limited Depth to bedrock Slope	0.77 0.00	Somewhat limited Content of large stones Thin layer	0.91 0.77	Very limited Deep to water	1.00
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
602LA: Lanton-----	90	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Piping	1.00 0.35	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
602VC: Verdigris-----	85	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.92	Very limited Deep to water	1.00
1366: Clareson-----	60	Somewhat limited Depth to bedrock Seepage	0.77 0.01	Somewhat limited Content of large stones Thin layer	0.89 0.77	Very limited Deep to water	1.00
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
2326: Kenoma-----	90	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.98	Very limited Slow refill Cutbanks cave	1.00 0.10

WATER MANAGEMENT--Continued
Franklin County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Pond Reservoir Area		Embankments, Dikes, and Levees		Excavated Ponds (Aquifer- fed)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
2540: Leanna-----	85	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Very limited Deep to water	1.00
3494: Summit-----	85	Not limited		Somewhat limited Depth to saturated zone Hard to pack	0.86 0.37	Very limited Slow refill Cutbanks cave Deep to water	1.00 0.10 0.06
3815: Verdigris-----	85	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.41	Very limited Deep to water	1.00
3816: Verdigris-----	90	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.41	Very limited Deep to water	1.00
3951: Woodson-----	85	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.76	Very limited Deep to water	1.00
AED: Arents, Earthen Dam-	100	Not rated		Not rated		Not rated	
Bc: Bates-----	90	Somewhat limited Seepage Depth to bedrock	0.70 0.11	Somewhat limited Piping Thin layer Seepage	1.00 0.85 0.03	Very limited Deep to water	1.00
Bd: Bates-----	50	Somewhat limited Seepage Depth to bedrock	0.70 0.17	Somewhat limited Piping Thin layer	1.00 0.91	Very limited Deep to water	1.00
Collinsville-----	35	Very limited Seepage Depth to bedrock	1.00 1.00	Very limited Thin layer Piping	1.00 1.00	Very limited Deep to water	1.00
Bh: Bates-----	50	Somewhat limited Seepage Depth to bedrock	0.70 0.05	Very limited Piping Thin layer Seepage	1.00 0.74 0.03	Very limited Deep to water	1.00
Collinsville-----	35	Very limited Seepage Depth to bedrock	1.00 1.00	Very limited Thin layer Piping	1.00 1.00	Very limited Deep to water	1.00
Bo: Bolivar-----	65	Somewhat limited Seepage Depth to bedrock	0.70 0.05	Somewhat limited Thin layer Piping	0.74 0.73	Very limited Deep to water	1.00
Hector-----	25	Very limited Seepage Depth to bedrock	1.00 1.00	Very limited Thin layer	1.00	Very limited Deep to water	1.00
Bs: Bolivar-----	50	Somewhat limited Seepage Depth to bedrock	0.70 0.05	Somewhat limited Thin layer Piping	0.74 0.73	Very limited Deep to water	1.00
Hector-----	40	Very limited Seepage Depth to bedrock	1.00 1.00	Very limited Thin layer	1.00	Very limited Deep to water	1.00
Cm: Clareson-----	55	Somewhat limited Depth to bedrock	0.95	Somewhat limited Thin layer Content of large stones	0.95 0.81	Very limited Deep to water	1.00

WATER MANAGEMENT--Continued
Franklin County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Pond Reservoir Area		Embankments, Dikes, and Levees		Excavated Ponds (Aquifer- fed)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Eram-----	30	Somewhat limited Depth to bedrock	0.02	Very limited Depth to saturated zone Thin layer Hard to pack	1.00 0.56 0.32	Very limited Deep to water	1.00
Dc: Dennis-----	90	Not limited		Very limited Depth to saturated zone	1.00	Very limited Deep to water	1.00
Dn: Dennis-----	60	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.24	Very limited Deep to water	1.00
Bates-----	30	Somewhat limited Seepage Depth to bedrock	0.70 0.05	Very limited Piping Thin layer Seepage	1.00 0.74 0.03	Very limited Deep to water	1.00
Do: Dennis, eroded-----	60	Not limited		Very limited Depth to saturated zone	1.00	Very limited Deep to water	1.00
Bates, eroded-----	30	Somewhat limited Seepage Depth to bedrock	0.70 0.05	Somewhat limited Thin layer	0.74	Very limited Deep to water	1.00
Ea: Eram-----	55	Somewhat limited Depth to bedrock	0.02	Very limited Depth to saturated zone Thin layer Hard to pack	1.00 0.56 0.32	Very limited Slow refill Cutbanks cave	1.00 0.10
Lebo-----	35	Somewhat limited Seepage Depth to bedrock	0.70 0.17	Somewhat limited Thin layer	0.91	Very limited Deep to water	1.00
Ec: Eram-----	60	Somewhat limited Depth to bedrock	0.02	Very limited Depth to saturated zone Thin layer Hard to pack	1.00 0.56 0.32	Very limited Slow refill Cutbanks cave	1.00 0.10
Lula-----	25	Somewhat limited Seepage Depth to bedrock	0.70 0.29	Somewhat limited Thin layer Hard to pack	0.29 0.23	Very limited Deep to water	1.00
INT: Aquolls-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Somewhat limited Cutbanks cave	0.10
Ke: Kenoma-----	90	Not limited		Somewhat limited Hard to pack	0.92	Very limited Deep to water	1.00
Le: Leanna, drained-----	90	Not limited		Very limited Depth to saturated zone	1.00	Very limited Deep to water	1.00
Ln: Lebo-----	75	Somewhat limited Seepage Slope Depth to bedrock	0.70 0.50 0.17	Somewhat limited Thin layer	0.91	Very limited Deep to water	1.00
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
Lo: Lula-----	90	Somewhat limited		Somewhat limited		Very limited	

WATER MANAGEMENT--Continued
Franklin County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Pond Reservoir Area		Embankments, Dikes, and Levees		Excavated Ponds (Aquifer- fed)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LU: Lula-----	85	Seepage	0.70	Piping	0.13	Deep to water	1.00
		Depth to bedrock	0.00	Thin layer	0.00		
M-W: Miscellaneous Water-	100	Somewhat limited		Somewhat limited		Very limited	
		Seepage	0.70	Thin layer	0.29	Deep to water	1.00
		Depth to bedrock	0.29	Piping	0.12		
Mb: Mason-----	90	Not rated		Not rated		Not rated	
Oe: Olpe-----	55	Somewhat limited		Somewhat limited		Very limited	
		Seepage	0.05	Piping	0.59	Deep to water	1.00
Kenoma-----	30	Somewhat limited		Not limited		Very limited	
		Seepage	0.05			Deep to water	1.00
Os: Osage-----	85	Not limited		Very limited		Very limited	
				Depth to	1.00	Slow refill	1.00
Ov: Osage-----	90	Not limited		saturated zone	0.98	Cutbanks cave	0.10
				Hard to pack			
Pt: Pits, Quarries-----	100	Not limited		Very limited		Very limited	
				Ponding	1.00	Slow refill	1.00
Sn: Summit-----	100	Not limited		Depth to	1.00	Cutbanks cave	0.10
				saturated zone	0.83		
So: Summit-----	90	Not limited		Hard to pack	0.92	Very limited	
						Slow refill	1.00
Vb: Verdigris-----	85	Not limited		Very limited		Cutbanks cave	0.10
				Depth to	1.00	Deep to water	0.00
Vc: Verdigris-----	88	Somewhat limited		saturated zone	0.38		
		Seepage	0.70	Hard to pack	0.60		
W: Water-----	100	Somewhat limited		Piping	0.50	Very limited	
		Seepage	0.70			Deep to water	1.00
Wb: Welda-----	90	Not rated		Not rated		Not rated	
Wo: Woodson-----	90	Somewhat limited		Not limited		Very limited	
		Seepage	0.70			Deep to water	1.00
		Not limited		Very limited		Very limited	
				Depth to	1.00	Deep to water	1.00
				saturated zone	0.87		
				Hard to pack			

WATER MANAGEMENT--Continued
Franklin County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Pond Reservoir Area		Embankments, Dikes, and Levees		Excavated Ponds (Aquifer- fed)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wt: Woodson-----	100	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.87	Very limited Deep to water	1.00

