

In this section, hydric soils are defined and described and the hydric soils in the survey area are listed. The three essential characteristics of wetlands are hydrophytic vegetation, hydric soils, and wetland hydrology (Cowardin and others, 1979; U.S. Army Corps of Engineers, 1987; National Research Council, 1995; Tiner, 1985). Criteria for each of the characteristics must be met for areas to be identified as wetlands. Undrained hydric soils that have natural vegetation should support a dominant population of ecological wetland plant species. Hydric soils that have been converted to other uses should be capable of being restored to wetlands.

Hydric soils are defined by the National Technical Committee for Hydric Soils (NTCHS) as soils that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the upper part (Federal Register, 1994). These soils are either saturated or inundated long enough during the growing season to support the growth and reproduction of hydrophytic vegetation.

The NTCHS definition identifies general soil properties that are associated with wetness. In order to determine whether a specific soil is a hydric soil or nonhydric soil, however, more specific information, such as information about the depth and duration of the water table, is needed. Thus, criteria that identify those estimated soil properties unique to hydric soils have been established (Federal Register, 1995). These criteria are used to identify a phase of a soil series that normally is associated with wetlands. The criteria used are selected estimated soil properties that are described in "Soil Taxonomy" (USDA, 1999) and "Keys to Soil Taxonomy" (USDA, 1998) and in the "Soil Survey Manual" (USDA, 1993).

If soils are wet enough for a long enough period to be considered hydric, they should exhibit certain properties that can be easily observed in the field. These visible properties are indicators of hydric soils. The indicators used to make onsite determinations of hydric soils in this survey area are specified in "Field Indicators of Hydric Soils in the United States" (Hurt and others, 1996).

Hydric soils are identified by examining and describing the soil to a depth of about 20 inches. This depth may be greater if determination of an appropriate indicator so requires. It is always recommended that soils be excavated and described to the depth necessary for an understanding of the redoximorphic processes. Then, using the completed soil descriptions, soil scientists can compare the soil features required by each indicator and specify which indicators have been matched with the conditions observed in the soil. The soil can be identified as a hydric soil if at least one of the approved indicators is present.

Map units in the Hydric Soil Interpretations table meet the definition of hydric soils and, in addition, have at least one of the hydric soil indicators. This list can help in planning land uses; however, onsite investigation is recommended to determine the hydric soils on a specific site (National Research Council, 1995; Hurt and others, 1996).

Map units that are made up of hydric soils may have small areas, or inclusions, of nonhydric soils in the higher positions on the landform, and map units made up of nonhydric soils may have inclusions of hydric soils in the lower positions on the landform.

These map units, in general, do not meet the definition of hydric soils because they do not have one of the hydric soil indicators. A portion of these map units, however, may include hydric soils. Onsite investigation is recommended to determine whether hydric soils occur and the location of the included hydric soils.

HYDRIC SOIL INTERPRETATIONS
HYDRIC SOILS LIST
Greenwood County, Kansas

PAGE 2 of 6

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States" (USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote to determine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
015CS: CLIME-SOGN COMPLEX, 3 TO 15 PERCENT SLOPES	CLIME	No	ridge	---	---	---	---
	SOGN	No	ridge	---	---	---	---
	DWIGHT	No	divide, hillslope	---	---	---	---
	LABETTE	No	hillslope	---	---	---	---
	MARTIN	No	hillslope	---	---	---	---
015LD: LABETTE-DWIGHT COMPLEX, 1 TO 3 PERCENT SLOPES	ROCK OUTCROP	---	---	---	---	---	---
	LABETTE	No	hillslope	---	---	---	---
	DWIGHT	No	hillslope	---	---	---	---
	IRWIN	No	hillside	---	---	---	---
	LADYSMITH	No	paleoterrace	---	---	---	---
017IN: IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	IRWIN	No	hillslope	---	---	---	---
	DWIGHT	No	hillslope	---	---	---	---
031ER: ERAM-COLLINSVILLE COMPLEX, 4 TO 15 PERCENT SLOPES	ERAM	No	hillslope	---	---	---	---
	COLLINSVILLE	No	hillslope	---	---	---	---
	APPERSON	No	hillslope	---	---	---	---
	BATES	No	hillslope	---	---	---	---
	SUMMIT	No	hillslope	---	---	---	---
031ES: ERAM-SHIDLER SILTY CLAY LOAMS, 4 TO 15 PERCENT SLOPES	ERAM	No	hillslope	---	---	---	---
	SHIDLER	No	rim	---	---	---	---
	OLPE	No	hillslope	---	---	---	---
031SA: SUMMIT SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	SUMMIT	No	hillslope	---	---	---	---
	KENOMA	Unranked	hillslope	---	---	---	---
031VC: VERDIGRIS SILT LOAM, CHANNELED	WAGSTAFF	Unranked	hillslope	---	---	---	---
	VERDIGRIS	No	flood plain	---	---	---	---
	BATES	No	hillside	---	---	---	---
	ERAM	No	hillside	---	---	---	---
	OSAGE	Yes	flood plain	2B3,4	YES	YES	NO
049FM: FLORENCE-MARTIN COMPLEX, 2 TO 12 PERCENT SLOPES	ROCK OUTCROP	No	---	---	---	---	---
	FLORENCE	No	hillslope	---	---	---	---
	MARTIN	No	hillslope	---	---	---	---
	CLIME	No	hillside	---	---	---	---
	DWIGHT	No	hillside	---	---	---	---
049ST: STEEDMAN STONY LOAM, 5 TO 20 PERCENT SLOPES	STEEDMAN	No	hillslope	---	---	---	---
	BATES	No	hillslope	---	---	---	---
	COLLINSVILLE	No	hillslope	---	---	---	---
	ROCK OUTCROP	---	hillslope	---	---	---	---
111BC: BATES-COLLINSVILLE COMPLEX, 3 TO 15 PERCENT SLOPES	BATES	No	hillslope	---	---	---	---
	COLLINSVILLE	No	hillslope	---	---	---	---
111EE: ERAM SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	ERAM	No	hillslope	---	---	---	---
	ERAM	No	hillslope	---	---	---	---
111EF: ERAM AND BATES SOILS, 6 TO 15 PERCENT SLOPES	ERAM	No	hillslope	---	---	---	---
	BATES	No	hillslope	---	---	---	---
111LD: LABETTE-DWIGHT COMPLEX, 0 TO 2 PERCENT SLOPES	LABETTE	No	hillslope	---	---	---	---
	DWIGHT	No	divide, hillslope	---	---	---	---

HYDRIC SOIL INTERPRETATIONS
HYDRIC SOILS LIST
Greenwood County, Kansas

PAGE 3 of 6

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States" (USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote to determine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
1110A: OLPE-KENOMA COMPLEX, 3 TO 15 PERCENT SLOPES	OLPE	No	paleoterrace	---	---	---	---
	KENOMA	No	divide	---	---	---	---
111VA: VINLAND LOAM, 4 TO 10 PERCENT SLOPES	VINLAND	No	hillslope	---	---	---	---
205CA: CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	CATOOSA	No	hillslope	---	---	---	---
	APPERSON	No	hillslope	---	---	---	---
	KENOMA	No	hillslope	---	---	---	---
	SHIDLER	No	rim	---	---	---	---
205EB: ERAM SILT LOAM, 1 TO 3 PERCENT SLOPES	ERAM	No	hillslope	---	---	---	---
	BATES	No	hillslope	---	---	---	---
	RINGO	No	hillslope	---	---	---	---
205EC: ERAM SILT LOAM, 3 TO 7 PERCENT SLOPES	ERAM	No	hillslope	---	---	---	---
	BATES	No	hillslope	---	---	---	---
	RINGO	No	hillslope	---	---	---	---
205ND: NIOTAZE-DARNELL COMPLEX, 4 TO 30 PERCENT SLOPES	NIOTAZE	No	hillslope	---	---	---	---
	DARNELL	No	hillslope	---	---	---	---
	STEPHENVILLE	No	hillslope	---	---	---	---
	ROCK OUTCROP	Unranked	hillslope	---	---	---	---
205SF: STEEDMAN GRAVELLY SILT LOAM, 4 TO 25 PERCENT SLOPES, STONY	STEEDMAN	No	hillslope	---	---	---	---
	BATES	No	hillslope	---	---	---	---
	COLLINSVILLE	No	hillslope	---	---	---	---
205SM: STEPHENVILLE-DARNELL FINE SANDY LOAMS, 2 TO 6 PERCENT SLOPES	STEPHENVILLE	No	hillslope	---	---	---	---
	DARNELL	No	hillslope	---	---	---	---
	NIOTAZE	No	hillslope	---	---	---	---
	PRUE	No	hillslope	---	---	---	---
205ZB: ZAAR SILTY CLAY, 1 TO 4 PERCENT SLOPES	ZAAR	No	hillslope	---	---	---	---
	ERAM	No	hillslope	---	---	---	---
	WOODSON	No	divide	---	---	---	---
207DD: DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	DENNIS	No	hillslope	---	---	---	---
	ERAM	No	hillslope	---	---	---	---
	KENOMA	No	divide	---	---	---	---
207KA: KENOMA SILT LOAM, 1 TO 2 PERCENT SLOPES	KENOMA	No	hillslope	---	---	---	---
	DENNIS	No	hillslope	---	---	---	---
	WOODSON	No	paleoterrace	---	---	---	---
207KO: KENOMA-OLPE COMPLEX, 2 TO 7 PERCENT SLOPES	KENOMA	No	hillslope	---	---	---	---
	OLPE	No	paleoterrace	---	---	---	---
	DENNIS	No	hillslope	---	---	---	---
	ERAM	No	hillslope	---	---	---	---
207VC: VERDIGRIS SOILS, CHANNELED	VERDIGRIS	No	flood plain	---	---	---	---
	HEPLER	No	hillslope	---	---	---	---
	LEANNA	No	flood plain	---	---	---	---
AED: ARENTS, EARTHEN DAM	ARENTS, EARTHEN DAM	Unranked	---	---	---	---	---
At: AQUENTS, FREQUENTLY FLOODED	AQUENTS	No	flood plain	---	---	---	---
Ca: CHASE SILTY CLAY LOAM, OCCASIONALLY FLOODED	CHASE	No	flood plain	---	---	---	---
	IVAN	No	flood plain	---	---	---	---
	READING	No	stream terrace	---	---	---	---
Ce: CLIME STONY SILTY CLAY LOAM, 20 TO 30 PERCENT SLOPES	CLIME	No	hillslope	---	---	---	---

HYDRIC SOIL INTERPRETATIONS
HYDRIC SOILS LIST
Greenwood County, Kansas

PAGE 4 of 6

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States" (USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote to determine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
Cm: CLIME SILTY CLAY, 3 TO 7 PERCENT SLOPES	CLIME	No	hillslope	---	---	---	---
	MARTIN	No	hillslope	---	---	---	---
Cs: CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	CLIME	No	ridge	---	---	---	---
	SOIGN	No	ridge	---	---	---	---
	DWIGHT	No	divide, hillslope	---	---	---	---
	LABETTE	No	hillslope	---	---	---	---
	MARTIN	No	hillslope	---	---	---	---
	ROCK OUTCROP	---	---	---	---	---	---
De: DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	DENNIS	No	hillslope	---	---	---	---
Dn: DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES	DENNIS	No	hillslope	---	---	---	---
Ds: DENNIS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	DENNIS	No	hillslope	---	---	---	---
Dw: DWIGHT SILT LOAM, 0 TO 2 PERCENT SLOPES	DWIGHT	No	divide, hillslope	---	---	---	---
	LABETTE	No	hillslope	---	---	---	---
	ZAAR	No	hillslope	---	---	---	---
Eb: ERAM SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	ERAM	No	hillslope	---	---	---	---
	Unnamed soil	No	hillslope	---	---	---	---
	DWIGHT	No	divide, hillslope	---	---	---	---
Ec: ERAM SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	ERAM	No	hillslope	---	---	---	---
	Unnamed soil	No	hillslope	---	---	---	---
Eh: ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	ERAM	No	hillslope	---	---	---	---
Ft: FLORENCE-LABETTE COMPLEX, 2 TO 12 PERCENT SLOPES	FLORENCE	No	hillslope	---	---	---	---
	LABETTE	No	hillslope	---	---	---	---
	CLIME	No	hillside	---	---	---	---
	DWIGHT	No	divide, hillside	---	---	---	---
IBB: IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	IRWIN	No	hillslope	---	---	---	---
	DWIGHT	No	hillside	---	---	---	---
	LABETTE	No	hillside	---	---	---	---
	LADYSMITH	No	paleoterrace	---	---	---	---
Ic: IVAN SILT LOAM, CHANNELED	IVAN	No	channel, flood plain	---	---	---	---
	CHASE	No	flood plain	---	---	---	---
	DENNIS	No	hillslope	---	---	---	---
	OSAGE	Yes	flood plain	2B3	YES	NO	NO
	MARTIN	No	hillslope	---	---	---	---
If: IVAN SILT LOAM, OCCASIONALLY FLOODED	IVAN	No	flood plain	---	---	---	---
	CHASE	No	flood plain	---	---	---	---
Ka: KENOMA SILT LOAM, 1 TO 4 PERCENT SLOPES	KENOMA	No	hillslope	---	---	---	---
KAA: KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	KENOMA	No	ridge	---	---	---	---
	CATOOSA	No	ridge	---	---	---	---
	DWIGHT	No	hillslope, paleoterrace	---	---	---	---
	OLPE	No	paleoterrace, ridge	---	---	---	---
Ke: KENOMA SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	KENOMA	No	hillslope	---	---	---	---

HYDRIC SOIL INTERPRETATIONS
HYDRIC SOILS LIST
Greenwood County, Kansas

PAGE 5 of 6

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States" (USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote to determine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
La: LABETTE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	LABETTE	No	hillslope	---	---	---	---
	SOGN	No	hillslope	---	---	---	---
LAA: LABETTE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	LABETTE	No	hillslope	---	---	---	---
	DWIGHT	No	hillside	---	---	---	---
	IRWIN	No	hillside	---	---	---	---
Ld: LABETTE-DWIGHT COMPLEX, 0 TO 3 PERCENT SLOPES	LABETTE	No	hillslope	---	---	---	---
	DWIGHT	No	hillslope	---	---	---	---
	ZAAR	No	hillslope	---	---	---	---
Ls: LABETTE-SOGN SILTY CLAY LOAMS, 0 TO 8 PERCENT SLOPES	LABETTE	No	hillslope	---	---	---	---
	SOGN	No	hillslope	---	---	---	---
	CLIME	No	hillside	---	---	---	---
	ROCK OUTCROP	---	---	---	---	---	---
LUU: LULA SILT LOAM, 0 TO 2 PERCENT SLOPES	LULA	No	hillslope	---	---	---	---
	CLARESON	No	hillslope	---	---	---	---
	KENOMA	No	hillslope	---	---	---	---
M-W: MISCELLANEOUS WATER	MISCELLANEOUS WATER	---	---	---	---	---	---
Ma: MARTIN SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	MARTIN	No	hillslope	---	---	---	---
Mb: MARTIN SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	MARTIN	No	hillslope	---	---	---	---
	CLIME	No	hillside	---	---	---	---
Me: MARTIN SILTY CLAY, 3 TO 7 PERCENT SLOPES, ERODED	MARTIN	No	hillslope	---	---	---	---
	CLIME	No	hillslope	---	---	---	---
MSS: MASON SILT LOAM, RARELY FLOODED	MASON	No	stream terrace	---	---	---	---
	OSAGE	Yes	flood plain	2B3	YES	NO	NO
	LANTON	No	flood plain	---	---	---	---
Na: NEWTONIA SILT LOAM, 0 TO 2 PERCENT SLOPES	NEWTONIA	No	hillslope	---	---	---	---
Nd: NIOTAZE-DARNELL COMPLEX, 0 TO 6 PERCENT SLOPES	NIOTAZE	No	hillslope	---	---	---	---
	DARNELL	No	hillslope	---	---	---	---
	ROCK OUTCROP	---	---	---	---	---	---
Nz: NIOTAZE-DARNELL COMPLEX, 6 TO 35 PERCENT SLOPES	NIOTAZE	No	hillslope	---	---	---	---
	DARNELL	No	hillslope	---	---	---	---
	ROCK OUTCROP	---	---	---	---	---	---
Od: OIL WASTE LAND	OIL WASTE LAND	Unranked	---	---	---	---	---
Op: OLPE GRAVELLY SILT LOAM, 4 TO 15 PERCENT SLOPES	OLPE	No	paleoterrace	---	---	---	---
	KENOMA	No	hillslope	---	---	---	---
	LABETTE	No	hillslope	---	---	---	---
Os: OSAGE SILTY CLAY, OCCASIONALLY FLOODED	OSAGE	Yes	flood plain	2B3	YES	NO	NO
	IVAN	No	flood plain	---	---	---	---
Pt: PITS, QUARRIES	Pits, quarries	Unranked	---	---	---	---	---

HYDRIC SOIL INTERPRETATIONS
HYDRIC SOILS LIST
Greenwood County, Kansas

PAGE 6 of 6

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States" (USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote to determine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
Re: READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	READING	No	stream terrace	---	---	---	---
	CHASE READING	No	flood plain stream terrace	---	---	---	---
St: STEEDMAN STONY LOAM, 3 TO 12 PERCENT SLOPES	STEEDMAN	No	hillslope	---	---	---	---
	ROCK OUTCROP DARNELL	---	---	---	---	---	---
W: WATER	WATER (> 40 ACRES)	Unranked	---	---	---	---	---
Wo: WOODSON SILT LOAM, 0 TO 2 PERCENT SLOPES	WOODSON	No	divide	---	---	---	---
	KENOMA SUMMIT	No	divide hillslope	---	---	---	---
Za: ZAAR SILTY CLAY, 0 TO 2 PERCENT SLOPES	ZAAR	No	hillslope	---	---	---	---

FOOTNOTE: There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are defined in the published Soil Survey Report or the USDA-NRCS Technical Guide, Part II. Areas mapped as water or any map unit that contains one of the following conventional symbols is considered a hydric soil map unit: marshes or swamps; wet spots; depressions; streams, lakes and ponds.

1. All Histosols except Folists, or
2. Soils in Aquic suborders, great groups, or subgroups, Albolls suborder, Aquisalids, Pachic subgroups, or Cumulic subgroups that are:
 - a. Somewhat poorly drained with a water table equal to 0.0 foot (ft) from the surface during the growing season, or
 - b. poorly drained or very poorly drained and have either:
 - (1) water table equal to 0.0 ft during the growing season if textures are coarse sand, sand, or fine sand in all layers within 20 inches (in), or for other soils
 - (2) water table at less than or equal to 0.5 ft from the surface during the growing season if permeability is equal to or greater than 6.0 in/hour (h) in all layers within 20 in, or
 - (3) water table at less than or equal to 1.0 ft from the surface during the growing season if permeability is less than 6.0 in/h in any layer within 20 in, or
3. Soils that are frequently ponded for long duration or very long duration during the growing season, or
4. Soils that are frequently flooded for long duration or very long duration during the growing season.

