

ACREAGE AND PROPORTIONATE EXTENT OF THE SOILS

Kingman County, Kansas: Published

Map symbol	Soil name	Acres	Percent
007AE	Albion And Shellabarger Soils, 4 To 15 Percent Slopes-----	656	0.1
007FA	Farnum Fine Sandy Loam, 0 To 1 Percent Slopes-----	7	*
077KA	Kanza Loamy Fine Sand, Frequently Flooded-----	10	*
077KR	Kirkland-Renfrow Clay Loams, 1 To 3 Percent Slopes-----	219	*
077NN	Nashville Silt Loam, 3 To 6 Percent Slopes, Eroded-----	2	*
077PC	Pond Creek Silt Loam, 0 To 1 Percent Slopes-----	3	*
077RC	Renfrow-Vernon Clay Loams, 1 To 3 Percent Slopes-----	82	*
077SB	Shellabarger Fine Sandy Loam, 0 To 1 Percent Slopes-----	47	*
077SE	Shellabarger Fine Sandy Loam, 1 To 3 Percent Slopes-----	1,337	0.2
077SF	Shellabarger Fine Sandy Loam, 3 To 6 Percent Slopes-----	116	*
077SG	Shellabarger Fine Sandy Loam, 3 To 6 Percent Slopes, Eroded-----	25	*
077SH	Stoneburg Fine Sandy Loam, 1 To 3 Percent Slopes-----	59	*
151AO	Albion Sandy Loam, 3 To 7 Percent Slopes, Eroded-----	107	*
151CN	Clark Fine Sandy Loam, 1 To 3 Percent Slopes-----	229	*
151CO	Clark-Ost Clay Loams, 0 To 1 Percent Slopes-----	25	*
151KP	Kanza-Plevna Complex, Frequently Flooded-----	13	*
151ND	Naron Fine Sandy Loam, 0 To 1 Percent Slopes-----	6	*
151NF	Naron Fine Sandy Loam, 1 To 3 Percent Slopes-----	502	*
151OC	Ost Clay Loam, 0 To 1 Percent Slopes-----	50	*
151OS	Ost Clay Loam, 1 To 4 Percent Slopes-----	18	*
151PN	Pratt Loamy Fine Sand, 5 To 10 Percent Slopes-----	7	*
151SE	Shellabarger Fine Sandy Loam, 1 To 4 Percent Slopes-----	25	*
151ZS	Zenda-Drummond Complex, Occasionally Flooded-----	24	*
173MA	Milan Loam, 1 To 3 Percent Slopes-----	136	*
173PB	Plevna Fine Sandy Loam, Frequently Flooded-----	35	*
173RA	Renfrow Silty Clay Loam, 1 To 3 Percent Slopes-----	1,857	0.3
173RC	Renfrow-Wellsford Clay Loams, 1 To 4 Percent Slopes-----	3	*
173TA	Tabler Silty Clay Loam, 0 To 1 Percent Slopes-----	20	*
191RA	Renfrow-Grainola Complex, 1 To 3 Percent Slopes-----	23	*
990	Abbyville Loam, 0 To 1 Percent Slopes-----	18	*
991	Abbyville-Kisiwa Complex, 0 To 2 Percent Slopes, Flooded-----	161	*
1004	Albion Sandy Loam, 0 To 1 Percent Slopes-----	205	*
1005	Albion Sandy Loam, 1 To 3 Percent Slopes-----	732	0.1
1006	Albion Sandy Loam, 3 To 7 Percent Slopes, Eroded-----	564	0.1
1011	Albion-Shellabarger Sandy Loams, 1 To 3 Percent Slopes-----	263	*
1017	Albion And Shellabarger Sandy Loams, 7 To 15 Percent Slopes-----	232	*
1061	Arents, Earthen Dam-----	29	*
1359	Clark-Ost Loams, 3 To 7 Percent Slopes-----	89	*
1555	Dillhut-Plev Complex, 0 To 2 Percent Slopes-----	179	*
1728	Funmar And Farnum Loams, 3 To 6 Percent Slopes-----	338	*
2205	Jamash-Piedmont Clay Loams, 1 To 3 Percent Slopes-----	275	*
2381	Kanza-Ninnescah Sandy Loams, 0 To 2 Percent Slopes, Commonly Flooded-----	582	0.1
2390	Kaskan Loam, 0 To 1 Percent, Rarely Flooded-----	51	*
2556	Langdon Fine Sand, 0 To 15 Percent Slopes-----	30	*
2812	Mahone Loamy Fine Sand, 0 To 2 Percent Slopes, Rarely Flooded-----	25	*
2948	Nalim Loam, 0 To 1 Percent Slopes-----	3,444	0.6
3051	Ost Loam, 0 To 1 Percent Slopes-----	16	*
3052	Ost-Clark Loams, 1 To 3 Percent Slopes-----	388	*
3170	Penalosa Silt Loam, 0 To 1 Percent Slopes-----	4	*
3171	Penalosa Silt Loam, 1 To 3 Percent Slopes-----	5	*
3180	Pratt Fine Sand, 5 To 10 Percent Slopes-----	16	*
3181	Pratt-Turon Fine Sand, 1 To 5 Percent Slopes-----	219	*
3445	Shellabarger Sandy Loam, 3 To 7 Percent Slopes-----	1,059	0.2
3510	Saltcreek-Funmar-Farnum Complex, 1 To 3 Percent Slopes-----	250	*
3530	Shellabarger, Eroded And Albion Soils, 7 To 15 Percent Slopes-----	199	*
3531	Shellabarger And Nalim Soils, 3 To 7 Percent Slopes-----	36	*
3532	Shellabarger Loamy Sand, 0 To 3 Percent Slopes-----	65	*
3533	Shellabarger Sandy Loam, 0 To 1 Percent Slopes-----	105	*
3534	Shellabarger Sandy Loam, 1 To 3 Percent Slopes-----	15,817	2.9
3535	Shellabarger-Nalim Complex, 1 To 3 Percent Slopes-----	6,008	1.1
3926	Water-----	791	0.1
3966	Willowbrook Fine Sandy Loam, 0 To 1 Percent Slopes, Occasionally Flooded-----	36	*
4005	Yaggy-Saxman Complex, 0 To 2 Percent Slopes, Occasionally Flooded-----	364	*
4110	Zellmont And Poxmash Sandy Loams, 0 To 3 Percent Slopes-----	75	*
Aa	Albion Sandy Loam, 0 To 1 Percent Slopes-----	904	0.2
Ab	Albion Sandy Loam, 1 To 3 Percent Slopes-----	14,090	2.5
Ac	Albion Sandy Loam, 3 To 6 Percent Slopes-----	11,279	2.0
Ad	Albion Sandy Loam, 6 To 15 Percent Slopes-----	58,412	10.5
AED	Arents, Earthen Dam-----	13	*
Ba	Blanket Silt Loam, 0 To 1 Percent Slopes-----	6,890	1.2
Bb	Blanket Silt Loam, 1 To 3 Percent Slopes-----	9,401	1.7
Bc	Blanket Silty Clay Loam, 1 To 4 Percent Slopes, Eroded-----	1,059	0.2
Ca	Canadian Fine Sandy Loam, Rarely Flooded-----	4,339	0.8
Cb	Carwile Fine Sandy Loam, 0 To 1 Percent Slopes-----	6,228	1.1
Cc	Case-Clark Clay Loams, 2 To 6 Percent Slopes-----	7,918	1.4
Cd	Case-Clark Clay Loams, 6 To 15 Percent Slopes-----	3,384	0.6
Ce	Clark Clay Loam, 0 To 1 Percent Slopes-----	1,375	0.2
Cf	Clark Clay Loam, 1 To 4 Percent Slopes-----	14,600	2.6
Da	Dillwyn-Plevna Complex, Occasionally Flooded-----	29,207	5.3
Fa	Farnum Sandy Loam, 0 To 2 Percent Slopes-----	22,738	4.1
Fb	Farnum Loam, 0 To 1 Percent Slopes-----	15,998	2.9
Fc	Farnum Loam, 1 To 3 Percent Slopes-----	59,330	10.7
Fd	Farnum Loam, 3 To 6 Percent Slopes-----	3,729	0.7
Fe	Farnum Clay Loam, 2 To 6 Percent Slopes, Eroded-----	6,321	1.1
Ff	Farnum-Natrustolls Complex, 0 To 1 Percent Slopes-----	3,518	0.6
Ka	Kaski Loam, Occasionally Flooded-----	13,320	2.4
Kb	Kingman Silty Clay Loam, Occasionally Flooded-----	578	0.1
La	Lincoln Loamy Sand, Occasionally Flooded-----	10,819	2.0
Ma	McLain Silt Loam, Rarely Flooded-----	2,071	0.4
Na	Nashville Silt Loam, 1 To 3 Percent Slopes-----	9,202	1.7
Nb	Nashville-Quinlan Complex, 5 To 15 Percent Slopes-----	15,392	2.8
Oa	Wellsford Clay Loam, 1 To 4 Percent Slopes-----	4,800	0.9

ACREAGE AND PROPORTIONATE EXTENT OF THE SOILS--Continued

Kingman County, Kansas: Published

Map symbol	Soil name	Acres	Percent
Pa	Pond Creek Silt Loam, 1 To 3 Percent Slopes-----	4,268	0.8
Pb	Pratt Loamy Fine Sand, 1 To 5 Percent Slopes-----	8,057	1.5
Pc	Pratt-Carwile Complex, 0 To 5 Percent Slopes-----	3,985	0.7
Pd	Pratt-Tivoli Loamy Fine Sands, 5 To 15 Percent Slopes-----	4,466	0.8
Qa	Quinlan Loam, 1 To 3 Percent Slopes-----	5,552	1.0
Qb	Quinlan Loam, 3 To 5 Percent Slopes-----	7,117	1.3
Ra	Renfrow Clay Loam, 1 To 3 Percent Slopes-----	16,798	3.0
Rb	Ruella Clay Loam, 1 To 4 Percent Slopes-----	1,378	0.2
Rc	Ruella-Rock Outcrop Complex, 3 To 40 Percent Slopes-----	2,074	0.4
Sa	Shellabarger Loamy Sand, 0 To 3 Percent Slopes-----	2,975	0.5
Sb	Shellabarger Sandy Loam, 1 To 3 Percent Slopes-----	72,958	13.2
Sc	Shellabarger Sandy Loam, 3 To 6 Percent Slopes-----	19,034	3.4
Sd	Shellabarger Sandy Loam, 3 To 6 Percent Slopes, Eroded-----	7,440	1.3
Ta	Tivoli Fine Sand, 15 To 30 Percent Slopes-----	1,245	0.2
W	Water-----	3,933	0.7
Wa	Waldeck Fine Sandy Loam, Occasionally Flooded-----	12,340	2.2
Za	Zenda Clay Loam, Occasionally Flooded-----	6,192	1.1
	Total-----	555,040	100.0

* Less than 0.1 percent.

