

In this section, hydric soils are defined and described and the hydric soils in the survey area are listed. The three essential characteristics of wetlands are hydrophytic vegetation, hydric soils, and wetland hydrology (Cowardin and others, 1979; U.S. Army Corps of Engineers, 1987; National Research Council, 1995; Tiner, 1985). Criteria for each of the characteristics must be met for areas to be identified as wetlands. Undrained hydric soils that have natural vegetation should support a dominant population of ecological wetland plant species. Hydric soils that have been converted to other uses should be capable of being restored to wetlands.

Hydric soils are defined by the National Technical Committee for Hydric Soils (NTCHS) as soils that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the upper part (Federal Register, 1994). These soils are either saturated or inundated long enough during the growing season to support the growth and reproduction of hydrophytic vegetation.

The NTCHS definition identifies general soil properties that are associated with wetness. In order to determine whether a specific soil is a hydric soil or nonhydric soil, however, more specific information, such as information about the depth and duration of the water table, is needed. Thus, criteria that identify those estimated soil properties unique to hydric soils have been established (Federal Register, 1995). These criteria are used to identify a phase of a soil series that normally is associated with wetlands. The criteria used are selected estimated soil properties that are described in "Soil Taxonomy" (USDA, 1999) and "Keys to Soil Taxonomy" (USDA, 1998) and in the "Soil Survey Manual" (USDA, 1993).

If soils are wet enough for a long enough period to be considered hydric, they should exhibit certain properties that can be easily observed in the field. These visible properties are indicators of hydric soils. The indicators used to make onsite determinations of hydric soils in this survey area are specified in "Field Indicators of Hydric Soils in the United States" (Hurt and others, 1996).

Hydric soils are identified by examining and describing the soil to a depth of about 20 inches. This depth may be greater if determination of an appropriate indicator so requires. It is always recommended that soils be excavated and described to the depth necessary for an understanding of the redoximorphic processes. Then, using the completed soil descriptions, soil scientists can compare the soil features required by each indicator and specify which indicators have been matched with the conditions observed in the soil. The soil can be identified as a hydric soil if at least one of the approved indicators is present.

Map units in the Hydric Soil Interpretations table meet the definition of hydric soils and, in addition, have at least one of the hydric soil indicators. This list can help in planning land uses; however, onsite investigation is recommended to determine the hydric soils on a specific site (National Research Council, 1995; Hurt and others, 1996).

Map units that are made up of hydric soils may have small areas, or inclusions, of nonhydric soils in the higher positions on the landform, and map units made up of nonhydric soils may have inclusions of hydric soils in the lower positions on the landform.

These map units, in general, do not meet the definition of hydric soils because they do not have one of the hydric soil indicators. A portion of these map units, however, may include hydric soils. Onsite investigation is recommended to determine whether hydric soils occur and the location of the included hydric soils.

HYDRIC SOIL INTERPRETATIONS
HYDRIC SOILS LIST
Montgomery County, Kansas

PAGE 2 of 5

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States" (USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote to determine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
019DE: DENNIS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	DENNIS	No	hillslope	---	---	---	---
	DWIGHT	No	hillslope	---	---	---	---
019EC: ERAM-COLLINSVILLE COMPLEX, 1 TO 7 PERCENT SLOPES	ERAM	No	hillslope	---	---	---	---
	COLLINSVILLE BATES	No No	hillslope hillslope	---	---	---	---
019ST: STEEDMAN STONY CLAY LOAM, 8 TO 20 PERCENT SLOPES	STEEDMAN	No	hillslope	---	---	---	---
099EO: ERAM-LEBO SILTY CLAY LOAMS, 4 TO 20 PERCENT SLOPES	ERAM	No	hillslope	---	---	---	---
	LEBO COLLINSVILLE ZAAR	No No No	hillslope --- ---	---	---	---	---
099VC: VERDIGRIS SILT LOAM, FREQUENTLY FLOODED	VERDIGRIS	No	flood plain	---	---	---	---
	ZAAR ERAM	No No	hillslope hillslope	---	---	---	---
205BH: BATES-COLLINSVILLE LOAMS, 3 TO 7 PERCENT SLOPES	BATES	No	ridge	---	---	---	---
	COLLINSVILLE DENNIS ERAM	No No No	hillslope hillslope hillslope	---	---	---	---
205BO: BATES-COLLINSVILLE LOAMS, 7 TO 20 PERCENT SLOPES	BATES	No	ridge	---	---	---	---
	COLLINSVILLE DENNIS ERAM	No No No	hillslope hillslope hillslope	---	---	---	---
205EB: ERAM SILT LOAM, 1 TO 3 PERCENT SLOPES	ERAM	No	hillslope	---	---	---	---
	BATES RINGO	No No	ridge hillslope	---	---	---	---
205RN: RINGO SILTY CLAY LOAM, 15 TO 35 PERCENT SLOPES	RINGO	No	hillslope	---	---	---	---
	ERAM SHIDLER	No No	hillslope ridge	---	---	---	---
205RS: RINGO-SHIDLER SILTY CLAY LOAMS, 3 TO 15 PERCENT SLOPES	RINGO	No	hillslope	---	---	---	---
	SHIDLER CATOOSA	No No	ridge ridge	---	---	---	---
205SC: SHIDLER-CATOOSA COMPLEX, 1 TO 8 PERCENT SLOPES	SHIDLER	No	ridge	---	---	---	---
	CATOOSA RINGO APPERSON GIRARD	No No No Yes	ridge hillslope hillslope flood plain	---	---	---	---
AED: ARENTS, EARTHEN DAM	ARENTS, EARTHEN DAM	Unranked	---	2B3	YES	NO	NO
Ba: BATES LOAM, 1 TO 3 PERCENT SLOPES	BATES	No	ridge	---	---	---	---
	COLLINSVILLE DENNIS ERAM	No No No	--- hillslope ---	---	---	---	---
Bb: BATES LOAM, 3 TO 6 PERCENT SLOPES	BATES	No	ridge	---	---	---	---
	COLLINSVILLE DENNIS ERAM	No No No	--- hillslope ---	---	---	---	---

HYDRIC SOIL INTERPRETATIONS
HYDRIC SOILS LIST
Montgomery County, Kansas

PAGE 3 of 5

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States" (USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote to determine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
Bc: BATES LOAM, 2 TO 6 PERCENT SLOPES, ERODED	BATES	No	hillslope	---	---	---	---
	COLLINSVILLE ERAM	No No	--- ---	--- ---	--- ---	--- ---	--- ---
Bf: BATES-COLLINSVILLE COMPLEX, 1 TO 4 PERCENT SLOPES	BATES	No	ridge	---	---	---	---
	COLLINSVILLE ERAM	No No	ridge ridge	--- ---	--- ---	--- ---	--- ---
Bg: BATES-COLLINSVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	TALIHINA	No	ridge	---	---	---	---
	BATES	No	ridge	---	---	---	---
Bu: BATES-URBAN LAND COMPLEX, 2 TO 6 PERCENT SLOPES	COLLINSVILLE DENNIS ERAM	No No No	ridge hillslope hillslope	--- --- ---	--- --- ---	--- --- ---	--- --- ---
	TALIHINA	No	hillslope	---	---	---	---
Ca: CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	BATES	No	hillslope	---	---	---	---
	URBAN LAND COLLINSVILLE DENNIS ERAM	Unranked No No No	--- --- hillslope ---	--- --- --- ---	--- --- --- ---	--- --- --- ---	--- --- --- ---
Db: DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	CATOOSA	No	ridge	---	---	---	---
	KENOMA	No	divide, terrace	---	---	---	---
Dc: DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES	SHIDLER ZAAR	No No	rim ---	--- ---	--- ---	--- ---	--- ---
	DENNIS	No	hillslope	---	---	---	---
Eb: ERAM SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	BATES ERAM	No No	hillslope ---	--- ---	--- ---	--- ---	--- ---
	ERAM	No	hillslope	---	---	---	---
Ec: ERAM SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	BATES TALIHINA	No No	hillslope ---	--- ---	--- ---	--- ---	--- ---
	ERAM	No	ridge	---	---	---	---
Ef: ERAM SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	BATES TALIHINA	No No	hillslope ---	--- ---	--- ---	--- ---	--- ---
	ERAM	No	hillslope	---	---	---	---
Et: ERAM-TALIHINA SILTY CLAY LOAMS, 6 TO 20 PERCENT SLOPES	BATES COLLINSVILLE DENNIS	No No No	ridge hillslope ridge	--- --- ---	--- --- ---	--- --- ---	--- --- ---
	ERAM	No	hillslope	---	---	---	---
Eu: ERAM-URBAN LAND COMPLEX, 2 TO 6 PERCENT SLOPES	TALIHINA	No	hillslope	---	---	---	---
	URBAN LAND BATES DENNIS TALIHINA	Unranked No No No	--- hillslope hillslope ---	--- --- --- ---	--- --- --- ---	--- --- --- ---	--- --- --- ---
INT: AQUOLLS	AQUOLLS	Yes	depression, terrace	3, 2B3	YES	NO	YES

HYDRIC SOIL INTERPRETATIONS
HYDRIC SOILS LIST
Montgomery County, Kansas

PAGE 4 of 5

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States" (USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote to determine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
Ka: KENOMA SILT LOAM, 0 TO 2 PERCENT SLOPES	KENOMA	No	paleoterrace	---	---	---	---
	CATOOSA ZAAR	No No	ridge ---	---	---	---	---
KE: KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	KENOMA	No	ridge	---	---	---	---
	CATOOSA DWIGHT	No No	ridge hillslope, paleoterrace	---	---	---	---
	OLPE	No	paleoterrace, ridge	---	---	---	---
La: LANTON SILTY CLAY LOAM, OCCASIONALLY FLOODED	LANTON	No	flood plain	---	---	---	---
	OSAGE	Yes	flood plain	2B3	YES	NO	NO
LN: LANTON SILT LOAM, OCCASIONALLY FLOODED	LANTON	No	flood plain	---	---	---	---
	OSAGE	Yes	flood plain	2B3	YES	NO	NO
M-W: MISCELLANEOUS WATER	MISCELLANEOUS WATER	Unranked	---	---	---	---	---
Ma: MASON SILT LOAM, RARELY FLOODED	MASON	No	flood plain	---	---	---	---
	OSAGE	Yes	flood plain	2B3	YES	NO	NO
Nd: NIOTAZE-DARNELL COMPLEX, 8 TO 20 PERCENT SLOPES	NIOTAZE	No	hillslope	---	---	---	---
	DARNELL DENNIS	No No	hillslope hillslope	---	---	---	---
	ROCK OUTCROP	Unranked	hillslope	---	---	---	---
Oa: OIL WASTE LAND	OIL WASTE LAND	Unranked	hillslope	---	---	---	---
Od: OLPE-DENNIS COMPLEX, 2 TO 6 PERCENT SLOPES	OLPE	No	paleoterrace	---	---	---	---
	DENNIS BATES	No No	hillslope hillslope	---	---	---	---
	ROCK OUTCROP	Unranked	hillslope	---	---	---	---
Or: ORTHENTS, CLAYEY	ORTHENTS	No	flood plain, hillslope	---	---	---	---
Os: OSAGE SILTY CLAY, OCCASIONALLY FLOODED	OSAGE	Yes	flood plain	2B3	YES	NO	NO
	LANTON VERDIGRIS	No No	flood plain flood plain	---	---	---	---
Pa: PARSONS SILT LOAM, 0 TO 1 PERCENT SLOPES	PARSONS	No	paleoterrace	---	---	---	---
	ZAAR	No	---	---	---	---	---
Qu: PITS, QUARRIES	Pits, quarries	Unranked	---	---	---	---	---
Sc: SHIDLER-CATOOSA SILT LOAMS, 1 TO 4 PERCENT SLOPES	SHIDLER	No	rim	---	---	---	---
	CATOOSA ROCK OUTCROP	No Unranked	ridge hillslope	---	---	---	---
	TALIHINA	No	---	---	---	---	---
Sd: STEPHENVILLE-DARNELL FINE SANDY LOAMS, 1 TO 5 PERCENT SLOPES	STEPHENVILLE	No	ridge	---	---	---	---
	DARNELL DENNIS	No No	ridge hillslope	---	---	---	---
	NIOTAZE	No	---	---	---	---	---
Ts: TALIHINA-SHALE OUTCROP COMPLEX, 10 TO 50 PERCENT SLOPES	TALIHINA	No	ridge	---	---	---	---
	SHALE OUTCROP	Unranked	---	---	---	---	---
	COLLINSVILLE	No	---	---	---	---	---
	ERAM	No	---	---	---	---	---
	SHIDLER	No	rim	---	---	---	---

HYDRIC SOIL INTERPRETATIONS
HYDRIC SOILS LIST
Montgomery County, Kansas

PAGE 5 of 5

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States" (USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote to determine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
Vb: VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED	VERDIGRIS	No	flood plain	---	---	---	---
Vc: VERDIGRIS SILT LOAM, CHANNELED	OSAGE	Yes	flood plain	2B3	YES	NO	NO
	VERDIGRIS	No	flood plain	---	---	---	---
	OSAGE	Yes	flood plain	2B3	YES	NO	NO
W: WATER	WATER	Yes	---	4,3	NO	YES	YES
Wo: WOODSON SILT LOAM, 0 TO 1 PERCENT SLOPES	WOODSON	No	paleoterrace	---	---	---	---
Za: ZAAR SILTY CLAY, 0 TO 1 PERCENT SLOPES	ZAAR	No	hillslope	---	---	---	---
	ZAAR	No	hillslope	---	---	---	---
	VERDIGRIS	No	flood plain	---	---	---	---
	WOODSON	No	divide, terrace	---	---	---	---
Zb: ZAAR SILTY CLAY, 1 TO 4 PERCENT SLOPES	ZAAR	No	hillslope	---	---	---	---
	CATOOSA	No	ridge	---	---	---	---
	SHIDLER	No	---	---	---	---	---
	VERDIGRIS	No	flood plain	---	---	---	---
	WOODSON	No	divide, terrace	---	---	---	---

FOOTNOTE: There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are defined in the published Soil Survey Report or the USDA-NRCS Technical Guide, Part II. Areas mapped as water or any map unit that contains one of the following conventional symbols is considered a hydric soil map unit: marshes or swamps; wet spots; depressions; streams, lakes and ponds.

1. All Histosols except Folists, or
2. Soils in Aquic suborders, great groups, or subgroups, Albolls suborder, Aquisalids, Pachic subgroups, or Cumulic subgroups that are:
 - a. Somewhat poorly drained with a water table equal to 0.0 foot (ft) from the surface during the growing season, or
 - b. poorly drained or very poorly drained and have either:
 - (1) water table equal to 0.0 ft during the growing season if textures are coarse sand, sand, or fine sand in all layers within 20 inches (in),
or for other soils
 - (2) water table at less than or equal to 0.5 ft from the surface during the growing season if permeability is equal to or greater than 6.0 in/hour (h) in all layers within 20 in, or
 - (3) water table at less than or equal to 1.0 ft from the surface during the growing season if permeability is less than 6.0 in/h in any layer within 20 in, or
3. Soils that are frequently ponded for long duration or very long duration during the growing season, or
4. Soils that are frequently flooded for long duration or very long duration during the growing season.

