

WATER MANAGEMENT
Riley County, Kansas

The soils of the survey area are rated in the Water Management table according to limitations that affect their suitability for water management. Soils are rated for pond reservoir areas, drainage, irrigation, terraces and diversions, and grassed waterways. Restrictive features that affect each soil for the specified use is also provided in the table.

The ratings in the table are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect the specified use. Not limited indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. Slightly limited indicates that the soil has features that are favorable for the specified use. The limitations are minor and can be easily overcome. Good performance and low maintenance can be expected. Moderately limited indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. Limited indicates that the soil has one or more features that are significant limitations for the specified use. The limitations can be overcome, but generally require special design, soil reclamation, or installation procedures that may result in additional expense. Fair performance and moderate to high maintenance can be expected. Very limited indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Limitation class terms, such as very limited or limited, etc., limitation ratings, and numerical ratings are shown for each soil feature listed. As many as three soil features may be listed for each soil component if applicable. The overall limitation rating for the soil component is based on the most severe limitation.

Pond reservoir areas hold water behind a dam or embankment. Soils best suited to this use have low seepage potential in the upper 60 inches. The seepage potential is determined by the permeability of the soil and the depth to fractured bedrock or other permeable material. Excessive slope can affect the storage capacity of the reservoir area.

Embankments, dikes, and levees are raised structures of soil material, generally less than 20 feet high, constructed to impound water or to protect land against overflow. In this table, the soils are rated as a source of material for embankment fill. The ratings apply to the soil material below the surface layer to a depth of about 5 feet. It is assumed that soil layers will be uniformly mixed and compacted during construction.

The ratings do not indicate the ability of the natural soil to support an embankment. Soil properties to a depth even greater than the height of the embankment can affect performance and safety of the embankment. Generally, deeper onsite investigation is needed to determine these properties.

Soil material in embankments must be resistant to seepage, piping, and erosion and have favorable compaction characteristics. Unfavorable features include less than 5 feet of suitable material and a high content of stones or boulders, organic matter, or salts or sodium. A high water table affects the amount of usable material. It also affects traffic ability.

Aquifer-fed excavated ponds are pits or dugouts that extend to a ground-water aquifer or to a depth below a permanent water table. Excluded are ponds that are fed only by surface runoff and embankment ponds that impound water 3 feet or more above the original surface. Excavated ponds are affected by depth to a permanent water table, permeability of the aquifer, and quality of the water as inferred from the salinity of the soil. Depth to bedrock and the content of large stones affect the ease of excavation.

Drainage is the removal of excess surface and subsurface water from the soil. How easily and effectively the soil is drained depends on the depth to bedrock, to a cemented pan, or to other layers that affect the rate of water movement; permeability; depth to a high water table or depth of standing water if the soil is subject to ponding; slope; susceptibility to flooding; subsidence of organic layers; and the potential for frost action. Excavating and grading and the stability of ditch banks are affected by depth to bedrock or to a cemented pan, large stones, slope, and the hazard of cutbanks caving. The productivity of the soil after drainage is adversely affected by extreme acidity or by toxic substances in the root zone, such as salts, sodium, and sulfur. Availability of drainage outlets is not considered in the ratings.

Irrigation is the controlled application of water to supplement rainfall and support plant growth. The design and management of an irrigation system are affected by depth to the water table, the need for drainage, flooding, available water capacity, intake rate, permeability, erosion hazard, and slope. The construction of a system is affected by large stones and depth to bedrock or to a cemented pan. The performance of a system is affected by the depth of the root zone, the amount of salts or sodium, and soil reaction.

Terraces and diversions are embankments or a combination of channels and ridges constructed across a slope to control erosion and conserve moisture by intercepting runoff. Slope, wetness, large stones, and depth to bedrock or to a cemented pan affect the construction of terraces and diversions. A restricted rooting depth, a very limited hazard of wind erosion or water erosion, an excessively coarse texture, and restricted permeability adversely affect maintenance.

Grassed waterways are natural or constructed channels, generally broad and shallow, which conduct surface water to outlets at a non-erosive velocity. Large stones, wetness, slope, and depth to bedrock or to a cemented pan affect the construction of grassed waterways. A hazard of wind erosion, low available water capacity, restricted rooting depth, toxic substances such as salts and sodium, and restricted permeability adversely affect the growth and maintenance of the grass after construction.

WATER MANAGEMENT--Continued
Riley County, Kansas

(The information in this report indicates the dominant soil condition but does not eliminate the need for onsite investigation)

Map symbol and soil name	Features affecting--			
	Drainage	Irrigation	Terraces and diversions	Grassed waterways
027CS: Crete-----	Limitation: deep to water	Limitation: erodes easily percs slowly	Limitation: erodes easily	Limitation: erodes easily percs slowly
027CX: Crete-----	Limitation: deep to water	Limitation: erodes easily percs slowly slope	Limitation: erodes easily	Limitation: erodes easily percs slowly
027HN: Hobbs-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
027KS: Kipson-----	Limitation: deep to water	Limitation: slope thin layer	Limitation: area reclaim large stones slope	Limitation: area reclaim large stones slope
Sogn-----	Limitation: deep to water	Limitation: slope thin layer	Limitation: area reclaim slope depth to rock	Limitation: area reclaim slope depth to rock
061BE: Benfield-----	Limitation: deep to water	Limitation: percs slowly slope thin layer	Limitation: area reclaim erodes easily slope	Limitation: area reclaim erodes easily slope
Florence-----	Limitation: deep to water	Limitation: large stones slope droughty	Limitation: large stones slope	Limitation: large stones slope droughty
061CF: Clime-----	Limitation: deep to water	Limitation: percs slowly slope thin layer	Limitation: area reclaim erodes easily slope	Limitation: area reclaim erodes easily slope
Sogn-----	Limitation: deep to water	Limitation: slope thin layer	Limitation: area reclaim slope depth to rock	Limitation: area reclaim slope depth to rock
061CR: Crete-----	Limitation: deep to water	Limitation: erodes easily percs slowly	Limitation: erodes easily	Limitation: erodes easily percs slowly
061CS: Crete-----	Limitation: deep to water	Limitation: erodes easily percs slowly	Limitation: erodes easily	Limitation: erodes easily percs slowly
061EU: Eudora-----	Limitation: deep to water	Limitation: flooding	Limitation: erodes easily	Limitation: erodes easily
061HE: Haynie-----	Limitation: deep to water	Favorable	Limitation: erodes easily	Limitation: erodes easily
061KA: Kahola-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
061KB: Kahola-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
061RE: Reading-----	Limitation: deep to water	Favorable	Limitation: erodes easily	Limitation: erodes easily
061TO: Tully-----	Limitation: deep to water	Limitation: erodes easily percs slowly slope	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
117PA: Pawnee-----	Limitation: frost action percs slowly	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly	Limitation: erodes easily
117PB: Pawnee-----	Limitation: frost action percs slowly slope	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly	Limitation: erodes easily
149HS: Haynie-----	Limitation: deep to water	Limitation: erodes easily soil blowing	Limitation: erodes easily soil blowing	Limitation: erodes easily
Sarpy-----	Limitation: deep to water	Limitation: fast intake droughty	Limitation: too sandy soil blowing	Limitation: droughty

WATER MANAGEMENT--Continued
Riley County, Kansas

(The information in this report indicates the dominant soil condition but does not eliminate the need for onsite investigation)

Map symbol and soil name	Features affecting--			
	Drainage	Irrigation	Terraces and diversions	Grassed waterways
149PS: Paxico-----	Limitation: flooding frost action	Limitation: erodes easily wetness	Limitation: erodes easily wetness	Limitation: erodes easily
149SF: Sarpy-----	Limitation: deep to water	Limitation: fast intake droughty	Limitation: too sandy soil blowing	Limitation: droughty
197CM: Clime-----	Limitation: deep to water	Limitation: percs slowly slope thin layer	Limitation: area reclaim erodes easily	Limitation: area reclaim erodes easily
197FL: Florence-----	Limitation: deep to water	Limitation: percs slowly slope thin layer	Limitation: area reclaim erodes easily depth to rock	Limitation: erodes easily depth to rock
Labette-----	Limitation: deep to water	Limitation: large stones slope droughty	Limitation: large stones slope	Limitation: large stones slope droughty
197IB: Irwin-----	Limitation: deep to water	Limitation: percs slowly	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
197ID: Irwin-----	Limitation: deep to water	Limitation: percs slowly slope	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
197IV: Ivan-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
197IX: Ivan-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
197PN: Pawnee-----	Limitation: frost action percs slowly slope	Limitation: percs slowly slope wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness
197WE: Wamego-----	Limitation: deep to water	Limitation: percs slowly slope depth to rock	Limitation: erodes easily percs slowly depth to rock	Limitation: erodes easily percs slowly depth to rock
201CS: Crete-----	Limitation: deep to water	Limitation: erodes easily percs slowly	Limitation: erodes easily	Limitation: erodes easily percs slowly
201CX: Crete, eroded---	Limitation: deep to water	Limitation: erodes easily percs slowly slope	Limitation: erodes easily	Limitation: erodes easily percs slowly
201KS: Kipson-----	Limitation: deep to water	Limitation: large stones slope thin layer	Limitation: area reclaim large stones slope	Limitation: area reclaim large stones slope
Sogn-----	Limitation: deep to water	Limitation: slope thin layer	Limitation: area reclaim slope depth to rock	Limitation: area reclaim slope depth to rock
201LC: Lancaster-----	Limitation: deep to water	Limitation: slope depth to rock	Limitation: depth to rock	Limitation: depth to rock
Ad: Ivan-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
AED: Arents, Earthen Dam-----	---	---	---	---
BE: Benfield-----	Limitation: deep to water	Limitation: percs slowly slope thin layer	Limitation: area reclaim erodes easily	Limitation: area reclaim erodes easily
Bf: Benfield-----	Limitation: deep to water	Limitation: percs slowly slope thin layer	Limitation: area reclaim erodes easily slope	Limitation: area reclaim erodes easily slope

WATER MANAGEMENT--Continued
Riley County, Kansas

(The information in this report indicates the dominant soil condition but does not eliminate the need for onsite investigation)

Map symbol and soil name	Features affecting--			
	Drainage	Irrigation	Terraces and diversions	Grassed waterways
Florence-----	Limitation: deep to water	Limitation: large stones slope droughty	Limitation: large stones slope	Limitation: large stones slope droughty
Bk: Wymore-----	Limitation: frost action percs slowly slope	Limitation: percs slowly slope wetness	Limitation: erodes easily slope wetness	Limitation: erodes easily slope wetness
Kennebec-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
BOP: Borrow Pits-----	---	---	---	---
Ca: Carr-----	Limitation: deep to water	Limitation: flooding soil blowing	Limitation: soil blowing	Favorable
Sarpy-----	Limitation: deep to water	Limitation: fast intake droughty	Limitation: too sandy soil blowing	Limitation: droughty
Ch: Chase-----	Limitation: frost action percs slowly	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly
Cs: Clime-----	Limitation: deep to water	Limitation: percs slowly slope thin layer	Limitation: area reclaim erodes easily slope	Limitation: area reclaim erodes easily slope
Sogn-----	Limitation: deep to water	Limitation: slope thin layer	Limitation: area reclaim depth to rock	Limitation: area reclaim depth to rock
CT: Crete-----	Limitation: deep to water	Limitation: erodes easily percs slowly slope	Limitation: erodes easily	Limitation: erodes easily percs slowly
Dr: Dwight-----	Limitation: deep to water	Limitation: erodes easily excess sodium percs slowly	Limitation: erodes easily percs slowly	Limitation: erodes easily excess sodium percs slowly
Irwin-----	Limitation: deep to water	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
Dw: Dwight-----	Limitation: deep to water	Limitation: erodes easily excess sodium percs slowly	Limitation: erodes easily percs slowly	Limitation: erodes easily excess sodium percs slowly
Irwin-----	Limitation: deep to water	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
Em: Elmont-----	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
En: Elmont-----	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
Clime-----	Limitation: deep to water	Limitation: percs slowly slope thin layer	Limitation: area reclaim erodes easily slope	Limitation: area reclaim erodes easily slope
Eu: Eudora-----	Limitation: deep to water	Limitation: flooding	Limitation: erodes easily	Limitation: erodes easily
Ga: Geary-----	Limitation: deep to water	Favorable	Limitation: erodes easily	Limitation: erodes easily
Ge: Geary-----	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
Ha: Haynie-----	Limitation: deep to water	Limitation: erodes easily soil blowing	Limitation: erodes easily soil blowing	Limitation: erodes easily
HO: Hobbs-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
Ic: Irwin-----	Limitation: deep to water	Limitation: erodes easily percs slowly slope	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly

WATER MANAGEMENT--Continued
Riley County, Kansas

(The information in this report indicates the dominant soil condition but does not eliminate the need for onsite investigation)

Map symbol and soil name	Features affecting--			
	Drainage	Irrigation	Terraces and diversions	Grassed waterways
Id: Irwin, eroded---	Limitation: deep to water	Limitation: erodes easily percs slowly slope	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
Ie: Ivan-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
Iv: Ivan-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
Kennebec-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
Ka: Kahola-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
Ke: Kenesaw-----	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
Kf: Kenesaw-----	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
KN: Kennebec-----	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
M-W: Miscellaneous Water-----	---	---	---	---
Ma: Mayberry-----	Limitation: frost action percs slowly slope	Limitation: percs slowly wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness
Mb: Mayberry-----	Limitation: frost action percs slowly slope	Limitation: percs slowly slope wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
Mu: Muir-----	Limitation: deep to water	Favorable	Favorable	Favorable
QUA: Quarries-----	---	---	---	---
Rd: Reading-----	Limitation: deep to water	Favorable	Limitation: erodes easily	Limitation: erodes easily
Re: Reading-----	Limitation: deep to water	Favorable	Limitation: erodes easily	Limitation: erodes easily
Sa: Sarpy-----	Limitation: deep to water	Limitation: fast intake droughty	Limitation: too sandy soil blowing	Limitation: droughty
Sm: Smolan-----	Limitation: deep to water	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
Sn: Smolan-----	Limitation: deep to water	Limitation: erodes easily percs slowly slope	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
So: Smolan, eroded--	Limitation: deep to water	Limitation: erodes easily percs slowly slope	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
St: Clime-----	Limitation: deep to water	---	Limitation: percs slowly slope depth to rock	---
Su: Sutphen-----	Limitation: deep to water	Limitation: flooding percs slowly slow intake	Limitation: percs slowly	Limitation: percs slowly
Ts: Tully-----	Limitation: deep to water	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
Tt: Tully, eroded---	Limitation: deep to water	Limitation: percs slowly	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly

WATER MANAGEMENT--Continued
Riley County, Kansas

(The information in this report indicates the dominant soil condition but does not eliminate the need for onsite investigation)

Map symbol and soil name	Features affecting--			
	Drainage	Irrigation	Terraces and diversions	Grassed waterways
Tu: Tully-----	Limitation: deep to water	Limitation: percs slowly slope	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
Tv: Tully, eroded--	Limitation: deep to water	Limitation: percs slowly slope	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
W: Water-----	---	---	---	---
Wm: Wymore-----	Limitation: frost action percs slowly	Limitation: percs slowly wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
Wn: Wymore-----	Limitation: frost action percs slowly	Limitation: percs slowly wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
Wo: Wymore, eroded--	Limitation: frost action percs slowly	Limitation: percs slowly wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
Wr: Wymore-----	Limitation: frost action percs slowly slope	Limitation: percs slowly slope wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
Ws: Wymore, eroded--	Limitation: frost action percs slowly slope	Limitation: percs slowly slope wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness

WATER MANAGEMENT--Continued
Riley County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Pond Reservoir Area		Embankments, Dikes, and Levees		Excavated Ponds (Aquifer- fed)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
027CS: Crete-----	90	Somewhat limited Seepage	0.05	Somewhat limited Hard to pack	0.76	Very limited Deep to water	1.00
027CX: Crete-----	83	Somewhat limited Seepage	0.57	Not limited		Very limited Deep to water	1.00
027HN: Hobbs-----	90	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.84	Very limited Deep to water	1.00
027KS: Kipson-----	70	Very limited Seepage Depth to bedrock Slope	1.00 0.53 0.01	Very limited Thin layer Piping	1.00 0.32	Very limited Deep to water	1.00
Sogn-----	15	Very limited Seepage Depth to bedrock Slope	1.00 1.00 0.01	Very limited Thin layer Piping	1.00 0.58	Very limited Deep to water	1.00
061BE: Benfield-----	42	Somewhat limited Slope Depth to bedrock	0.08 0.02	Somewhat limited Hard to pack Thin layer	0.60 0.56	Very limited Deep to water	1.00
Florence-----	28	Somewhat limited Seepage Depth to bedrock	0.05 0.01	Somewhat limited Thin layer	0.01	Very limited Deep to water	1.00
061CF: Clime-----	60	Somewhat limited Depth to bedrock Slope	0.11 0.01	Somewhat limited Thin layer Hard to pack	0.86 0.39	Very limited Deep to water	1.00
Sogn-----	20	Very limited Seepage Depth to bedrock	1.00 1.00	Very limited Thin layer	1.00	Very limited Deep to water	1.00
061CR: Crete-----	90	Somewhat limited Seepage	0.05	Somewhat limited Hard to pack	0.75	Very limited Deep to water	1.00
061CS: Crete-----	90	Somewhat limited Seepage	0.05	Somewhat limited Hard to pack	0.76	Very limited Deep to water	1.00
061EU: Eudora-----	85	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.07	Very limited Deep to water	1.00
061HE: Haynie-----	55	Somewhat limited Seepage	0.70	Very limited Piping Seepage	1.00 0.04	Very limited Deep to water	1.00
061KA: Kahola-----	75	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.61	Very limited Deep to water	1.00
061KB: Kahola-----	75	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.61	Very limited Deep to water	1.00
061RE: Reading-----	85	Somewhat limited Seepage	0.05	Somewhat limited Piping	0.01	Very limited Deep to water	1.00
061TO: Tully-----	85	Somewhat limited Seepage	0.05	Not limited		Very limited Deep to water	1.00
117PA: Pawnee-----	88	Not limited		Very limited Depth to saturated zone	1.00	Very limited Deep to water	1.00

WATER MANAGEMENT--Continued
Riley County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Pond Reservoir Area		Embankments, Dikes, and Levees		Excavated Ponds (Aquifer- fed)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
117PB: Pawnee-----	88	Not limited		Hard to pack	0.62		
				Very limited Depth to saturated zone	1.00	Very limited Deep to water	1.00
				Hard to pack	0.62		
149HS: Haynie-----	60	Somewhat limited Seepage	0.70	Very limited Piping Seepage	1.00 0.03	Very limited Deep to water	1.00
Sarpy-----	25	Very limited Seepage	1.00	Somewhat limited Seepage	0.50	Very limited Deep to water	1.00
149PS: Paxico-----	90	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone Seepage	1.00 0.95 0.22	Very limited Cutbanks cave Deep to water	1.00 0.02
149SF: Sarpy-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.50	Very limited Deep to water	1.00
197CM: Clime-----	85	Somewhat limited Depth to bedrock	0.08	Somewhat limited Thin layer Hard to pack	0.81 0.24	Very limited Deep to water	1.00
197FL: Florence-----	40	Somewhat limited Seepage Depth to bedrock	0.05 0.01	Somewhat limited Thin layer	0.01	Very limited Deep to water	1.00
Labette-----	30	Somewhat limited Depth to bedrock	0.69	Somewhat limited Thin layer Hard to pack	0.70 0.28	Very limited Deep to water	1.00
197IB: Irwin-----	80	Not limited		Somewhat limited Hard to pack	0.19	Very limited Deep to water	1.00
197ID: Irwin-----	85	Not limited		Somewhat limited Hard to pack	0.51	Very limited Deep to water	1.00
197IV: Ivan-----	90	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.56	Very limited Deep to water	1.00
197IX: Ivan-----	80	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.05	Very limited Deep to water	1.00
197PN: Pawnee-----	85	Not limited		Very limited Depth to saturated zone	1.00	Very limited Deep to water	1.00
197WE: Wamego-----	90	Somewhat limited Depth to bedrock	0.26	Somewhat limited Thin layer	0.96	Very limited Deep to water	1.00
201CS: Crete-----	95	Somewhat limited Seepage	0.05	Somewhat limited Hard to pack	0.81	Very limited Deep to water	1.00
201CX: Crete, eroded-----	90	Somewhat limited Seepage	0.57	Not limited		Very limited Deep to water	1.00
201KS: Kipson-----	70	Very limited Seepage Depth to bedrock Slope	1.00 0.53 0.08	Very limited Thin layer Piping	1.00 0.23	Very limited Deep to water	1.00

WATER MANAGEMENT--Continued
Riley County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Pond Reservoir Area		Embankments, Dikes, and Levees		Excavated Ponds (Aquifer- fed)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sogn-----	15	Very limited Seepage Depth to bedrock	1.00 1.00	Very limited Thin layer Piping	1.00 0.50	Very limited Deep to water	1.00
201LC: Lancaster-----	85	Somewhat limited Seepage Depth to bedrock	0.70 0.13	Somewhat limited Thin layer Piping	0.88 0.36	Very limited Deep to water	1.00
Ad: Ivan-----	99	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.18	Very limited Deep to water	1.00
AED: Arents, Earthen Dam-	100	Not rated		Not rated		Not rated	
BE: Benfield-----	89	Somewhat limited Depth to bedrock	0.08	Somewhat limited Thin layer Hard to pack	0.81 0.12	Very limited Deep to water	1.00
Bf: Benfield-----	45	Somewhat limited Depth to bedrock Slope	0.04 0.01	Somewhat limited Thin layer Hard to pack	0.70 0.12	Very limited Deep to water	1.00
Florence-----	30	Somewhat limited Depth to bedrock Seepage	0.86 0.05	Somewhat limited Thin layer	0.86	Very limited Deep to water	1.00
Bk: Wymore-----	60	Somewhat limited Seepage Slope	0.05 0.02	Very limited Depth to saturated zone Hard to pack	1.00 0.51	Very limited Deep to water	1.00
Kennebec-----	45	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.99	Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.30 0.10
BOP: Borrow Pits-----	100	Not rated		Not rated		Not rated	
Ca: Carr-----	45	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.08	Very limited Deep to water	1.00
Sarpy-----	40	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
Ch: Chase-----	84	Not limited		Somewhat limited Hard to pack Depth to saturated zone	0.82 0.43	Very limited Deep to water	1.00
Cs: Clime-----	50	Somewhat limited Depth to bedrock Slope	0.11 0.01	Somewhat limited Thin layer Hard to pack	0.86 0.43	Very limited Deep to water	1.00
Sogn-----	30	Very limited Seepage Depth to bedrock	1.00 1.00	Very limited Thin layer	1.00	Very limited Deep to water	1.00
CT: Crete-----	83	Somewhat limited Seepage	0.05	Somewhat limited Hard to pack	0.78	Very limited Deep to water	1.00
Dr: Dwight-----	45	Somewhat limited Depth to bedrock	0.10	Somewhat limited Hard to pack Thin layer	0.92 0.11	Very limited Deep to water	1.00

WATER MANAGEMENT--Continued
Riley County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Pond Reservoir Area		Embankments, Dikes, and Levees		Excavated Ponds (Aquifer- fed)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Irwin-----	40	Somewhat limited Depth to bedrock	0.00	Somewhat limited Hard to pack Thin layer	0.97 0.11	Very limited Deep to water	1.00
Dw: Dwight-----	45	Somewhat limited Depth to bedrock	0.10	Somewhat limited Hard to pack Thin layer	0.92 0.11	Very limited Deep to water	1.00
Irwin-----	40	Somewhat limited Depth to bedrock	0.00	Somewhat limited Hard to pack Thin layer	0.98 0.11	Very limited Deep to water	1.00
Em: Elmont-----	74	Somewhat limited Seepage Depth to bedrock	0.05 0.00	Somewhat limited Thin layer Piping	0.11 0.03	Very limited Deep to water	1.00
En: Elmont-----	35	Somewhat limited Seepage Depth to bedrock	0.05 0.00	Somewhat limited Thin layer Piping	0.11 0.03	Very limited Deep to water	1.00
Clime-----	30	Somewhat limited Depth to bedrock	0.11	Somewhat limited Thin layer	0.85	Very limited Deep to water	1.00
Eu: Eudora-----	88	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.07	Very limited Deep to water	1.00
Ga: Geary-----	90	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.08	Very limited Deep to water	1.00
Ge: Geary-----	100	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.08	Very limited Deep to water	1.00
Ha: Haynie-----	90	Somewhat limited Seepage	0.70	Very limited Piping Seepage	1.00 0.07	Very limited Deep to water	1.00
HO: Hobbs-----	89	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.83	Very limited Deep to water	1.00
Ic: Irwin-----	85	Somewhat limited Depth to bedrock	0.00	Somewhat limited Hard to pack Thin layer	0.95 0.02	Very limited Deep to water	1.00
Id: Irwin, eroded-----	85	Somewhat limited Depth to bedrock	0.00	Somewhat limited Hard to pack Thin layer	0.95 0.02	Very limited Deep to water	1.00
Ie: Ivan-----	88	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.32	Very limited Deep to water	1.00
Iv: Ivan-----	45	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.32	Very limited Deep to water	1.00
Kennebec-----	45	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.99	Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.30 0.10
Ka: Kahola-----	85	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.68	Very limited Deep to water	1.00
Ke: Kenesaw-----	90	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00

WATER MANAGEMENT--Continued
Riley County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Pond Reservoir Area		Embankments, Dikes, and Levees		Excavated Ponds (Aquifer- fed)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Kf: Kenesaw-----	85	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
KN: Kennebec-----	95	Somewhat limited Seepage	0.70	Somewhat limited Piping Depth to saturated zone	0.71 0.09	Somewhat limited Deep to water Slow refill Cutbanks cave	0.54 0.30 0.10
M-W: Miscellaneous Water-	100	Not rated		Not rated		Not rated	
Ma: Mayberry-----	95	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.83	Very limited Deep to water	1.00
Mb: Mayberry-----	95	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.82	Very limited Deep to water	1.00
Mu: Muir-----	84	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.58	Very limited Deep to water	1.00
QUA: Quarries-----	100	Not rated		Not rated		Not rated	
Rd: Reading-----	90	Somewhat limited Seepage	0.57	Somewhat limited Piping	0.04	Very limited Deep to water	1.00
Re: Reading-----	90	Somewhat limited Seepage	0.57	Somewhat limited Piping	0.04	Very limited Deep to water	1.00
Sa: Sarpy-----	98	Very limited Seepage	1.00	Somewhat limited Seepage	0.43	Very limited Deep to water	1.00
Sm: Smolan-----	90	Somewhat limited Seepage	0.05	Somewhat limited Hard to pack	0.56	Very limited Deep to water	1.00
Sn: Smolan-----	75	Somewhat limited Seepage	0.05	Somewhat limited Hard to pack	0.56	Very limited Deep to water	1.00
So: Smolan, eroded-----	80	Somewhat limited Seepage	0.05	Somewhat limited Hard to pack	0.71	Very limited Deep to water	1.00
St: Clime-----	75	Somewhat limited Slope Depth to bedrock	0.50 0.06	Somewhat limited Thin layer Hard to pack	0.77 0.43	Very limited Deep to water	1.00
Su: Sutphen-----	100	Not limited		Somewhat limited Hard to pack	0.99	Very limited Deep to water	1.00
Ts: Tully-----	85	Somewhat limited Seepage	0.05	Not limited		Very limited Deep to water	1.00
Tt: Tully, eroded-----	85	Not limited		Somewhat limited Hard to pack	0.50	Very limited Deep to water	1.00
Tu: Tully-----	85	Not limited		Somewhat limited		Very limited	

WATER MANAGEMENT--Continued
Riley County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Pond Reservoir Area		Embankments, Dikes, and Levees		Excavated Ponds (Aquifer- fed)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Tv: Tully, eroded-----	85	Not limited		Hard to pack Somewhat limited Hard to pack	0.50 0.50	Deep to water Very limited Deep to water	1.00 1.00
W: Water-----	100	Not rated		Not rated		Not rated	
Wm: Wymore-----	100	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.51	Very limited Deep to water	1.00
Wn: Wymore-----	90	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.51	Very limited Deep to water	1.00
Wo: Wymore, eroded-----	90	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.61	Very limited Deep to water	1.00
Wr: Wymore-----	90	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.51	Very limited Deep to water	1.00
Ws: Wymore, eroded-----	90	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.63	Very limited Deep to water	1.00

