

Prime farmland is one of several kinds of important farmland defined by the U.S. Department of Agriculture. It is of major importance in meeting the Nation's short- and long-range needs for food and fiber. Because the supply of high-quality farmland is limited, the U.S. Department of Agriculture recognizes that responsible levels of government, as well as individuals, should encourage and facilitate the wise use of our Nation's prime farmland.

Prime farmland, as defined by the U.S. Department of Agriculture, is land that has the best combination of physical and chemical characteristics for producing food, feed, forage, fiber, and oilseed crops and is available for these uses. It could be cultivated land, pastureland, forestland, or other land, but it is not urban or built-up land or water areas. The soil qualities, growing season, and moisture supply are those needed for the soil to economically produce sustained high yields of crops when proper management, including water management, and acceptable farming methods are applied. In general, prime farmland has an adequate and dependable supply of moisture from precipitation or irrigation, a favorable temperature and growing season, acceptable acidity or alkalinity, an acceptable salt and sodium content, and few or no rocks. It is permeable to water and air. It is not excessively erodible or saturated with water for long periods, and it either is not frequently flooded during the growing season or is protected from flooding. Slope ranges mainly from 0 to 6 percent. More detailed information about the criteria for prime farmland is available at the local office of the Natural Resources Conservation Service.

A recent trend in land use in some parts of the survey area has been the loss of some prime farmland to industrial and urban uses. The loss of prime farmland to other uses puts pressure on marginal lands, which generally are more erodible, droughty, and less productive and cannot be easily cultivated.

The map units in the survey area that are considered prime farmland are listed in the following table. This list does not constitute a recommendation for a particular land use. On some soils included in the list, measures that overcome a hazard or limitation, such as flooding, wetness, and droughtiness, are needed. Onsite evaluation is needed to determine whether or not the hazard or limitation has been overcome by corrective measures. The extent of each listed map unit is shown in the "Acres and Proportionate Extent of Soils" table. The location is shown on the detailed soil maps. The soil qualities that affect use and management are described in other tables in this document."

Map symbol	Mapunit name	Farmland Classification
029AR	Armo silt loam, 2 to 7 percent slopes	All areas are prime farmland
029CT	Crete silt loam, 3 to 6 percent slopes	All areas are prime farmland
029GE	Geary silt loam, 3 to 7 percent slopes	All areas are prime farmland
029LN	Longford silt loam, 3 to 7 percent slopes	All areas are prime farmland
029TO	Tobin silt loam, occasionally flooded	All areas are prime farmland
089AR	Armo loam, 3 to 7 percent slopes	All areas are prime farmland
089HB	Harney silt loam, 1 to 3 percent slopes	All areas are prime farmland
089HC	Harney silt loam, 3 to 7 percent slopes	All areas are prime farmland
089HU	Hord silt loam, rarely flooded	All areas are prime farmland
089MC	Mccook silt loam, rarely flooded	All areas are prime farmland
089NC	New cambria silty clay, rarely flooded	All areas are prime farmland
089RC	Roxbury silt loam, occasionally flooded	All areas are prime farmland
201CS	Crete silty clay loam, 1 to 3 percent slopes	All areas are prime farmland
201LC	Lancaster loam, 3 to 7 percent slopes	All areas are prime farmland
201WE	Wells loam, 3 to 7 percent slopes	All areas are prime farmland
Bu	Butler silt loam, 0 to 1 percent slopes	All areas are prime farmland
Ca	Cozad-cass soils, occasionally flooded	All areas are prime farmland
Ce	Crete silt loam, 0 to 1 percent slopes	All areas are prime farmland
Cf	Crete silt loam, 1 to 3 percent slopes	All areas are prime farmland
Ch	Crete silty clay loam, 3 to 7 percent slopes	All areas are prime farmland
Dt	Detroit silty clay loam, rarely flooded	All areas are prime farmland
Ed	Eudora loam, 0 to 2 percent slopes, rarely flooded	All areas are prime farmland
Gc	Geary silt loam, 3 to 7 percent slopes	All areas are prime farmland
Ha	Hastings silt loam, 0 to 1 percent slopes	All areas are prime farmland
Hb	Hastings silt loam, 1 to 3 percent slopes	All areas are prime farmland
Hc	Hastings silt loam, 3 to 7 percent slopes	All areas are prime farmland
Hf	Hastings-ortello fine sandy loams, 1 to 4 percent slopes, eroded	All areas are prime farmland
Ho	Hastings-ortello fine sandy loams, 4 to 8 percent slopes, eroded	All areas are prime farmland
Hp	Hastings-hobbs complex, 0 to 8 percent slopes	All areas are prime farmland
Hs	Hobbs silt loam, occasionally flooded	All areas are prime farmland
Ht	Humbarger clay loam, occasionally flooded	All areas are prime farmland
Hu	Humbarger loam, occasionally flooded	All areas are prime farmland
La	Wells loam, 4 to 8 percent slopes	All areas are prime farmland
Mr	Muir silt loam, 0 to 1 percent slopes	All areas are prime farmland
Mu	Muir silt loam, 3 to 7 percent slopes, eroded	All areas are prime farmland
089GN	Gibbon silty clay loam, occasionally flooded	Prime farmland if drained

