

Prime farmland is one of several kinds of important farmland defined by the U.S. Department of Agriculture. It is of major importance in meeting the Nation's short- and long-range needs for food and fiber. Because the supply of high-quality farmland is limited, the U.S. Department of Agriculture recognizes that responsible levels of government, as well as individuals, should encourage and facilitate the wise use of our Nation's prime farmland.

Prime farmland, as defined by the U.S. Department of Agriculture, is land that has the best combination of physical and chemical characteristics for producing food, feed, forage, fiber, and oilseed crops and is available for these uses. It could be cultivated land, pastureland, forestland, or other land, but it is not urban or built-up land or water areas. The soil qualities, growing season, and moisture supply are those needed for the soil to economically produce sustained high yields of crops when proper management, including water management, and acceptable farming methods are applied. In general, prime farmland has an adequate and dependable supply of moisture from precipitation or irrigation, a favorable temperature and growing season, acceptable acidity or alkalinity, an acceptable salt and sodium content, and few or no rocks. It is permeable to water and air. It is not excessively erodible or saturated with water for long periods, and it either is not frequently flooded during the growing season or is protected from flooding. Slope ranges mainly from 0 to 6 percent. More detailed information about the criteria for prime farmland is available at the local office of the Natural Resources Conservation Service.

A recent trend in land use in some parts of the survey area has been the loss of some prime farmland to industrial and urban uses. The loss of prime farmland to other uses puts pressure on marginal lands, which generally are more erodible, droughty, and less productive and cannot be easily cultivated.

The map units in the survey area that are considered prime farmland are listed in the following table. This list does not constitute a recommendation for a particular land use. On some soils included in the list, measures that overcome a hazard or limitation, such as flooding, wetness, and droughtiness, are needed. Onsite evaluation is needed to determine whether or not the hazard or limitation has been overcome by corrective measures. The extent of each listed map unit is shown in the "Acres and Proportionate Extent of Soils" table. The location is shown on the detailed soil maps. The soil qualities that affect use and management are described in other tables in this document."

| Map symbol | Mapunit name | Farmland Classification |
|------------|--|------------------------------|
| 015LS | Ladysmith silty clay loam, 0 to 2 percent slopes | All areas are prime farmland |
| 079CR | Crete silt loam, 0 to 1 percent slopes | All areas are prime farmland |
| 079CT | Crete silt loam, 1 to 3 percent slopes | All areas are prime farmland |
| 079DE | Detroit silty clay loam, rarely flooded | All areas are prime farmland |
| 079FA | Farnum fine sandy loam, 0 to 1 percent slopes | All areas are prime farmland |
| 079FE | Farnum loam, 3 to 6 percent slopes | All areas are prime farmland |
| 079GD | Geary silt loam, 1 to 3 percent slopes | All areas are prime farmland |
| 079KA | Kaski loam, occasionally flooded | All areas are prime farmland |
| 079LA | Ladysmith silty clay loam, 0 to 1 percent slopes | All areas are prime farmland |
| 079LB | Ladysmith silty clay loam, 1 to 2 percent slopes | All areas are prime farmland |
| 079SM | Smolan silty clay loam, 1 to 3 percent slopes | All areas are prime farmland |
| 095WA | Waldeck fine sandy loam, occasionally flooded | All areas are prime farmland |
| 191BA | Bethany silt loam, 0 to 1 percent slopes | All areas are prime farmland |
| 191BB | Bethany silt loam, 1 to 3 percent slopes | All areas are prime farmland |
| 191DR | Dale and reinach silt loams, rarely flooded | All areas are prime farmland |
| 191EA | Elandco silty clay loam, rarely flooded | All areas are prime farmland |
| 191LO | Lesho clay loam, occasionally flooded | All areas are prime farmland |
| 1011 | Albion-shellabarger sandy loams, 1 to 3 percent slopes | All areas are prime farmland |
| 1070 | Avans loam, 0 to 1 percent slopes | All areas are prime farmland |
| 1071 | Avans loam, 1 to 3 percent slopes | All areas are prime farmland |
| 1072 | Avans loam, 3 to 7 percent slopes | All areas are prime farmland |
| 2587 | Imano clay loam, 0 to 1 percent slopes, occasionally flooded | All areas are prime farmland |
| 2948 | Nalim loam, 0 to 1 percent slopes | All areas are prime farmland |
| 3052 | Ost-clark loams, 1 to 3 percent slopes | All areas are prime farmland |
| 3170 | Penalosa silt loam, 0 to 1 percent slopes | All areas are prime farmland |
| 3171 | Penalosa silt loam, 1 to 3 percent slopes | All areas are prime farmland |
| 3535 | Shellabarger-nalim complex, 1 to 3 percent slopes | All areas are prime farmland |
| 3639 | Taver loam, 0 to 1 percent slopes | All areas are prime farmland |
| Ba | Blanket silt loam, 0 to 1 percent slopes | All areas are prime farmland |
| Bb | Blanket silt loam, 1 to 3 percent slopes | All areas are prime farmland |
| BBR | Brewer silty clay loam, rarely flooded | All areas are prime farmland |
| Ca | Canadian fine sandy loam, rarely flooded | All areas are prime farmland |
| Cb | Canadian-waldeck fine sandy loams, rarely flooded | All areas are prime farmland |
| Cd | Clark-ost clay loams, 1 to 4 percent slopes | All areas are prime farmland |
| Ea | Elandco silt loam, rarely flooded | All areas are prime farmland |
| Eb | Elandco silt loam, occasionally flooded | All areas are prime farmland |
| Fa | Farnum loam, 0 to 1 percent slopes | All areas are prime farmland |
| Fb | Farnum loam, 1 to 3 percent slopes | All areas are prime farmland |
| Fc | Farnum loam, sandy substratum, 0 to 1 percent slopes | All areas are prime farmland |
| Ga | Goessel silty clay, 0 to 1 percent slopes | All areas are prime farmland |
| Gb | Goessel silty clay, 1 to 2 percent slopes | All areas are prime farmland |
| Ia | Irwin silty clay loam, 1 to 3 percent slopes | All areas are prime farmland |
| Ib | Irwin silty clay loam, 3 to 6 percent slopes | All areas are prime farmland |
| KAA | Kaski loam, occasionally flooded | All areas are prime farmland |
| La | Lesho loam, occasionally flooded | All areas are prime farmland |
| Ma | Milan loam, 1 to 3 percent slopes | All areas are prime farmland |
| Mb | Milan loam, 3 to 6 percent slopes | All areas are prime farmland |
| Mc | Milan clay loam, 2 to 6 percent slopes, eroded | All areas are prime farmland |
| Na | Naron fine sandy loam, 0 to 2 percent slopes | All areas are prime farmland |
| Ra | Renfrow silty clay loam, 1 to 3 percent slopes | All areas are prime farmland |
| Rb | Renfrow silty clay loam, 3 to 6 percent slopes | All areas are prime farmland |
| Sa | Shellabarger sandy loam, 1 to 3 percent slopes | All areas are prime farmland |
| Sb | Shellabarger sandy loam, 3 to 6 percent slopes | All areas are prime farmland |
| Sc | Shellabarger sandy loam, 3 to 6 percent slopes, eroded | All areas are prime farmland |
| Ta | Tabler silty clay loam, 0 to 1 percent slopes | All areas are prime farmland |
| Va | Vanoss silt loam, 0 to 1 percent slopes | All areas are prime farmland |
| Vb | Vanoss silt loam, 1 to 3 percent slopes | All areas are prime farmland |
| Vc | Vanoss silt loam, 3 to 6 percent slopes | All areas are prime farmland |
| Vd | Vanoss silt loam, 3 to 6 percent slopes, eroded | All areas are prime farmland |
| Wa | Waldeck sandy loam, occasionally flooded | All areas are prime farmland |
| Wb | Waurika silt loam, 0 to 1 percent slopes | All areas are prime farmland |
| Aa | Albion-shellabarger sandy loams, 1 to 4 percent slopes | Prime farmland if irrigated |

