

CONSERVATION TREE AND SHRUB MANAGEMENT  
Shawnee County, Kansas

A Conservation Tree/Shrub Suitability Group (CTSG), formerly Windbreak Suitability Group, is a physiographic unit or area having similar climatic and edaphic characteristics that control the selection and height growth of trees and shrubs.

In this table, the Conservation Tree and Shrub Grouping is expressed as a group index number. The group index for Conservation Tree and Shrub groups (CTSG) are a guide for species best suited for different kinds of soil and for prediction height, growth, and effectiveness. The groupings can be used when selection woody plants for windbreaks, wildlife plantings riparian buffers, reforestation, other environmental plantings, recreation, landscaping, wetland restoration or enhancement and critical area plantings. CTSG's are developed to assure satisfactory species selection and adaptation to specific conditions of soil, climate and physiography. CTSG's are a guide for selection species best suited for different kinds of soil and prediction height growth and effectiveness.

All soil series mapped in the state have been placed in 10 groups of similar soil characteristics. Groups 1, 2, 3, 4, 6, and 9 are further divided into subgroups. In addition, all groups provide information by Major Land Resource Areas.

Each tree or shrub species has certain climatic and physiographic limits. Within these parameters a tree or shrub may be well or poorly suited because of soil characteristics. Each tree or shrub also has definable potentials of height growth depending on the factors just mentioned. Accurate definitions of potential heights are necessary for proper windbreak planning and design.

Windbreaks protect livestock, buildings, roads and yards from wind and snow. They also protect fruit trees and gardens, and they furnish habitat for wildlife. Several rows of low-growing and high-growing broadleaf and coniferous trees and shrubs provide the most protection.

Field windbreaks are narrow plantings made at right angles to the prevailing wind and at specific intervals across the field. The interval depends on the erodibility of the soil. Field windbreaks protect cropland and crops from wind, help to keep snow on the fields, and provide food and cover for wildlife.

Environmental plantings help to beautify and screen houses and other buildings and to abate noise. The plants, mostly evergreen shrubs and trees, are closely spaced. To ensure plant survival, a healthy planting stock of suitable species should be planted properly on a well prepared site and maintained in good condition.

Windbreaks are often planted on land that did not grow trees originally. Knowledge of how trees perform on such land can be gained only by observing and recording their performance where trees have been planted and survived. The problem is compounded by the fact that many favorite windbreak species are not indigenous to the areas in which they are planted.

The Kansas Field Office Technical Guide Notice KS-230, Conservation Tree and Shrub Plantings Suitability Groups shows the adapted species listing for each group index number. Showing the height that locally grown trees and shrubs are expected to reach in 20 years on various soils. The estimates are based on measurements and observation of established plantings that have been given adequate care. This information should be used to determine the placement of a windbreak, the area protected and the arrangement of species.

A number of attributes are included in the CTSG species tables for each group number found in this section of the Field Office Technical Guide. These attributes were rated subjectively and assigned a relative value to further assist those unfamiliar with individual species characteristics or desirability for the intended use. Definitions and explanations can be found. Additional information on planning windbreaks and screens and planting and caring for trees and shrubs can be obtained from the local office of the Natural Resources Conservation Service or of the Cooperative Extension Service or from a commercial nursery. See part 537 of the National Forestry Manual for additional information.

In the Tree and Shrub Management table interpretive ratings are given for various aspects of forest and conservation tree and shrub management. Some rating class terms indicate the degree to which the soils are suited to a specified forest management practice. Well suited indicates that the soil has features that are favorable for the specified practice and has no limitations. Good performance can be expected, and little or no maintenance is needed. Moderately well suited indicates that the soil has features that are moderately favorable for the specified practice. One or more soil properties are less than desirable and fair performance can be expected. Some maintenance is needed. Poorly suited indicates that the soil has one or more properties that are unfavorable for the specified practice. Overcoming the unfavorable properties requires special design, extra maintenance, and costly alteration. Unsited indicates that the expected performance of the soil is unacceptable for the specified practice or that extreme measures are needed to overcome the undesirable soil properties.

The paragraphs that follow indicate the soil properties considered in rating the soils for forest and conservation tree and shrub management practices. More detailed information about the criteria used in the ratings is available in the "National Forestry Manual," which is available in local offices of the Natural Resources Conservation Service or on the Internet. Also, in the Kansas Field Office Technical Guide Notice KS-230, Conservation Tree and Shrub Plantings Suitability Groups.

Ratings in the columns suitability for hand planting and suitability for mechanical planting are based on slope, depth to a restrictive layer, content of sand, plasticity index, rock fragments on or below the surface, depth to a water table, and ponding. The soils are described as well suited, moderately well suited, poorly suited, or unsited to these methods of planting. It is assumed that necessary site preparation is completed before seedlings are planted.

Ratings in the column suitability for mechanical site preparation (surface) are based on slope, depth to a restrictive layer, plasticity index, rock fragments on or below the surface, depth to a water table, and ponding. The soils are described as well suited, poorly suited, or unsited to this management activity. The part of the soil from the surface to a depth of about 1-foot is considered in the ratings.

Ratings in the column suitability for mechanical site preparation (deep) are based on slope, depth to a restrictive layer, rock fragments on or below the surface, depth to a water table, and ponding. The soils are described as well suited, poorly suited, or unsited to this management activity. The part of the soil from the surface to a depth of about 3 feet is considered in the ratings.

Ratings in the column potential for seedling mortality are based on flooding, ponding, depth to a water table, content of lime, reaction, salinity, available water capacity, soil moisture regime, soil temperature regime, aspect, and slope. The soils are described as having a low, moderate, or high potential for seedling mortality. See the National Forestry Manual, Subpart B for criteria used in rating management concerns. Specific information on plants and yields can be obtained from the local office of the Natural Resources Conservation Service or the Cooperative Extension Service.

CONSERVATION TREE AND SHRUB MANAGEMENT  
Shawnee County,  
Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Pines and spruces are prone to disease problems. See text for further explanation of ratings in this table.)

Map symbol and soil name	Wind break Group	Suitability for hand planting	Suitability for mechanical planting	Suitability for mechanical site preparation (surface)	Suitability for mechanical site preparation (deep)	Potential for seedling mortality
		Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
045OE: Oska-----	6D	Moderately suited Stickiness	Moderately suited Stickiness Slope	Well suited	Well suited	Low
045SV: Sibleyville-----	6D	Well suited	Moderately suited Slope	Well suited	Well suited	Low
045SX: Rock Outcrop-----		Not rated	Not rated	Not rated	Not rated	Not rated
Vinland-----	10	Well suited	Poorly suited Slope	Poorly suited Slope	Poorly suited Slope	Low
045VM: Vinland-----	10	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Martin-----	4C	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
045WS: Woodson-----	4C	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	High Wetness
085KB: Kennebec-----	1	Well suited	Well suited	Well suited	Well suited	Low
085MC: Martin-----	4C	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
Vinland-----	10	Well suited	Moderately suited Slope	Well suited	Well suited	Low
085ZA: Zook-----	2	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	High Wetness
087EC: Eudora-----	1	Well suited	Well suited	Well suited	Well suited	Low
Bismarckgrove-----		Well suited	Well suited	Well suited	Well suited	Low
087HC: Haig-----	4C	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	High Wetness
087KV: Konawa-----	5	Well suited	Moderately suited Slope	Well suited	Well suited	Low
087RS: Rossville-----	3	Well suited	Well suited	Well suited	Well suited	Low
087SO: Shelby-----	3	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
Pawnee-----	4C	Well suited	Moderately suited Slope	Well suited	Well suited	High Wetness
087WC: Wabash-----	2	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	High Wetness
139ED: Elmont-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
149KM: Kimo-----	1	Moderately suited Stickiness	Moderately suited Stickiness	Poorly suited Stickiness	Well suited	Low
197IB: Irwin-----	4C	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	Low
197IV: Ivan-----	1K	Well suited	Well suited	Well suited	Well suited	Moderate Soil reaction

CONSERVATION TREE AND SHRUB MANAGEMENT  
Shawnee County,  
Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Pines and spruces are prone to disease problems. See text for further explanation of ratings in this table.)

Map symbol and soil name	Wind break Group	Suitability for hand planting	Suitability for mechanical planting	Suitability for mechanical site preparation (surface)	Suitability for mechanical site preparation (deep)	Potential for seedling mortality
		Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
197IX: Ivan-----	1K	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	Moderate Soil reaction
197MR: Morrill-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
197MS: Morrill, very stony-	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
197SA: Sarpy-----	1	Well suited	Well suited	Well suited	Well suited	High Wetness
197WF: Wamego-----	6D	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
197WY: Wymore-----	4C	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	High Wetness
2797: Morrill, stony-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
AED: Arents, Earthen Dam-		Not rated	Not rated	Not rated	Not rated	Not rated
An: Kennebec-----	1	Well suited	Well suited	Well suited	Well suited	Low
Bk: Martin-----	4C	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
Kennebec-----	1	Well suited	Well suited	Well suited	Well suited	Low
BOA: Borrow Areas-----		Not rated	Not rated	Not rated	Not rated	Not rated
Br: Fluvents-----		Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	Low
Dm: Dwight-----	9C	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	Low
Martin-----	4C	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	Low
Ds: Dwight-----	9C	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	Low
Dw: Dwight-----	9C	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	Low
El: Elmont-----	3	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
Em: Elmont, eroded-----	3	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
En: Elmont-----	3	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
Eo: Elmont, eroded-----	3	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
Ep: Elmont, eroded-----	3	Moderately suited	Moderately suited	Well suited	Well suited	Low

CONSERVATION TREE AND SHRUB MANAGEMENT  
Shawnee County,  
Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Pines and spruces are prone to disease problems. See text for further explanation of ratings in this table.)

Map symbol and soil name	Wind break Group	Suitability for hand planting	Suitability for mechanical planting	Suitability for mechanical site preparation (surface)	Suitability for mechanical site preparation (deep)	Potential for seedling mortality
		Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
Dwight-----	9C	Stickiness Poorly suited Stickiness	Slope Stickiness Poorly suited Stickiness	Poorly suited Stickiness	Well suited	Low
Es: Eudora-----	1	Well suited	Well suited	Well suited	Well suited	Low
Et: Eudora-----	1	Well suited	Well suited	Well suited	Well suited	Low
Eu: Eudora-----	1	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Ev: Eudora-----	1	Well suited	Well suited	Well suited	Well suited	Low
Kimo-----	1	Moderately suited Stickiness	Moderately suited Stickiness	Poorly suited Stickiness	Well suited	Low
Ew: Eudora-----	1	Well suited	Well suited	Well suited	Well suited	Low
Kimo-----	1	Moderately suited Stickiness	Moderately suited Stickiness	Poorly suited Stickiness	Well suited	Low
Gm: Gymer-----	4C	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Gy: Gymer-----	4C	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
INL: Aquolls-----		Unsuited Wetness	Unsuited Wetness	Unsuited Wetness	Unsuited Wetness	High Wetness Soil reaction
Kb: Kennebec-----	1	Well suited	Well suited	Well suited	Well suited	Low
Kc: Chase-----	1	Well suited	Well suited	Well suited	Well suited	Low
KF: Kennebec-----	1	Well suited	Well suited	Well suited	Well suited	Low
Km: Kimo-----	1	Moderately suited Stickiness	Moderately suited Stickiness	Poorly suited Stickiness	Well suited	Low
Ko: Kimo-----	1	Unsuited Wetness Stickiness	Poorly suited Wetness Stickiness	Unsuited Wetness Stickiness	Unsuited Wetness	High Wetness
Ks: Kipson-----	10	Well suited	Moderately suited Slope Rock fragments	Well suited	Well suited	High Lime Soil reaction
Sogn-----	10	Unsuited Restrictive layer	Unsuited Restrictive layer Slope	Unsuited Restrictive layer	Unsuited Restrictive layer	Available water Low
Ku: Konawa-----	5	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Kw: Konawa-----	5	Well suited	Moderately suited Slope	Well suited	Well suited	Low
La: Labette-----	4C	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	Low
Lb: Labette-----	4C	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low

CONSERVATION TREE AND SHRUB MANAGEMENT  
Shawnee County,  
Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Pines and spruces are prone to disease problems. See text for further explanation of ratings in this table.)

Map symbol and soil name	Wind break Group	Suitability for hand planting	Suitability for mechanical planting	Suitability for mechanical site preparation (surface)	Suitability for mechanical site preparation (deep)	Potential for seedling mortality
		Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
LC: Labette, eroded-----	4C	Moderately suited Stickiness	Moderately suited Stickiness Slope Rock fragments	Well suited	Well suited	Low
Ld: Ladysmith-----	4C	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	Low
LIQ: Limestone Quarry----		Not rated	Not rated	Not rated	Not rated	Not rated
Lm: Ladysmith-----	4C	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	Low
Ls: Ladysmith, eroded---	4C	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	Low
Ma: Made Land-----		Not rated	Not rated	Not rated	Not rated	Not rated
Mb: Martin-----	4C	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	Low
Mc: Martin-----	4C	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
Me: Martin, eroded-----	4C	Poorly suited Stickiness	Poorly suited Stickiness Slope	Poorly suited Stickiness	Well suited	Low
Mf: Martin-----	4C	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
Mh: Martin, eroded-----	4C	Poorly suited Stickiness	Poorly suited Stickiness Slope	Poorly suited Stickiness	Well suited	Low
Mk: Martin-----	4C	Poorly suited Stickiness	Poorly suited Stickiness Slope	Poorly suited Stickiness	Well suited	Low
Mm: Morrill-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Mn: Morrill, eroded-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Mo: Morrill-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
MOO: Morrill-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Mp: Morrill-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Gravelly Land-----	6D	Not rated	Not rated	Not rated	Not rated	Not rated
Mr: Muir-----	1	Well suited	Well suited	Well suited	Well suited	Low
MRR: Morrill-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Pa: Pawnee-----	4C	Well suited	Well suited	Well suited	Well suited	High Wetness

CONSERVATION TREE AND SHRUB MANAGEMENT  
Shawnee County,  
Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Pines and spruces are prone to disease problems. See text for further explanation of ratings in this table.)

Map symbol and soil name	Wind break Group	Suitability for hand planting	Suitability for mechanical planting	Suitability for mechanical site preparation (surface)	Suitability for mechanical site preparation (deep)	Potential for seedling mortality
		Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
PC: Pawnee-----	4C	Well suited	Moderately suited Slope	Well suited	Well suited	High Wetness
Pe: Pawnee, eroded-----	4C	Well suited	Moderately suited Slope	Well suited	Well suited	High Wetness
Pn: Pawnee-----	4C	Well suited	Moderately suited Slope	Well suited	Well suited	High Wetness
RD: Reading-----	1	Well suited	Well suited	Well suited	Well suited	Low
Re: Reading-----	1	Well suited	Well suited	Well suited	Well suited	Low
Rv: River Wash-----		Not rated	Not rated	Not rated	Not rated	Not rated
Sa: Sarpy-----	1K	Moderately suited Sandiness	Moderately suited Sandiness	Well suited	Well suited	High Wetness
SAP: Sand Pit-----		Not rated	Not rated	Not rated	Not rated	Not rated
Se: Sarpy-----	1K	Well suited	Well suited	Well suited	Well suited	Low
Eudora-----	1	Well suited	Well suited	Well suited	Well suited	Low
Sg: Sharpsburg-----	3	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	Low
Sh: Sharpsburg-----	3	Moderately suited Stickiness	Moderately suited Stickiness Slope	Well suited	Well suited	Low
Sk: Shelby-----	3	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	Low
Sm: Shelby-----	3	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
Sn: Shelby, eroded-----	3	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
So: Shelby-----	3	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
Sp: Morrill-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Sr: Morrill, eroded-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Ss: Morrill-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
St: Sibleyville-----	6D	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Su: Sibleyville-----	6D	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Sv: Sogn-----	10	Unsuited	Unsuited	Unsuited	Unsuited	Low

CONSERVATION TREE AND SHRUB MANAGEMENT  
Shawnee County,  
Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Pines and spruces are prone to disease problems. See text for further explanation of ratings in this table.)

Map symbol and soil name	Wind break Group	Suitability for hand planting	Suitability for mechanical planting	Suitability for mechanical site preparation (surface)	Suitability for mechanical site preparation (deep)	Potential for seedling mortality
		Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
Vinland-----	10	Restrictive layer Well suited	Restrictive layer Slope Moderately suited Slope	Restrictive layer Well suited	Restrictive layer Well suited	Low
Sw: Stony Steep Land----		Not rated	Not rated	Not rated	Not rated	Not rated
Vinland-----	10	Well suited	Poorly suited Slope	Poorly suited Slope	Poorly suited Slope	Low
Vn: Vinland-----	10	Well suited	Moderately suited Slope	Well suited	Well suited	Low
W: Water-----		Not rated	Not rated	Not rated	Not rated	Not rated
Wa: Wabash-----	2	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	High Wetness
Wb: Wabash-----	2	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	High Wetness
We: Welda-----	3	Moderately suited Stickiness	Moderately suited Stickiness Slope	Well suited	Well suited	Low