

RECREATIONAL INTERPRETATIONS  
Sumner County, Kansas

### Recreation

The soils of the survey area are rated in the following tables according to limitations that affect their suitability for recreation. The ratings are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect the recreational uses. Not limited indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. Slightly limited indicates that the soil has features that are favorable for the specified use. The limitations are minor and can be easily overcome. Good performance and low maintenance can be expected. Somewhat limited indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. Very limited indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Numerical ratings in the tables indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.00 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

The ratings in the tables are based on restrictive soil features, such as wetness, slope, and texture of the surface layer. Susceptibility to flooding is considered. Not considered in the ratings, but important in evaluating a site, are the location and accessibility of the area, the size and shape of the area and its scenic quality, vegetation, access to water, potential water impoundment sites, and access to public sewer lines. The capacity of the soil to absorb septic tank effluent and the ability of the soil to support vegetation also are important. Soils that are subject to flooding are limited for recreational uses by the duration and intensity of flooding and the season when flooding occurs. In planning recreational facilities, onsite assessment of the height, duration, intensity, and frequency of flooding is essential.

The information in this table can be supplemented by other information in this survey, for example, interpretations for building site development, construction materials, sanitary facilities, and water management.

Camp areas require site preparation, such as shaping and leveling the tent and parking areas, stabilizing roads and intensively used areas, and installing sanitary facilities and utility lines. Camp areas are subject to heavy foot traffic and some vehicular traffic. The ratings are based on the soil properties that affect the ease of developing camp areas and the performance of the areas after development. Slope, stoniness, and depth to bedrock or a cemented pan are the main concerns affecting the development of camp areas.

The soil properties that affect the performance of the areas after development are those that influence trafficability and promote the growth of vegetation, especially in heavily used areas. For good trafficability, the surface of camp areas should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Picnic areas are subject to heavy foot traffic. Most vehicular traffic is confined to access roads and parking areas. The ratings are based on the soil properties that affect the ease of developing picnic areas and that influence trafficability and the growth of vegetation after development. Slope and stoniness are the main concerns affecting the development of picnic areas. For good trafficability, the surface of picnic areas should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Playgrounds require soils that are nearly level, are free of stones, and can withstand intensive foot traffic. The ratings are based on the soil properties that affect the ease of developing playgrounds and that influence trafficability and the growth of vegetation after development. Slope and stoniness are the main concerns affecting the development of playgrounds. For good trafficability, the surface of the playgrounds should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Paths and trails for hiking and horseback riding should require little or no slope modification through cutting and filling. The ratings are based on the soil properties that affect trafficability and erodibility. These properties are stoniness, depth to a water table, ponding, flooding, slope, and texture of the surface layer.

Golf fairways are subject to heavy foot traffic and some light vehicular traffic. Cutting or filling may be required. Irrigation is not considered in the ratings. The ratings are based on the soil properties that affect plant growth and trafficability after vegetation is established. The properties that affect plant growth are reaction; depth to a water table; ponding; depth to bedrock or a cemented pan; the available water capacity in the upper 40 inches; the content of salts, sodium, or calcium carbonate; and sulfidic materials. The properties that affect trafficability are flooding, depth to a water table, ponding, slope, stoniness, and the amount of sand, clay, or organic matter in the surface layer. The suitability of the soil for traps, tees, roughs, and greens is not considered in the ratings.

RECREATIONAL INTERPRETATIONS--Continued  
Sumner County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

| Map symbol<br>and soil name | Pct<br>of<br>map<br>unit | Camp areas                                     |              | Picnic areas                                   |              | Playgrounds   |              |
|-----------------------------|--------------------------|--|--------------|--|--------------|---|--------------|
|                             |                          | Rating class and<br>limiting features          | Value        | Rating class and<br>limiting features          | Value        | Rating class and<br>limiting features                   | Value        |
| 015LS:<br>Ladysmith-----    | 90                       | Somewhat limited<br>Restricted<br>permeability | 0.45         | Somewhat limited<br>Restricted<br>permeability | 0.45         | Somewhat limited<br>Restricted<br>permeability          | 0.45         |
| 035LG:<br>Lincoln-----      | 55                       | Very limited<br>Flooding<br>Too sandy          | 1.00<br>0.50 | Somewhat limited<br>Too sandy                  | 0.50         | Somewhat limited<br>Flooding<br>Too sandy               | 0.60<br>0.50 |
| Tivoli-----                 | 30                       | Somewhat limited<br>Too sandy<br>Slope         | 0.98<br>0.00 | Somewhat limited<br>Too sandy<br>Slope         | 0.98<br>0.00 | Very limited<br>Slope<br>Too sandy                      | 1.00<br>0.98 |
| 035VC:<br>Vanoss-----       | 90                       | Not limited                                    |              | Not limited                                    |              | Somewhat limited<br>Slope                               | 0.87         |
| 035VD:<br>Verdigris-----    | 85                       | Very limited<br>Flooding                       | 1.00         | Not limited                                    |              | Somewhat limited<br>Flooding                            | 0.60         |
| 077AN:<br>Kaski-----        | 100                      | Very limited<br>Flooding                       | 1.00         | Somewhat limited<br>Flooding                   | 0.40         | Very limited<br>Flooding                                | 1.00         |
| 077BM:<br>Lincoln-----      | 100                      | Very limited<br>Flooding<br>Too sandy          | 1.00<br>0.79 | Somewhat limited<br>Too sandy                  | 0.79         | Somewhat limited<br>Too sandy<br>Flooding               | 0.79<br>0.60 |
| 077BP:<br>Woodward-----     | 65                       | Somewhat limited<br>Slope                      | 0.37         | Somewhat limited<br>Slope                      | 0.37         | Very limited<br>Slope<br>Depth to bedrock               | 1.00<br>0.42 |
| Port-----                   | 35                       | Very limited<br>Flooding                       | 1.00         | Somewhat limited<br>Flooding                   | 0.40         | Very limited<br>Flooding<br>Slope                       | 1.00<br>0.00 |
| 077CE:<br>Corbin-----       | 100                      | Somewhat limited<br>Restricted<br>permeability | 0.39         | Somewhat limited<br>Restricted<br>permeability | 0.39         | Somewhat limited<br>Restricted<br>permeability          | 0.39         |
| 077CF:<br>Corbin-----       | 100                      | Somewhat limited<br>Restricted<br>permeability | 0.39         | Somewhat limited<br>Restricted<br>permeability | 0.39         | Somewhat limited<br>Restricted<br>permeability<br>Slope | 0.39<br>0.00 |
| 077GN:<br>Grant-----        | 100                      | Not limited                                    |              | Not limited                                    |              | Not limited   |              |
| 077GS:<br>Grant-----        | 100                      | Not limited                                    |              | Not limited                                    |              | Somewhat limited<br>Slope                               | 0.87         |
| 077KR:<br>Kirkland-----     | 70                       | Somewhat limited<br>Restricted<br>permeability | 0.45         | Somewhat limited<br>Restricted<br>permeability | 0.45         | Somewhat limited<br>Restricted<br>permeability<br>Slope | 0.45<br>0.00 |
| Renfrow-----                | 30                       | Somewhat limited<br>Restricted<br>permeability | 0.45         | Somewhat limited<br>Restricted<br>permeability | 0.45         | Somewhat limited<br>Restricted<br>permeability<br>Slope | 0.45<br>0.00 |
| 077KW:<br>Kirkland-----     | 70                       | Somewhat limited<br>Restricted<br>permeability | 0.45         | Somewhat limited<br>Restricted<br>permeability | 0.45         | Somewhat limited<br>Restricted<br>permeability<br>Slope | 0.45<br>0.00 |
| Renfrow-----                | 30                       | Somewhat limited<br>Restricted<br>permeability | 0.45         | Somewhat limited<br>Restricted<br>permeability | 0.45         | Somewhat limited<br>Restricted<br>permeability<br>Slope | 0.45<br>0.00 |
| 077PH:<br>Dale-----         | 100                      | Very limited<br>Flooding                       | 1.00         | Not limited                                    |              | Not limited   |              |
| 077PT:<br>Pratt-----        | 50                       | Somewhat limited<br>Slope<br>Too sandy         | 0.63<br>0.37 | Somewhat limited<br>Slope<br>Too sandy         | 0.63<br>0.37 | Very limited<br>Slope<br>Too sandy                      | 1.00<br>0.37 |
| Tivoli-----                 | 50                       | Somewhat limited<br>Too sandy<br>Slope         | 0.92<br>0.63 | Somewhat limited<br>Too sandy<br>Slope         | 0.92<br>0.63 | Very limited<br>Slope<br>Too sandy                      | 1.00<br>0.92 |
| 077SO:<br>Shellabarger----- | 70                       | Somewhat limited<br>Slope                      | 0.37         | Somewhat limited<br>Slope                      | 0.37         | Very limited<br>Slope                                   | 1.00         |
| Albion-----                 | 30                       | Somewhat limited<br>Slope                      | 0.37         | Somewhat limited<br>Slope                      | 0.37         | Very limited<br>Slope<br>Gravel content                 | 1.00<br>0.06 |
| 077TH:<br>Tivoli-----       | 100                      | Very limited<br>Too sandy                      | 1.00         | Very limited<br>Too sandy                      | 1.00         | Very limited<br>Slope                                   | 1.00         |

RECREATIONAL INTERPRETATIONS--Continued  
Sumner County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

| Map symbol<br>and soil name  | Pct<br>of<br>map<br>unit | Camp areas                            |       | Picnic areas                          |       | Playgrounds                           |       |
|------------------------------|--------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
|                              |                          | Rating class and<br>limiting features | Value | Rating class and<br>limiting features | Value | Rating class and<br>limiting features | Value |
| 095DA:<br>Dillwyn-----       | 60                       | Slope                                 | 0.63  | Slope                                 | 0.63  | Too sandy                             | 1.00  |
|                              |                          | Somewhat limited                      |       | Somewhat limited                      |       | Somewhat limited                      |       |
|                              |                          | Depth to                              | 0.39  | Too sandy                             | 0.37  | Depth to                              | 0.39  |
|                              |                          | saturated zone                        |       |                                       |       | saturated zone                        |       |
|                              |                          | Too sandy                             | 0.37  | Depth to                              | 0.19  | Too sandy                             | 0.37  |
| Plevna-----                  | 40                       | Very limited                          |       | Depth to                              |       |                                       |       |
|                              |                          | Flooding                              | 1.00  | saturated zone                        |       | Very limited                          |       |
|                              |                          | Depth to                              |       | Flooding                              | 1.00  | Flooding                              | 1.00  |
|                              |                          | saturated zone                        | 1.00  |                                       |       | Depth to                              |       |
| 095OA:<br>Wellsford-----     | 100                      | Very limited                          |       | Depth to                              |       | saturated zone                        |       |
|                              |                          | Depth to bedrock                      | 1.00  | Flooding                              | 0.40  |                                       |       |
|                              |                          | Restricted                            | 0.45  |                                       |       | Very limited                          |       |
|                              |                          | permeability                          |       |                                       |       | Depth to bedrock                      | 1.00  |
|                              |                          |                                       |       |                                       |       | Restricted                            | 0.45  |
| 095RA:<br>Renfrow-----       | 100                      | Somewhat limited                      |       | Very limited                          |       | permeability                          |       |
|                              |                          | Restricted                            | 0.45  | Depth to bedrock                      | 1.00  | Slope                                 | 0.13  |
|                              |                          | permeability                          |       | Restricted                            | 0.45  | permeability                          |       |
|                              |                          |                                       |       | permeability                          |       | Slope                                 | 0.00  |
| 173EA:<br>Elandco-----       | 100                      | Somewhat limited                      |       | Somewhat limited                      |       | Somewhat limited                      |       |
|                              |                          | Restricted                            | 0.45  | Restricted                            | 0.45  | Restricted                            | 0.45  |
|                              |                          | permeability                          |       | permeability                          |       | permeability                          |       |
| 173LA:<br>Lesho-----         | 100                      | Somewhat limited                      |       |                                       |       | Slope                                 | 0.00  |
|                              |                          | Restricted                            | 0.45  |                                       |       |                                       |       |
|                              |                          | permeability                          |       |                                       |       |                                       |       |
| 173PB:<br>Plevna-----        | 100                      | Somewhat limited                      |       |                                       |       |                                       |       |
|                              |                          | Restricted                            | 0.45  |                                       |       |                                       |       |
|                              |                          | permeability                          |       |                                       |       |                                       |       |
|                              |                          |                                       |       |                                       |       |                                       |       |
| 173RA:<br>Renfrow-----       | 100                      | Somewhat limited                      |       |                                       |       |                                       |       |
|                              |                          | Restricted                            | 0.45  |                                       |       |                                       |       |
|                              |                          | permeability                          |       |                                       |       |                                       |       |
| 1439:<br>Crisfield-----      | 100                      | Somewhat limited                      |       |                                       |       |                                       |       |
|                              |                          | Restricted                            | 0.45  |                                       |       |                                       |       |
|                              |                          | permeability                          |       |                                       |       |                                       |       |
| AED:<br>Arents, Earthen Dam- | 100                      | Somewhat limited                      |       |                                       |       |                                       |       |
|                              |                          | Restricted                            | 0.45  |                                       |       |                                       |       |
|                              |                          | permeability                          |       |                                       |       |                                       |       |
| Ba:<br>Bethany-----          | 100                      | Somewhat limited                      |       |                                       |       |                                       |       |
|                              |                          | Restricted                            | 0.45  |                                       |       |                                       |       |
|                              |                          | permeability                          |       |                                       |       |                                       |       |
| Bb:<br>Bethany-----          | 100                      | Somewhat limited                      |       |                                       |       |                                       |       |
|                              |                          | Restricted                            | 0.45  |                                       |       |                                       |       |
|                              |                          | permeability                          |       |                                       |       |                                       |       |
| BOA:<br>Borrow Areas-----    | 100                      | Somewhat limited                      |       |                                       |       |                                       |       |
|                              |                          | Restricted                            | 0.45  |                                       |       |                                       |       |
|                              |                          | permeability                          |       |                                       |       |                                       |       |
| Br:<br>Brewer-----           | 100                      | Somewhat limited                      |       |                                       |       |                                       |       |
|                              |                          | Restricted                            | 0.45  |                                       |       |                                       |       |
|                              |                          | permeability                          |       |                                       |       |                                       |       |
| Bs:<br>Brewer-----           | 70                       | Somewhat limited                      |       |                                       |       |                                       |       |
|                              |                          | Restricted                            | 0.45  |                                       |       |                                       |       |
|                              |                          | permeability                          |       |                                       |       |                                       |       |
| Drummond-----                | 30                       | Somewhat limited                      |       |                                       |       |                                       |       |
|                              |                          | Restricted                            | 0.45  |                                       |       |                                       |       |
|                              |                          | permeability                          |       |                                       |       |                                       |       |
| Ca:<br>Canadian-----         | 100                      | Somewhat limited                      |       |                                       |       |                                       |       |
|                              |                          | Restricted                            | 0.45  |                                       |       |                                       |       |
|                              |                          | permeability                          |       |                                       |       |                                       |       |

RECREATIONAL INTERPRETATIONS--Continued  
Sumner County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

| Map symbol<br>and soil name  | Pct<br>of<br>map<br>unit | Camp areas  |                      | Picnic areas  |                      | Playgrounds   |                      |
|------------------------------|--------------------------|---|----------------------|---|----------------------|---|----------------------|
|                              |                          | Rating class and<br>limiting features   | Value                | Rating class and<br>limiting features   | Value                | Rating class and<br>limiting features   | Value                |
| CAA:<br>Canadian-----        | 90                       | Very limited<br>Flooding  | 1.00                 | Not limited   |                      | Not limited   |                      |
| Cc:<br>Carwile-----          | 100                      | Very limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability            | 1.00<br>0.94         | Very limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability            | 1.00<br>0.94         | Very limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability            | 1.00<br>0.94         |
| Cr:<br>Corbin-----           | 100                      | Somewhat limited<br>Restricted<br>permeability                                      | 0.39                 | Somewhat limited<br>Restricted<br>permeability                                      | 0.39                 | Somewhat limited<br>Restricted<br>permeability                                      | 0.39                 |
| Da:<br>Dale-----             | 100                      | Not limited   |                      | Not limited   |                      | Somewhat limited<br>Slope   | 0.87                 |
| Dr:<br>Dale-----             | 50                       | Very limited<br>Flooding  | 1.00                 | Not limited   |                      | Not limited   |                      |
| Reinach-----                 | 50                       | Very limited<br>Flooding  | 1.00                 | Not limited   |                      | Not limited   |                      |
| Ea:<br>Elandco-----          | 100                      | Very limited<br>Flooding  | 1.00                 | Not limited   |                      | Somewhat limited<br>Flooding  | 0.60                 |
| Ec:<br>Elandco-----          | 100                      | Very limited<br>Flooding  | 1.00                 | Somewhat limited<br>Flooding  | 0.40                 | Very limited<br>Flooding  | 1.00                 |
| Fa:<br>Farnum-----           | 100                      | Not limited   |                      | Not limited   |                      | Not limited   |                      |
| Fb:<br>Farnum-----           | 100                      | Not limited   |                      | Not limited   |                      | Somewhat limited<br>Slope   | 0.00                 |
| Fc:<br>Farnum-----           | 100                      | Not limited   |                      | Not limited   |                      | Somewhat limited<br>Slope   | 0.87                 |
| Fd:<br>Farnum-----           | 100                      | Not limited   |                      | Not limited   |                      | Somewhat limited<br>Slope   | 0.50                 |
| GRP:<br>Gravel Pits-----     | 100                      | Not rated   |                      | Not rated   |                      | Not rated   |                      |
| INT:<br>Aguolls-----         | 100                      | Very limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability<br>Ponding | 1.00<br>1.00<br>1.00 | Very limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability<br>Ponding | 1.00<br>1.00<br>1.00 | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone<br>Ponding | 1.00<br>1.00<br>1.00 |
| IRR:<br>Irwin-----           | 85                       | Somewhat limited<br>Restricted<br>permeability                                      | 0.45                 | Somewhat limited<br>Restricted<br>permeability                                      | 0.45                 | Somewhat limited<br>Restricted<br>permeability<br>Slope                             | 0.45<br>0.00         |
| Ka:<br>Kirkland-----         | 100                      | Somewhat limited<br>Restricted<br>permeability                                      | 0.45                 | Somewhat limited<br>Restricted<br>permeability                                      | 0.45                 | Somewhat limited<br>Restricted<br>permeability                                      | 0.45                 |
| Kb:<br>Kirkland-----         | 100                      | Somewhat limited<br>Restricted<br>permeability                                      | 0.45                 | Somewhat limited<br>Restricted<br>permeability                                      | 0.45                 | Somewhat limited<br>Restricted<br>permeability<br>Slope                             | 0.45<br>0.00         |
| Kc:<br>Kirkland-----         | 100                      | Somewhat limited<br>Restricted<br>permeability                                      | 0.45                 | Somewhat limited<br>Restricted<br>permeability                                      | 0.45                 | Somewhat limited<br>Restricted<br>permeability<br>Slope                             | 0.45<br>0.00         |
| Lo:<br>Lesho-----            | 100                      | Very limited<br>Flooding  | 1.00                 | Not limited   |                      | Somewhat limited<br>Flooding  | 0.60                 |
| Ls:<br>Lincoln-----          | 100                      | Very limited<br>Flooding<br>Too sandy   | 1.00<br>0.79         | Somewhat limited<br>Too sandy<br>Flooding   | 0.79<br>0.40         | Very limited<br>Flooding<br>Too sandy   | 1.00<br>0.79         |
| M-W:<br>Miscellaneous Water- | 100                      | Not rated   |                      | Not rated   |                      | Not rated   |                      |
| Ma:<br>Milan-----            | 100                      | Not limited   |                      | Not limited   |                      | Not limited   |                      |

RECREATIONAL INTERPRETATIONS--Continued  
Sumner County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

| Map symbol<br>and soil name | Pct<br>of<br>map<br>unit | Camp areas  |                      | Picnic areas  |                      | Playgrounds   |                          |
|-----------------------------|--------------------------|---|----------------------|---|----------------------|---|--------------------------|
|                             |                          | Rating class and<br>limiting features                                   | Value                | Rating class and<br>limiting features                                   | Value                | Rating class and<br>limiting features   | Value                    |
| Mb:<br>Milan-----           | 100                      | Not limited   |                      | Not limited   |                      | Somewhat limited<br>Slope   | 0.00                     |
| Mc:<br>Milan-----           | 100                      | Not limited   |                      | Not limited   |                      | Somewhat limited<br>Slope   | 0.87                     |
| Md:<br>Milan-----           | 100                      | Not limited   |                      | Not limited   |                      | Somewhat limited<br>Slope   | 0.87                     |
| On:<br>Wellsford-----       | 100                      | Very limited<br>Depth to bedrock<br>Restricted<br>permeability          | 1.00<br>0.45         | Very limited<br>Depth to bedrock<br>Restricted<br>permeability          | 1.00<br>0.45         | Very limited<br>Depth to bedrock<br>Restricted<br>permeability<br>Slope               | 1.00<br>0.45<br>0.00     |
| Oo:<br>Wellsford-----       | 100                      | Very limited<br>Depth to bedrock<br>Restricted<br>permeability          | 1.00<br>0.45         | Very limited<br>Depth to bedrock<br>Restricted<br>permeability          | 1.00<br>0.45         | Very limited<br>Depth to bedrock<br>Slope<br><br>Restricted<br>permeability           | 1.00<br>1.00<br><br>0.45 |
| Op:<br>Wellsford-----       | 65                       | Very limited<br>Depth to bedrock<br>Slope<br>Restricted<br>permeability | 1.00<br>0.96<br>0.45 | Very limited<br>Depth to bedrock<br>Slope<br>Restricted<br>permeability | 1.00<br>0.96<br>0.45 | Very limited<br>Depth to bedrock<br>Slope<br>Restricted<br>permeability               | 1.00<br>1.00<br>0.45     |
| Elandco-----                | 35                       | Very limited<br>Flooding  | 1.00                 | Somewhat limited<br>Flooding  | 0.40                 | Very limited<br>Flooding  | 1.00                     |
| Or:<br>Wellsford-----       | 65                       | Very limited<br>Depth to bedrock<br>Restricted<br>permeability          | 1.00<br>0.45         | Very limited<br>Depth to bedrock<br>Restricted<br>permeability          | 1.00<br>0.45         | Very limited<br>Depth to bedrock<br>Slope<br><br>Restricted<br>permeability           | 1.00<br>0.50<br><br>0.45 |
| Renfrow-----                | 35                       | Somewhat limited<br>Restricted<br>permeability                          | 0.45                 | Somewhat limited<br>Restricted<br>permeability                          | 0.45                 | Somewhat limited<br>Slope<br><br>Restricted<br>permeability                           | 0.50<br><br>0.45         |
| Os:<br>Wellsford-----       | 65                       | Very limited<br>Depth to bedrock<br>Slope<br>Restricted<br>permeability | 1.00<br>1.00<br>0.45 | Very limited<br>Depth to bedrock<br>Slope<br>Restricted<br>permeability | 1.00<br>1.00<br>0.45 | Very limited<br>Slope<br>Depth to bedrock<br>Restricted<br>permeability               | 1.00<br>1.00<br>0.45     |
| Shale Outcrop-----          | 35                       | Very limited<br>Slope<br>Restricted<br>permeability                     | 1.00<br>1.00         | Very limited<br>Slope<br>Restricted<br>permeability                     | 1.00<br>1.00         | Very limited<br>Slope<br>Restricted<br>permeability                                   | 1.00<br>1.00             |
| Pa:<br>Pond Creek-----      | 100                      | Not limited   |                      | Not limited   |                      | Not limited   |                          |
| Pb:<br>Pond Creek-----      | 100                      | Not limited   |                      | Not limited   |                      | Somewhat limited<br>Slope   | 0.00                     |
| Pc:<br>Pond Creek-----      | 100                      | Not limited   |                      | Not limited   |                      | Somewhat limited<br>Slope   | 0.87                     |
| Pd:<br>Pond Creek-----      | 100                      | Not limited   |                      | Not limited   |                      | Somewhat limited<br>Slope   | 0.50                     |
| Px:<br>Pratt-----           | 100                      | Somewhat limited<br>Too sandy   | 0.37                 | Somewhat limited<br>Too sandy   | 0.37                 | Very limited<br>Slope<br>Too sandy  | 1.00<br>0.37             |
| Ra:<br>Renfrow-----         | 70                       | Somewhat limited<br>Restricted<br>permeability                          | 0.45                 | Somewhat limited<br>Restricted<br>permeability                          | 0.45                 | Somewhat limited<br>Restricted<br>permeability<br>Slope                               | 0.45<br>0.00             |
| Grainola-----               | 30                       | Somewhat limited<br>Restricted<br>permeability                          | 0.39                 | Somewhat limited<br>Restricted<br>permeability                          | 0.39                 | Somewhat limited<br>Restricted<br>permeability<br>Content of large<br>stones<br>Slope | 0.39<br>0.03<br>0.00     |
| Ro:<br>Rosehill-----        | 100                      | Somewhat limited<br>Restricted<br>permeability                          | 0.45                 | Somewhat limited<br>Restricted<br>permeability                          | 0.45                 | Somewhat limited<br>Restricted<br>permeability  | 0.45                     |

RECREATIONAL INTERPRETATIONS--Continued  
Sumner County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

| Map symbol<br>and soil name | Pct<br>of<br>map<br>unit | Camp areas   |              | Picnic areas   |              | Playgrounds  |              |
|-----------------------------|--------------------------|--|--------------|--|--------------|--|--------------|
|                             |                          | Rating class and<br>limiting features                                    | Value        | Rating class and<br>limiting features                                    | Value        | Rating class and<br>limiting features                                    | Value        |
| Rs:<br>Rosehill-----        | 100                      | Somewhat limited<br>Restricted<br>permeability                           | 0.45         | Somewhat limited<br>Restricted<br>permeability                           | 0.45         | Slope  | 0.00         |
|                             |                          |  |              |  |              | Somewhat limited<br>Slope  | 0.87         |
|                             |                          |  |              |  |              | Restricted<br>permeability   | 0.45         |
|                             |                          |  |              |  |              | Depth to bedrock   | 0.06         |
| Rx:<br>Rosehill-----        | 100                      | Somewhat limited<br>Restricted<br>permeability                           | 0.45         | Somewhat limited<br>Restricted<br>permeability                           | 0.45         | Somewhat limited<br>Slope  | 0.50         |
|                             |                          |  |              |  |              | Restricted<br>permeability   | 0.45         |
|                             |                          |  |              |  |              | Depth to bedrock   | 0.06         |
| Sa:<br>Shellabarger-----    | 100                      | Not limited  |              | Not limited  |              | Somewhat limited<br>Slope  | 0.00         |
| Sb:<br>Shellabarger-----    | 100                      | Not limited  |              | Not limited  |              | Somewhat limited<br>Slope  | 0.87         |
| Sc:<br>Shellabarger-----    | 100                      | Not limited  |              | Not limited  |              | Somewhat limited<br>Slope  | 0.87         |
| Ta:<br>Tabler-----          | 100                      | Somewhat limited<br>Restricted<br>permeability                           | 0.45         | Somewhat limited<br>Restricted<br>permeability                           | 0.45         | Somewhat limited<br>Restricted<br>permeability                           | 0.45         |
| Ty:<br>Tivoli-----          | 100                      | Very limited<br>Too sandy<br>Slope                                       | 1.00<br>1.00 | Very limited<br>Too sandy<br>Slope                                       | 1.00<br>1.00 | Very limited<br>Too sandy<br>Slope                                       | 1.00<br>1.00 |
| Us:<br>Ustifluvents-----    | 100                      | Very limited<br>Restricted<br>permeability<br>Slope                      | 1.00<br>1.00 | Very limited<br>Restricted<br>permeability<br>Slope                      | 1.00<br>1.00 | Very limited<br>Slope  | 1.00         |
|                             |                          |  |              |  |              | Restricted<br>permeability   | 1.00         |
| Va:<br>Vanoss-----          | 100                      | Not limited  |              | Not limited  |              | Not limited  |              |
| Vb:<br>Vanoss-----          | 100                      | Not limited  |              | Not limited  |              | Somewhat limited<br>Slope  | 0.00         |
| Vc:<br>Vanoss-----          | 100                      | Not limited  |              | Not limited  |              | Somewhat limited<br>Slope  | 0.87         |
| W:<br>Water (< 40 Acres)--  | 100                      | Not rated  |              | Not rated  |              | Not rated  |              |
| Wa:<br>Waurika-----         | 100                      | Very limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability | 1.00<br>1.00 | Very limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability | 1.00<br>1.00 | Very limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability | 1.00<br>1.00 |

RECREATIONAL INTERPRETATIONS--Continued  
Sumner County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

| Map symbol<br>and soil name | Pct<br>of<br>map<br>unit | Paths and trails                                       |              | Golf fairways  |              |
|-----------------------------|--------------------------|--|--------------|--|--------------|
|                             |                          | Rating class and<br>limiting features                  | Value        | Rating class and<br>limiting features                      | Value        |
| 015LS:<br>Ladysmith-----    | 90                       | Not limited  |              | Not limited  |              |
| 035LG:<br>Lincoln-----      | 55                       | Somewhat limited<br>Too sandy                          | 0.50         | Somewhat limited<br>Droughty<br>Flooding                   | 0.74<br>0.60 |
| Tivoli-----                 | 30                       | Somewhat limited<br>Too sandy                          | 0.98         | Somewhat limited<br>Droughty<br>Slope                      | 0.96<br>0.00 |
| 035VC:<br>Vanoss-----       | 90                       | Not limited  |              | Not limited  |              |
| 035VD:<br>Verdigris-----    | 85                       | Not limited  |              | Somewhat limited<br>Flooding                               | 0.60         |
| 077AN:<br>Kaski-----        | 100                      | Somewhat limited<br>Flooding                           | 0.40         | Very limited<br>Flooding                                   | 1.00         |
| 077BM:<br>Lincoln-----      | 100                      | Somewhat limited<br>Too sandy                          | 0.79         | Somewhat limited<br>Droughty<br>Flooding                   | 0.65<br>0.60 |
| 077BP:<br>Woodward-----     | 65                       | Not limited  |              | Somewhat limited<br>Depth to bedrock<br>Slope              | 0.42<br>0.37 |
| Port-----                   | 35                       | Somewhat limited<br>Flooding                           | 0.40         | Very limited<br>Flooding                                   | 1.00         |
| 077CE:<br>Corbin-----       | 100                      | Not limited  |              | Not limited  |              |
| 077CF:<br>Corbin-----       | 100                      | Not limited  |              | Not limited  |              |
| 077GN:<br>Grant-----        | 100                      | Not limited  |              | Not limited  |              |
| 077GS:<br>Grant-----        | 100                      | Not limited  |              | Not limited  |              |
| 077KR:<br>Kirkland-----     | 70                       | Not limited  |              | Not limited  |              |
| Renfrow-----                | 30                       | Not limited  |              | Not limited  |              |
| 077KW:<br>Kirkland-----     | 70                       | Not limited  |              | Not limited  |              |
| Renfrow-----                | 30                       | Not limited  |              | Not limited  |              |
| 077PH:<br>Dale-----         | 100                      | Not limited  |              | Not limited  |              |
| 077PT:<br>Pratt-----        | 50                       | Somewhat limited<br>Too sandy                          | 0.37         | Somewhat limited<br>Slope                                  | 0.63         |
| Tivoli-----                 | 50                       | Somewhat limited<br>Too sandy                          | 0.92         | Somewhat limited<br>Droughty<br>Slope                      | 0.98<br>0.63 |
| 077SO:<br>Shellabarger----- | 70                       | Not limited  |              | Somewhat limited<br>Slope                                  | 0.37         |
| Albion-----                 | 30                       | Not limited  |              | Somewhat limited<br>Slope                                  | 0.37         |
| 077TH:<br>Tivoli-----       | 100                      | Very limited<br>Too sandy                              | 1.00         | Very limited<br>Droughty<br>Slope                          | 1.00<br>0.63 |
| 095DA:<br>Dillwyn-----      | 60                       | Somewhat limited<br>Too sandy                          | 0.37         | Somewhat limited<br>Droughty<br>Depth to<br>saturated zone | 0.22<br>0.19 |
| Plevna-----                 | 40                       | Very limited<br>Depth to<br>saturated zone<br>Flooding | 1.00<br>0.40 | Very limited<br>Flooding<br>Depth to<br>saturated zone     | 1.00<br>1.00 |
| 095OA:<br>Wellsford-----    | 100                      | Not limited  |              | Very limited<br>Depth to bedrock<br>Droughty               | 1.00<br>1.00 |
| 095RA:<br>Renfrow-----      | 100                      | Not limited  |              | Not limited  |              |
| 173EA:<br>Elandco-----      | 100                      | Not limited  |              | Not limited  |              |
| 173LA:<br>Lesho-----        | 100                      | Not limited  |              | Somewhat limited<br>Flooding                               | 0.60         |
| 173PB:<br>Plevna-----       | 100                      | Very limited   |              | Very limited   |              |

RECREATIONAL INTERPRETATIONS--Continued  
Sumner County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

| Map symbol<br>and soil name  | Pct<br>of<br>map<br>unit | Paths and trails                                      |              | Golf fairways   |              |
|------------------------------|--------------------------|---|--------------|---|--------------|
|                              |                          | Rating class and<br>limiting features                 | Value        | Rating class and<br>limiting features                 | Value        |
|                              |                          | Depth to<br>saturated zone                            | 1.00         | Flooding  | 1.00         |
|                              |                          | Flooding  | 0.40         | Depth to<br>saturated zone                            | 1.00         |
| 173RA:<br>Renfrow-----       | 100                      | Not limited   |              | Not limited   |              |
| 1439:<br>Crisfield-----      | 100                      | Somewhat limited<br>Too sandy                         | 0.00         | Somewhat limited<br>Droughty                          | 0.31         |
| AED:<br>Arents, Earthen Dam- | 100                      | Not rated   |              | Not rated   |              |
| Ba:<br>Bethany-----          | 100                      | Not limited   |              | Not limited   |              |
| Bb:<br>Bethany-----          | 100                      | Not limited   |              | Not limited   |              |
| BOA:<br>Borrow Areas-----    | 100                      | Not rated   |              | Not rated   |              |
| Br:<br>Brewer-----           | 100                      | Not limited   |              | Not limited   |              |
| Bs:<br>Brewer-----           | 70                       | Not limited   |              | Not limited   |              |
| Drummond-----                | 30                       | Not limited   |              | Not limited   |              |
| Ca:<br>Canadian-----         | 100                      | Not limited   |              | Not limited   |              |
| CAA:<br>Canadian-----        | 90                       | Not limited   |              | Not limited   |              |
| Cc:<br>Carwile-----          | 100                      | Very limited<br>Depth to<br>saturated zone            | 1.00         | Very limited<br>Depth to<br>saturated zone            | 1.00         |
| Cr:<br>Corbin-----           | 100                      | Not limited   |              | Not limited   |              |
| Da:<br>Dale-----             | 100                      | Not limited   |              | Not limited   |              |
| Dr:<br>Dale-----             | 50                       | Not limited   |              | Not limited   |              |
| Reinach-----                 | 50                       | Not limited   |              | Not limited   |              |
| Ea:<br>Elandco-----          | 100                      | Not limited   |              | Somewhat limited<br>Flooding                          | 0.60         |
| Ec:<br>Elandco-----          | 100                      | Somewhat limited<br>Flooding                          | 0.40         | Very limited<br>Flooding                              | 1.00         |
| Fa:<br>Farnum-----           | 100                      | Not limited   |              | Not limited   |              |
| Fb:<br>Farnum-----           | 100                      | Not limited   |              | Not limited   |              |
| Fc:<br>Farnum-----           | 100                      | Not limited   |              | Not limited   |              |
| Fd:<br>Farnum-----           | 100                      | Not limited   |              | Not limited   |              |
| GRP:<br>Gravel Pits-----     | 100                      | Not rated   |              | Not rated   |              |
| INT:<br>Aguolls-----         | 100                      | Very limited<br>Depth to<br>saturated zone<br>Ponding | 1.00<br>1.00 | Very limited<br>Depth to<br>saturated zone<br>Ponding | 1.00<br>1.00 |
| IRR:<br>Irwin-----           | 85                       | Not limited   |              | Not limited   |              |
| Ka:<br>Kirkland-----         | 100                      | Not limited   |              | Not limited   |              |
| Kb:<br>Kirkland-----         | 100                      | Not limited   |              | Not limited   |              |
| Kc:<br>Kirkland-----         | 100                      | Not limited   |              | Not limited   |              |
| Lo:<br>Lesho-----            | 100                      | Not limited   |              | Somewhat limited<br>Flooding                          | 0.60         |
| Ls:<br>Lincoln-----          | 100                      | Somewhat limited<br>Too sandy<br>Flooding             | 0.79<br>0.40 | Very limited<br>Flooding<br>Droughty                  | 1.00<br>0.90 |
| M-W:<br>Miscellaneous Water- | 100                      | Not rated   |              | Not rated   |              |



RECREATIONAL INTERPRETATIONS--Continued  
Sumner County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

| Map symbol<br>and soil name | Pct<br>of<br>map<br>unit | Paths and trails                       |              | Golf fairways  |                      |
|-----------------------------|--------------------------|--|--------------|--|----------------------|
|                             |                          | Rating class and<br>limiting features  | Value        | Rating class and<br>limiting features                              | Value                |
| Ma:<br>Milan-----           | 100                      | Not limited                            |              | Not limited  |                      |
| Mb:<br>Milan-----           | 100                      | Not limited                            |              | Not limited  |                      |
| Mc:<br>Milan-----           | 100                      | Not limited                            |              | Not limited  |                      |
| Md:<br>Milan-----           | 100                      | Not limited                            |              | Not limited  |                      |
| On:<br>Wellsford-----       | 100                      | Not limited                            |              | Very limited<br>Depth to bedrock<br>Droughty                       | 1.00<br>1.00         |
| Oo:<br>Wellsford-----       | 100                      | Not limited                            |              | Very limited<br>Depth to bedrock<br>Droughty                       | 1.00<br>1.00         |
| Op:<br>Wellsford-----       | 65                       | Not limited                            |              | Very limited<br>Depth to bedrock<br>Droughty<br>Slope              | 1.00<br>1.00<br>0.96 |
| Elandco-----                | 35                       | Somewhat limited<br>Flooding           | 0.40         | Very limited<br>Flooding   | 1.00                 |
| Or:<br>Wellsford-----       | 65                       | Not limited                            |              | Very limited<br>Depth to bedrock<br>Droughty                       | 1.00<br>1.00         |
| Renfrow-----                | 35                       | Not limited                            |              | Not limited  |                      |
| Os:<br>Wellsford-----       | 65                       | Somewhat limited<br>Slope              | 0.08         | Very limited<br>Depth to bedrock<br>Droughty<br>Slope              | 1.00<br>1.00<br>1.00 |
| Shale Outcrop-----          | 35                       | Very limited<br>Slope<br>Water erosion | 1.00<br>1.00 | Very limited<br>Slope  | 1.00                 |
| Pa:<br>Pond Creek-----      | 100                      | Not limited                            |              | Not limited  |                      |
| Pb:<br>Pond Creek-----      | 100                      | Not limited                            |              | Not limited  |                      |
| Pc:<br>Pond Creek-----      | 100                      | Not limited                            |              | Not limited  |                      |
| Pd:<br>Pond Creek-----      | 100                      | Not limited                            |              | Not limited  |                      |
| Px:<br>Pratt-----           | 100                      | Somewhat limited<br>Too sandy          | 0.37         | Not limited  |                      |
| Ra:<br>Renfrow-----         | 70                       | Not limited                            |              | Not limited  |                      |
| Grainola-----               | 30                       | Not limited                            |              | Somewhat limited<br>Depth to bedrock<br>Content of large<br>stones | 0.06<br>0.03         |
| Ro:<br>Rosehill-----        | 100                      | Not limited                            |              | Somewhat limited<br>Depth to bedrock                               | 0.06                 |
| Rs:<br>Rosehill-----        | 100                      | Not limited                            |              | Somewhat limited<br>Depth to bedrock                               | 0.06                 |
| Rx:<br>Rosehill-----        | 100                      | Not limited                            |              | Somewhat limited<br>Depth to bedrock                               | 0.06                 |
| Sa:<br>Shellabarger-----    | 100                      | Not limited                            |              | Not limited  |                      |
| Sb:<br>Shellabarger-----    | 100                      | Not limited                            |              | Not limited  |                      |
| Sc:<br>Shellabarger-----    | 100                      | Not limited                            |              | Not limited  |                      |
| Ta:<br>Tabler-----          | 100                      | Not limited                            |              | Not limited  |                      |
| Tv:<br>Tivoli-----          | 100                      | Very limited<br>Too sandy<br>Slope     | 1.00<br>0.18 | Very limited<br>Slope<br>Droughty                                  | 1.00<br>1.00         |
| Us:<br>Ustifluvents-----    | 100                      | Very limited<br>Water erosion<br>Slope | 1.00<br>0.00 | Very limited<br>Slope  | 1.00                 |

RECREATIONAL INTERPRETATIONS--Continued  
Sumner County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

| Map symbol<br>and soil name | Pct<br>of<br>map<br>unit | Paths and trails                           |       | Golf fairways                              |       |
|-----------------------------|--------------------------|--|-------|--|-------|
|                             |                          | Rating class and<br>limiting features      | Value | Rating class and<br>limiting features      | Value |
| Va:<br>Vanoss-----          | 100                      | Not limited                                |       | Not limited                                |       |
| Vb:<br>Vanoss-----          | 100                      | Not limited                                |       | Not limited                                |       |
| Vc:<br>Vanoss-----          | 100                      | Not limited                                |       | Not limited                                |       |
| W:<br>Water (< 40 Acres)--  | 100                      | Not rated                                  |       | Not rated                                  |       |
| Wa:<br>Waurika-----         | 100                      | Very limited<br>Depth to<br>saturated zone | 1.00  | Very limited<br>Depth to<br>saturated zone | 1.00  |

