

CONSERVATION TREE AND SHRUB MANAGEMENT
Wabaunsee County, Kansas

A Conservation Tree/Shrub Suitability Group (CTSG), formerly Windbreak Suitability Group, is a physiographic unit or area having similar climatic and edaphic characteristics that control the selection and height growth of trees and shrubs.

In this table, the Conservation Tree and Shrub Grouping is expressed as a group index number. The group index for Conservation Tree and Shrub groups (CTSG) are a guide for species best suited for different kinds of soil and for prediction height, growth, and effectiveness. The groupings can be used when selection woody plants for windbreaks, wildlife plantings riparian buffers, reforestation, other environmental plantings, recreation, landscaping, wetland restoration or enhancement and critical area plantings. CTSG's are developed to assure satisfactory species selection and adaptation to specific conditions of soil, climate and physiography. CTSG's are a guide for selection species best suited for different kinds of soil and prediction height growth and effectiveness.

All soil series mapped in the state have been placed in 10 groups of similar soil characteristics. Groups 1, 2, 3, 4, 6, and 9 are further divided into subgroups. In addition, all groups provide information by Major Land Resource Areas.

Each tree or shrub species has certain climatic and physiographic limits. Within these parameters a tree or shrub may be well or poorly suited because of soil characteristics. Each tree or shrub also has definable potentials of height growth depending on the factors just mentioned. Accurate definitions of potential heights are necessary for proper windbreak planning and design.

Windbreaks protect livestock, buildings, roads and yards from wind and snow. They also protect fruit trees and gardens, and they furnish habitat for wildlife. Several rows of low-growing and high-growing broadleaf and coniferous trees and shrubs provide the most protection.

Field windbreaks are narrow plantings made at right angles to the prevailing wind and at specific intervals across the field. The interval depends on the erodibility of the soil. Field windbreaks protect cropland and crops from wind, help to keep snow on the fields, and provide food and cover for wildlife.

Environmental plantings help to beautify and screen houses and other buildings and to abate noise. The plants, mostly evergreen shrubs and trees, are closely spaced. To ensure plant survival, a healthy planting stock of suitable species should be planted properly on a well prepared site and maintained in good condition.

Windbreaks are often planted on land that did not grow trees originally. Knowledge of how trees perform on such land can be gained only by observing and recording their performance where trees have been planted and survived. The problem is compounded by the fact that many favorite windbreak species are not indigenous to the areas in which they are planted.

The Kansas Field Office Technical Guide Notice KS-230, Conservation Tree and Shrub Plantings Suitability Groups shows the adapted species listing for each group index number. Showing the height that locally grown trees and shrubs are expected to reach in 20 years on various soils. The estimates are based on measurements and observation of established plantings that have been given adequate care. This information should be used to determine the placement of a windbreak, the area protected and the arrangement of species.

A number of attributes are included in the CTSG species tables for each group number found in this section of the Field Office Technical Guide. These attributes were rated subjectively and assigned a relative value to further assist those unfamiliar with individual species characteristics or desirability for the intended use. Definitions and explanations can be found. Additional information on planning windbreaks and screens and planting and caring for trees and shrubs can be obtained from the local office of the Natural Resources Conservation Service or of the Cooperative Extension Service or from a commercial nursery. See part 537 of the National Forestry Manual for additional information.

In the Tree and Shrub Management table interpretive ratings are given for various aspects of forest and conservation tree and shrub management. Some rating class terms indicate the degree to which the soils are suited to a specified forest management practice. Well suited indicates that the soil has features that are favorable for the specified practice and has no limitations. Good performance can be expected, and little or no maintenance is needed. Moderately well suited indicates that the soil has features that are moderately favorable for the specified practice. One or more soil properties are less than desirable and fair performance can be expected. Some maintenance is needed. Poorly suited indicates that the soil has one or more properties that are unfavorable for the specified practice. Overcoming the unfavorable properties requires special design, extra maintenance, and costly alteration. Unsited indicates that the expected performance of the soil is unacceptable for the specified practice or that extreme measures are needed to overcome the undesirable soil properties.

The paragraphs that follow indicate the soil properties considered in rating the soils for forest and conservation tree and shrub management practices. More detailed information about the criteria used in the ratings is available in the "National Forestry Manual," which is available in local offices of the Natural Resources Conservation Service or on the Internet. Also, in the Kansas Field Office Technical Guide Notice KS-230, Conservation Tree and Shrub Plantings Suitability Groups.

Ratings in the columns suitability for hand planting and suitability for mechanical planting are based on slope, depth to a restrictive layer, content of sand, plasticity index, rock fragments on or below the surface, depth to a water table, and ponding. The soils are described as well suited, moderately well suited, poorly suited, or unsited to these methods of planting. It is assumed that necessary site preparation is completed before seedlings are planted.

Ratings in the column suitability for mechanical site preparation (surface) are based on slope, depth to a restrictive layer, plasticity index, rock fragments on or below the surface, depth to a water table, and ponding. The soils are described as well suited, poorly suited, or unsited to this management activity. The part of the soil from the surface to a depth of about 1-foot is considered in the ratings.

Ratings in the column suitability for mechanical site preparation (deep) are based on slope, depth to a restrictive layer, rock fragments on or below the surface, depth to a water table, and ponding. The soils are described as well suited, poorly suited, or unsited to this management activity. The part of the soil from the surface to a depth of about 3 feet is considered in the ratings.

Ratings in the column potential for seedling mortality are based on flooding, ponding, depth to a water table, content of lime, reaction, salinity, available water capacity, soil moisture regime, soil temperature regime, aspect, and slope. The soils are described as having a low, moderate, or high potential for seedling mortality. See the National Forestry Manual, Subpart B for criteria used in rating management concerns. Specific information on plants and yields can be obtained from the local office of the Natural Resources Conservation Service or the Cooperative Extension Service.

CONSERVATION TREE AND SHRUB MANAGEMENT
Wabaunsee County,
Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Pines and spruces are prone to disease problems. See text for further explanation of ratings in this table.)

Map symbol and soil name	Wind break Group	Suitability for hand planting	Suitability for mechanical planting	Suitability for mechanical site preparation (surface)	Suitability for mechanical site preparation (deep)	Potential for seedling mortality
		Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
061BE: Benfield-----	4C	Moderately suited Stickiness	Poorly suited Slope Stickiness Rock fragments	Poorly suited Slope	Poorly suited Slope	Low
Florence-----	6D	Poorly suited Stickiness Rock fragments	Poorly suited Rock fragments Stickiness Slope	Poorly suited Rock fragments Stickiness	Well suited	Low
061KA: Kahola-----	1	Well suited	Well suited	Well suited	Well suited	Low
061KB: Kahola-----	1	Well suited	Well suited	Well suited	Well suited	Low
061KO: Konza-----	4C	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	Low
061TO: Tully-----	3	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
111CD: Clime-----	8	Moderately suited Stickiness	Moderately suited Slope Stickiness	Poorly suited Stickiness	Well suited	Low
Sogn-----	10	Unsuited Restrictive layer	Unsuited Restrictive layer Slope	Unsuited Restrictive layer	Unsuited Restrictive layer	Low
111EA: Elmont-----	3	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	Low
111IB: Ivan-----	1K	Well suited	Well suited	Well suited	Well suited	Moderate Soil reaction
111KA: Kenoma-----	4C	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	High Wetness
111KB: Kenoma-----	4C	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	High Wetness
111KC: Kenoma-----	4C	Poorly suited Stickiness	Poorly suited Stickiness Slope	Poorly suited Stickiness	Well suited	High Wetness
111KD: Kenoma-----	4C	Poorly suited Stickiness	Poorly suited Stickiness Slope	Poorly suited Stickiness	Well suited	High Wetness
111LA: Labette-----	4C	Moderately suited Stickiness	Moderately suited Stickiness Rock fragments	Well suited	Well suited	Low
111MB: Martin-----	4C	Poorly suited Stickiness	Poorly suited Stickiness Slope	Poorly suited Stickiness	Well suited	Low
111MC: Martin-----	4C	Poorly suited Stickiness	Poorly suited Stickiness Slope	Poorly suited Stickiness	Well suited	Low
111RA: Reading-----	1	Well suited	Well suited	Well suited	Well suited	Low
111TA: Tully-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
111TB: Tully-----	4C	Well suited	Moderately suited Slope	Well suited	Well suited	Low

CONSERVATION TREE AND SHRUB MANAGEMENT
Wabaunsee County,
Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Pines and spruces are prone to disease problems. See text for further explanation of ratings in this table.)

Map symbol and soil name	Wind break Group	Suitability for hand planting	Suitability for mechanical planting	Suitability for mechanical site preparation (surface)	Suitability for mechanical site preparation (deep)	Potential for seedling mortality
		Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
127IE: Irwin-----	4C	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	Low
127RD: Reading-----	1	Well suited	Well suited	Well suited	Well suited	Low
127TS: Tully-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
139CS: Clime-----	8	Moderately suited Stickiness	Moderately suited Stickiness Slope	Poorly suited Stickiness	Well suited	Low
Sogn-----	10	Unsuited Restrictive layer	Unsuited Restrictive layer Slope	Unsuited Restrictive layer	Unsuited Restrictive layer	Low
139EN: Eram-----	4C	Moderately suited Stickiness	Moderately suited Stickiness Slope	Well suited	Well suited	High Wetness
139KE: Kenoma-----	4	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	High Wetness
139LS: Lebo-----	6D	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
Summit-----	4C	Moderately suited Stickiness	Moderately suited Stickiness Slope	Well suited	Well suited	Low
139MB: Mason-----	1	Well suited	Well suited	Well suited	Well suited	Low
139SO: Summit-----	4C	Moderately suited Stickiness	Moderately suited Stickiness Slope	Well suited	Well suited	Low
139VB: Verdigris-----	1	Well suited	Well suited	Well suited	Well suited	Low
139VC: Verdigris-----	1	Well suited	Well suited	Well suited	Well suited	Low
149HS: Haynie-----	1K	Well suited	Well suited	Well suited	Well suited	Moderate Lime Low
Sarpy-----	1K	Moderately suited Sandiness	Moderately suited Sandiness	Well suited	Well suited	
149SF: Sarpy-----	1	Moderately suited Sandiness	Moderately suited Sandiness	Well suited	Well suited	High Wetness
161EM: Elmont-----	3	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
161IC: Irwin-----	4C	Poorly suited Stickiness	Poorly suited Stickiness Slope	Poorly suited Stickiness	Well suited	Low
161TT: Tully, eroded-----	4C	Moderately suited Stickiness	Moderately suited Stickiness	Poorly suited Stickiness	Well suited	Low
161TU: Tully-----	3	Moderately suited Stickiness	Moderately suited Stickiness Slope	Poorly suited Stickiness	Well suited	Low
177AN: Kennebec-----	1	Well suited	Well suited	Well suited	Well suited	Low
177BK: Martin-----	4C	Moderately suited	Moderately suited	Well suited	Well suited	Low

CONSERVATION TREE AND SHRUB MANAGEMENT
Wabaunsee County,
Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Pines and spruces are prone to disease problems. See text for further explanation of ratings in this table.)

Map symbol and soil name	Wind break Group	Suitability for hand planting	Suitability for mechanical planting	Suitability for mechanical site preparation (surface)	Suitability for mechanical site preparation (deep)	Potential for seedling mortality
		Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
Kennebec-----	1	Stickiness	Slope			
177GM:		Well suited	Stickiness	Well suited	Well suited	Low
Gymer-----	4C	Well suited	Well suited	Well suited	Well suited	Low
177KB:			Moderately suited			
Kennebec-----	1	Well suited	Slope	Well suited	Well suited	Low
177LD:			Well suited	Well suited	Well suited	Low
Ladysmith-----	4C	Poorly suited	Poorly suited	Poorly suited	Well suited	Low
177LM:		Stickiness	Stickiness	Stickiness		
Ladysmith-----	4C	Poorly suited	Poorly suited	Poorly suited	Well suited	Low
177MB:		Stickiness	Stickiness	Stickiness		
Martin-----	4C	Moderately suited	Moderately suited	Well suited	Well suited	Low
177MH:		Stickiness	Stickiness			
Martin, eroded-----	4C	Poorly suited	Poorly suited	Poorly suited	Well suited	Low
177PA:		Stickiness	Stickiness	Stickiness		
Pawnee-----	4C	Well suited	Slope	Well suited	Well suited	High Wetness
177SE:			Well suited	Well suited	Well suited	Low
Sarpy-----	1K	Well suited	Well suited	Well suited	Well suited	Low
Eudora-----	1	Well suited	Well suited	Well suited	Well suited	Low
177SV:						
Sogn-----	10	Unsuited	Unsuited	Unsuited	Unsuited	Low
		Restrictive layer	Restrictive layer	Restrictive layer	Restrictive layer	
Vinland-----	10	Well suited	Slope	Well suited	Well suited	Low
			Moderately suited			
			Slope			
AED:						
Arents, Earthen Dam-		Not rated	Not rated	Not rated	Not rated	Not rated
Ce:						
Chase-----	1	Poorly suited	Poorly suited	Poorly suited	Well suited	Low
		Stickiness	Stickiness	Stickiness		
Cm:						
Clime-----	8	Moderately suited	Moderately suited	Poorly suited	Well suited	Low
		Stickiness	Stickiness	Stickiness		
Cr:						
Clime-----	8	Moderately suited	Unsuited	Poorly suited	Poorly suited	Low
		Stickiness		Slope	Slope	
			Slope			
Cs:						
Clime-----	8	Moderately suited	Moderately suited	Well suited	Well suited	Low
		Stickiness	Slope			
Sogn-----	10	Well suited	Stickiness	Well suited	Unsuited	Low
			Moderately suited		Restrictive layer	
			Slope			
Eo:						
Elmont-----	3	Well suited	Moderately suited	Well suited	Well suited	Low
			Slope			
Eu:						
Eudora-----	1	Well suited	Well suited	Well suited	Well suited	Low
Ex:						
Eudora-----	1	Well suited	Well suited	Well suited	Well suited	Low
Kimo-----	1	Moderately suited	Moderately suited	Poorly suited	Well suited	Low
		Stickiness	Stickiness			
Fl:						
Florence-----	6D	Moderately suited	Moderately suited	Well suited	Well suited	Low
		Stickiness	Rock fragments			
			Stickiness			
			Slope			

CONSERVATION TREE AND SHRUB MANAGEMENT
Wabaunsee County,
Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Pines and spruces are prone to disease problems. See text for further explanation of ratings in this table.)

Map symbol and soil name	Wind break Group	Suitability for hand planting	Suitability for mechanical planting	Suitability for mechanical site preparation (surface)	Suitability for mechanical site preparation (deep)	Potential for seedling mortality
		Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
Labette-----	4C	Moderately suited Stickiness	Moderately suited Stickiness Rock fragments	Well suited	Poorly suited Restrictive layer	Low
FLL: Florence-----	6D	Moderately suited Stickiness	Moderately suited Rock fragments Slope Stickiness	Well suited	Well suited	Low
Labette-----	4C	Moderately suited Stickiness	Moderately suited Stickiness Rock fragments	Well suited	Well suited	Low
Gy: Gymer-----	4C	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
He: Haynie-----	1K	Well suited	Well suited	Well suited	Well suited	Moderate Lime
Ib: Irwin-----	4C	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	Low
Id: Irwin-----	4C	Moderately suited Stickiness	Moderately suited Stickiness Slope	Well suited	Well suited	Low
Iv: Ivan-----	1K	Well suited	Well suited	Well suited	Well suited	Moderate Soil reaction
Ix: Ivan-----	1K	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	Moderate Soil reaction
La: Labette-----	4C	Moderately suited Stickiness	Moderately suited Stickiness Rock fragments	Well suited	Well suited	Low
LBB: Labette-----	4C	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
Lm: Ladysmith-----	4C	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	Low
M-W: Miscellaneous Water-		Not rated	Not rated	Not rated	Not rated	Not rated
Mb: Martin-----	4C	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
Mc: Martin, eroded-----	4C	Poorly suited Stickiness	Poorly suited Stickiness Slope	Poorly suited Stickiness	Well suited	Low
Mr: Morrill-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Ms: Morrill-----	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Pa: Pawnee-----	4C	Well suited	Well suited	Well suited	Well suited	Low

CONSERVATION TREE AND SHRUB MANAGEMENT
Wabaunsee County,
Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Pines and spruces are prone to disease problems. See text for further explanation of ratings in this table.)

Map symbol and soil name	Wind break Group	Suitability for hand planting	Suitability for mechanical planting	Suitability for mechanical site preparation (surface)	Suitability for mechanical site preparation (deep)	Potential for seedling mortality
		Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
Pn: Pawnee-----	4C	Well suited	Moderately suited Slope	Well suited	Well suited	Low
Po: Pawnee, eroded-----	4C	Poorly suited Stickiness	Poorly suited Stickiness Slope	Poorly suited Stickiness	Well suited	Low
Px: Paxico-----	10	Well suited	Well suited	Well suited	Well suited	High Wetness
Rb: Reading-----	1	Well suited	Well suited	Well suited	Well suited	Low
Re: Reading-----	1	Well suited	Well suited	Well suited	Well suited	Low
Sa: Sarpy-----	1	Well suited	Well suited	Well suited	Well suited	High Wetness
Sc: Sarpy-----	1K	Well suited	Well suited	Well suited	Well suited	Low
Haynie-----	1K	Well suited	Well suited	Well suited	Well suited	Moderate Lime
Tz: Tuttle-----	10	Moderately suited Slope Stickiness	Unsuited Slope Rock fragments Stickiness	Unsuited Slope	Unsuited Slope	Low
W: Water-----		Not rated	Not rated	Not rated	Not rated	Not rated
Wb: Wabash-----	2	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	High Wetness
We: Wamego-----	6D	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
Wf: Wamego-----	6D	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	Well suited	Low
Wy: Wymore-----	4C	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	High Wetness

