

RECREATIONAL INTERPRETATIONS
Wabaunsee County, Kansas

Recreation

The soils of the survey area are rated in the following tables according to limitations that affect their suitability for recreation. The ratings are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect the recreational uses. Not limited indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. Slightly limited indicates that the soil has features that are favorable for the specified use. The limitations are minor and can be easily overcome. Good performance and low maintenance can be expected. Somewhat limited indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. Very limited indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Numerical ratings in the tables indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.00 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

The ratings in the tables are based on restrictive soil features, such as wetness, slope, and texture of the surface layer. Susceptibility to flooding is considered. Not considered in the ratings, but important in evaluating a site, are the location and accessibility of the area, the size and shape of the area and its scenic quality, vegetation, access to water, potential water impoundment sites, and access to public sewer lines. The capacity of the soil to absorb septic tank effluent and the ability of the soil to support vegetation also are important. Soils that are subject to flooding are limited for recreational uses by the duration and intensity of flooding and the season when flooding occurs. In planning recreational facilities, onsite assessment of the height, duration, intensity, and frequency of flooding is essential.

The information in this table can be supplemented by other information in this survey, for example, interpretations for building site development, construction materials, sanitary facilities, and water management.

Camp areas require site preparation, such as shaping and leveling the tent and parking areas, stabilizing roads and intensively used areas, and installing sanitary facilities and utility lines. Camp areas are subject to heavy foot traffic and some vehicular traffic. The ratings are based on the soil properties that affect the ease of developing camp areas and the performance of the areas after development. Slope, stoniness, and depth to bedrock or a cemented pan are the main concerns affecting the development of camp areas.

The soil properties that affect the performance of the areas after development are those that influence trafficability and promote the growth of vegetation, especially in heavily used areas. For good trafficability, the surface of camp areas should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Picnic areas are subject to heavy foot traffic. Most vehicular traffic is confined to access roads and parking areas. The ratings are based on the soil properties that affect the ease of developing picnic areas and that influence trafficability and the growth of vegetation after development. Slope and stoniness are the main concerns affecting the development of picnic areas. For good trafficability, the surface of picnic areas should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Playgrounds require soils that are nearly level, are free of stones, and can withstand intensive foot traffic. The ratings are based on the soil properties that affect the ease of developing playgrounds and that influence trafficability and the growth of vegetation after development. Slope and stoniness are the main concerns affecting the development of playgrounds. For good trafficability, the surface of the playgrounds should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Paths and trails for hiking and horseback riding should require little or no slope modification through cutting and filling. The ratings are based on the soil properties that affect trafficability and erodibility. These properties are stoniness, depth to a water table, ponding, flooding, slope, and texture of the surface layer.

Golf fairways are subject to heavy foot traffic and some light vehicular traffic. Cutting or filling may be required. Irrigation is not considered in the ratings. The ratings are based on the soil properties that affect plant growth and trafficability after vegetation is established. The properties that affect plant growth are reaction; depth to a water table; ponding; depth to bedrock or a cemented pan; the available water capacity in the upper 40 inches; the content of salts, sodium, or calcium carbonate; and sulfidic materials. The properties that affect trafficability are flooding, depth to a water table, ponding, slope, stoniness, and the amount of sand, clay, or organic matter in the surface layer. The suitability of the soil for traps, tees, roughs, and greens is not considered in the ratings.

RECREATIONAL INTERPRETATIONS--Continued
Wabaunsee County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
061BE: Benfield-----	42	Very limited Slope Restricted permeability	1.00 0.39	Very limited Slope Restricted permeability	1.00 0.39	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.39 0.01
Florence-----	28	Somewhat limited Gravel content Slope	0.54 0.16	Somewhat limited Gravel content Slope	0.54 0.16	Very limited Slope Gravel content Content of large stones	1.00 1.00 0.00
061KA: Kahola-----	75	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
061KB: Kahola-----	75	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
061KO: Konza-----	85	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability Slope	0.45 0.00
061TO: Tully-----	85	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Very limited Slope Restricted permeability	1.00 0.39
111CD: Clime-----	75	Somewhat limited Slope Too clayey Restricted permeability	0.84 0.50 0.39	Somewhat limited Slope Too clayey Restricted permeability	0.84 0.50 0.39	Very limited Slope Too clayey Restricted permeability Depth to bedrock	1.00 0.50 0.39 0.16
Sogn-----	25	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock Slope Content of large stones	1.00 0.87 0.00
111EA: Elmont-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability Slope	0.15 0.13
111IB: Ivan-----	100	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
111KA: Kenoma-----	92	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.00
111KB: Kenoma-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.00
111KC: Kenoma-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.87
111KD: Kenoma-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.87
111LA: Labette-----	100	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability Slope	0.39 0.00

RECREATIONAL INTERPRETATIONS--Continued
Wabaunsee County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
111MB: Martin-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
111MC: Martin-----	100	Very limited Too clayey Restricted permeability	1.00 0.94	Very limited Too clayey Restricted permeability	1.00 0.94	Very limited Too clayey Restricted permeability Slope	1.00 0.94 0.87
111RA: Reading-----	100	Very limited Flooding	1.00	Not limited		Not limited	
111TA: Tully-----	100	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Slope Restricted permeability Gravel content	0.87 0.39 0.06
111TB: Tully-----	100	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Slope Restricted permeability Gravel content	0.87 0.39 0.06
127IE: Irwin-----	90	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45	Somewhat limited Slope Restricted permeability	0.50 0.45
127RD: Reading-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Slope	0.00
127TS: Tully-----	90	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Slope Restricted permeability Gravel content	0.87 0.39 0.06
139CS: Clime-----	65	Somewhat limited Too clayey Restricted permeability Slope	0.50 0.39 0.04	Somewhat limited Too clayey Restricted permeability Slope	0.50 0.39 0.04	Very limited Slope Too clayey Restricted permeability Depth to bedrock	1.00 0.50 0.39 0.29
Sogn-----	20	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to bedrock Slope Content of large stones	1.00 1.00 0.00
139EN: Eram-----	85	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability Slope Depth to bedrock	1.00 0.94 0.87 0.65
139KE: Kenoma-----	85	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 0.13
139LS: Lebo-----	55	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope Depth to bedrock	1.00 0.46
Summit-----	35	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.39	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.19	Somewhat limited Restricted permeability Slope	0.94 0.87

RECREATIONAL INTERPRETATIONS--Continued
Wabaunsee County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
139MB: Mason-----	85	Very limited Flooding	1.00	Somewhat limited Restricted permeability	0.15	Depth to saturated zone	0.39
		Restricted permeability	0.15			Somewhat limited Restricted permeability	0.15
139SO: Summit-----	90	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Somewhat limited Restricted permeability	0.94
			0.39		0.19	Slope	0.87
						Depth to saturated zone	0.39
139VB: Verdigris-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
139VC: Verdigris-----	88	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
149HS: Haynie-----	60	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
Sarpy-----	25	Very limited Flooding Too sandy	1.00	Somewhat limited Too sandy	0.88	Somewhat limited Too sandy	0.88
			0.88			Flooding Slope	0.60 0.00
149SF: Sarpy-----	90	Very limited Flooding Too sandy	1.00 0.88	Somewhat limited Too sandy Flooding	0.88 0.40	Very limited Flooding Too sandy	1.00 0.88
161EM: Elmont-----	70	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
161IC: Irwin-----	85	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45	Very limited Slope	1.00
						Restricted permeability	0.45
161TT: Tully, eroded-----	85	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39
						Slope	0.13
						Gravel content	0.06
161TU: Tully-----	85	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Very limited Slope	1.00
						Restricted permeability	0.39
						Gravel content	0.06
177AN: Kennebec-----	90	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
177BK: Martin-----	54	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Very limited Slope	1.00
			0.44		0.22	Restricted permeability	0.94
						Depth to saturated zone	0.44
Kennebec-----	43	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
177GM: Gymer-----	88	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
177KB: Kennebec-----	95	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
177LD: Ladysmith-----	90	Somewhat limited		Somewhat limited		Somewhat limited	

RECREATIONAL INTERPRETATIONS--Continued
Wabaunsee County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
177LM: Ladysmith-----	85	Restricted permeability	0.45	Restricted permeability	0.45	Restricted permeability	0.45
		Depth to saturated zone	0.44	Depth to saturated zone	0.22	Depth to saturated zone	0.44
		Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone Slope	0.00
177MB: Martin-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone Slope	0.00
177MH: Martin, eroded-----	85	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Depth to saturated zone	0.44	Depth to saturated zone	0.22	Restricted permeability	0.94
		Slope	0.04	Slope	0.04	Depth to saturated zone	0.44
177PA: Pawnee-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability Slope	0.00
177SE: Sarpy-----	55	Very limited Flooding	1.00	Somewhat limited Too sandy	0.88	Somewhat limited Too sandy	0.88
		Too sandy	0.88			Flooding	0.60
Eudora-----	45	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
177SV: Sogn-----	55	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Slope	0.00	Slope	0.00	Slope Content of large stones	0.00
Vinland-----	25	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Slope	0.96	Slope	0.96	Slope Gravel content	0.04
AED: Arents, Earthen Dam-	100	Not rated		Not rated		Not rated	
Ce: Chase-----	85	Very limited Flooding	1.00	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
		Restricted permeability	0.94	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Depth to saturated zone	0.39				
Cm: Cline-----	85	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Slope	0.87
						Restricted permeability Depth to bedrock	0.39 0.29
Cr: Cline-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.39	Restricted permeability	0.39	Depth to bedrock	0.42
						Restricted permeability Content of large stones	0.39 0.00
Cs: Cline-----	60	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
		Restricted permeability	0.39	Restricted permeability	0.39	Restricted permeability	0.39

RECREATIONAL INTERPRETATIONS--Continued
Wabaunsee County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sogn-----	20	Very limited Depth to bedrock Slope	1.00 0.84	Very limited Depth to bedrock Slope	1.00 0.84	Depth to bedrock Very limited Depth to bedrock Slope Content of large stones	0.03 1.00 1.00 0.00
EO: Elmont-----	80	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope Restricted permeability	0.87 0.15
Eu: Eudora-----	95	Very limited Flooding	1.00	Not limited		Not limited	
Ex: Eudora-----	70	Very limited Flooding	1.00	Not limited		Not limited	
Kimo-----	25	Very limited Flooding Restricted permeability	1.00 0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
Fl: Florence-----	40	Very limited Gravel content Slope	1.00 0.04	Very limited Gravel content Slope	1.00 0.04	Very limited Gravel content Slope Content of large stones	1.00 1.00 0.00
Labette-----	30	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Slope Restricted permeability Depth to bedrock	0.50 0.39 0.10
FLL: Florence-----	60	Very limited Gravel content Slope	1.00 0.04	Very limited Gravel content Slope	1.00 0.04	Very limited Slope Gravel content Content of large stones	1.00 1.00 0.00
Labette-----	40	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Slope Restricted permeability Depth to bedrock	0.50 0.39 0.01
Gy: Gymer-----	85	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope Restricted permeability	1.00 0.15
He: Haynie-----	85	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
Ib: Irwin-----	80	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability Slope	0.45 0.00
Id: Irwin-----	90	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45	Somewhat limited Slope Restricted permeability	0.87 0.45
Iv: Ivan-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
Ix: Ivan-----	80	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
La: Labette-----	75	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Slope Restricted permeability Depth to bedrock	0.50 0.39 0.03
LBB: Labette-----	85	Somewhat limited		Somewhat limited		Somewhat limited	

RECREATIONAL INTERPRETATIONS--Continued
Wabaunsee County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lm: Ladysmith-----	90	Restricted permeability	0.39	Restricted permeability	0.39	Slope	0.87
						Restricted permeability	0.39
						Depth to bedrock	0.01
M-W: Miscellaneous Water-	100	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45
Not rated				Not rated		Not rated	
Mb: Martin-----	80	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
						Slope	0.87
Mc: Martin, eroded-----	85	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
						Slope	0.87
Mr: Morrill-----	75	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
						Gravel content	0.06
Ms: Morrill-----	75	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
		Slope	0.04	Slope	0.04	Restricted permeability	0.15
						Gravel content	0.02
						Content of large stones	0.01
Pa: Pawnee-----	85	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
						Slope	0.00
Pn: Pawnee-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Slope	0.87
						Depth to saturated zone	0.39
Po: Pawnee, eroded-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Slope	0.87
						Depth to saturated zone	0.39
Px: Paxico-----	90	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
		Depth to saturated zone	0.07	Depth to saturated zone	0.03	Depth to saturated zone	0.07
Rb: Reading-----	90	Very limited Flooding	1.00	Not limited		Not limited	
Re: Reading-----	90	Very limited Flooding	1.00	Not limited		Not limited	
Sa: Sarpy-----	85	Very limited Flooding	1.00	Somewhat limited Too sandy	0.88	Very limited Flooding	1.00
		Too sandy	0.88	Flooding	0.40	Too sandy	0.88
						Slope	0.00
Sc: Sarpy-----	45	Very limited Flooding	1.00	Somewhat limited Too sandy	0.88	Somewhat limited Too sandy	0.88
		Too sandy	0.88			Flooding	0.60

RECREATIONAL INTERPRETATIONS--Continued
Wabaunsee County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Haynie-----	30	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
Tz: Tuttle-----	85	Very limited Slope Restricted permeability	1.00 0.39	Very limited Slope Restricted permeability	1.00 0.39	Very limited Slope Content of large stones Restricted permeability	1.00 0.68 0.39
W: Water-----	100	Not rated		Not rated		Not rated	
Wb: Wabash-----	85	Very limited Depth to saturated zone Flooding Restricted permeability Too clayey	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Restricted permeability Too clayey	1.00 1.00 1.00	Very limited Depth to saturated zone Restricted permeability Too clayey Flooding	1.00 1.00 1.00 0.60
We: Wamego-----	75	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope Depth to bedrock	0.94 0.87 0.46
Wf: Wamego-----	75	Somewhat limited Restricted permeability Slope	0.94 0.37	Somewhat limited Restricted permeability Slope	0.94 0.37	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.94 0.84
Wy: Wymore-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.50

RECREATIONAL INTERPRETATIONS--Continued
Wabaunsee County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Paths and trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value
061BE: Benfield-----	42	Somewhat limited Slope	0.18	Very limited Slope	1.00
Florence-----	28	Not limited		Depth to bedrock	0.01
				Somewhat limited Gravel content	0.54
				Droughty	0.22
				Slope	0.16
				Content of large stones	0.00
061KA: Kahola-----	75	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
061KB: Kahola-----	75	Not limited		Somewhat limited Flooding	0.60
061KO: Konza-----	85	Not limited		Not limited	
061TO: Tully-----	85	Not limited		Not limited	
111CD: Clime-----	75	Somewhat limited Too clayey	0.50	Very limited Too clayey	1.00
				Slope	0.84
				Depth to bedrock	0.16
Sogn-----	25	Not limited		Very limited Depth to bedrock	1.00
				Droughty	1.00
				Content of large stones	0.00
111EA: Elmont-----	100	Not limited		Not limited	
111IB: Ivan-----	100	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
111KA: Kenoma-----	92	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
111KB: Kenoma-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
111KC: Kenoma-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
111KD: Kenoma-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
111LA: Labette-----	100	Not limited		Somewhat limited Depth to bedrock	0.01
111MB: Martin-----	100	Not limited		Not limited	
111MC: Martin-----	100	Very limited Too clayey	1.00	Very limited Too clayey	1.00
111RA: Reading-----	100	Not limited		Not limited	
111TA: Tully-----	100	Not limited		Not limited	
111TB: Tully-----	100	Not limited		Not limited	
127IE: Irwin-----	90	Not limited		Not limited	
127RD: Reading-----	90	Not limited		Not limited	
127TS: Tully-----	90	Not limited		Not limited	
139CS: Clime-----	65	Somewhat limited Too clayey	0.50	Very limited Too clayey	1.00
				Depth to bedrock	0.29
				Slope	0.04
Sogn-----	20	Not limited		Very limited Depth to bedrock	1.00
				Droughty	1.00
				Slope	0.04

RECREATIONAL INTERPRETATIONS--Continued
Wabaunsee County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Paths and trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value
				Content of large stones	0.00
139EN: Eram-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
139KE: Kenoma-----	85	Very limited Depth to saturated zone	1.00	Depth to bedrock	0.65
139LS: Lebo-----	55	Not limited		Very limited Depth to saturated zone	1.00
Summit-----	35	Not limited		Somewhat limited Depth to bedrock	0.46
139MB: Mason-----	85	Not limited		Slope	0.16
139SO: Summit-----	90	Not limited		Somewhat limited Depth to saturated zone	0.19
139VB: Verdigris-----	90	Not limited		Not limited	
139VC: Verdigris-----	88	Somewhat limited Flooding	0.40	Somewhat limited Depth to saturated zone	0.19
149HS: Haynie-----	60	Not limited		Flooding	0.60
Sarpy-----	25	Somewhat limited Too sandy	0.88	Somewhat limited Flooding	0.60
149SF: Sarpy-----	90	Somewhat limited Too sandy Flooding	0.88 0.40	Somewhat limited Flooding	0.60
161EM: Elmont-----	70	Not limited		Very limited Flooding	1.00
161IC: Irwin-----	85	Not limited		Very limited Flooding	1.00
161TT: Tully, eroded-----	85	Not limited		Somewhat limited Flooding	0.60
161TU: Tully-----	85	Not limited		Somewhat limited Droughty Flooding	0.69 0.60
177AN: Kennebec-----	90	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
177BK: Martin-----	54	Not limited		Not limited	
Kennebec-----	43	Somewhat limited Flooding	0.40	Somewhat limited Depth to saturated zone	0.22
177GM: Gymer-----	88	Not limited		Very limited Flooding	1.00
177KB: Kennebec-----	95	Not limited		Not limited	
177LD: Ladysmith-----	90	Not limited		Somewhat limited Flooding	0.60
177LM: Ladysmith-----	85	Not limited		Somewhat limited Depth to saturated zone	0.22
177MB: Martin-----	90	Not limited		Somewhat limited Depth to saturated zone	0.19
177MH: Martin, eroded-----	85	Not limited		Somewhat limited Depth to saturated zone	0.19
				Slope	0.04

RECREATIONAL INTERPRETATIONS--Continued
Wabaunsee County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Paths and trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value
177PA: Pawnee-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
177SE: Sarpy-----	55	Somewhat limited Too sandy	0.88	Somewhat limited Droughty Flooding	0.69 0.60
Eudora-----	45	Not limited		Somewhat limited Flooding	0.60
177SV: Sogn-----	55	Not limited		Very limited Depth to bedrock Droughty Slope Content of large stones	1.00 1.00 0.00 0.00
Vinland-----	25	Not limited		Very limited Depth to bedrock Slope Droughty	1.00 0.96 0.40
AED: Arents, Earthen Dam-	100	Not rated		Not rated	
Ce: Chase-----	85	Not limited		Somewhat limited Depth to saturated zone	0.19
Cm: Clime-----	85	Not limited		Somewhat limited Depth to bedrock	0.29
Cr: Clime-----	85	Very limited Slope	1.00	Very limited Slope Depth to bedrock Content of large stones	1.00 0.42 0.00
Cs: Clime-----	60	Not limited		Somewhat limited Slope Depth to bedrock	0.84 0.03
Sogn-----	20	Not limited		Very limited Depth to bedrock Slope Droughty Content of large stones	1.00 0.84 0.17 0.00
Eo: Elmont-----	80	Not limited		Not limited	
Eu: Eudora-----	95	Not limited		Not limited	
Ex: Eudora-----	70	Not limited		Not limited	
Kimo-----	25	Not limited		Not limited	
Fl: Florence-----	40	Not limited		Very limited Gravel content Slope Content of large stones	1.00 0.04 0.00
Labette-----	30	Not limited		Somewhat limited Depth to bedrock	0.10
FLL: Florence-----	60	Not limited		Very limited Gravel content Slope Droughty Content of large stones	1.00 0.04 0.03 0.00
Labette-----	40	Not limited		Somewhat limited Depth to bedrock	0.01
Gy: Gymer-----	85	Not limited		Not limited	
He: Haynie-----	85	Not limited		Somewhat limited Flooding	0.60
Ib: Irwin-----	80	Not limited		Not limited	
Id: Irwin-----	90	Not limited		Not limited	

RECREATIONAL INTERPRETATIONS--Continued
Wabaunsee County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Paths and trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Iv: Ivan-----	90	Not limited		Somewhat limited Flooding	0.60
Ix: Ivan-----	80	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
La: Labette-----	75	Not limited		Somewhat limited Depth to bedrock	0.03
LBB: Labette-----	85	Not limited		Somewhat limited Depth to bedrock	0.01
Lm: Ladysmith-----	90	Not limited		Not limited	
M-W: Miscellaneous Water-	100	Not rated		Not rated	
Mb: Martin-----	80	Not limited		Not limited	
Mc: Martin, eroded-----	85	Not limited		Not limited	
Mr: Morrill-----	75	Not limited		Not limited	
Ms: Morrill-----	75	Not limited		Somewhat limited Slope Content of large stones	0.04 0.01
Pa: Pawnee-----	85	Not limited		Somewhat limited Depth to saturated zone	0.19
Pn: Pawnee-----	90	Not limited		Somewhat limited Depth to saturated zone	0.19
Po: Pawnee, eroded-----	90	Not limited		Somewhat limited Depth to saturated zone	0.19
Px: Paxico-----	90	Somewhat limited Flooding	0.40	Very limited Flooding Depth to saturated zone	1.00 0.03
Rb: Reading-----	90	Not limited		Not limited	
Re: Reading-----	90	Not limited		Not limited	
Sa: Sarpy-----	85	Somewhat limited Too sandy Flooding	0.88 0.40	Very limited Flooding Droughty	1.00 0.69
Sc: Sarpy-----	45	Somewhat limited Too sandy	0.88	Somewhat limited Droughty Flooding	0.69 0.60
Haynie-----	30	Not limited		Somewhat limited Flooding	0.60
Tz: Tuttle-----	85	Very limited Slope	1.00	Very limited Slope Content of large stones	1.00 0.68
W: Water-----	100	Not rated		Not rated	
Wb: Wabash-----	85	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey Flooding	1.00 1.00 0.60
We: Wamego-----	75	Not limited		Somewhat limited Depth to bedrock	0.46
Wf: Wamego-----	75	Not limited		Somewhat limited Depth to bedrock	0.84

RECREATIONAL INTERPRETATIONS--Continued
Wabaunsee County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Paths and trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Wy: Wymore-----	100			Slope	0.37
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

