

Pottawatomie County, Kansas: Published  
Field Office Thunderbook: Soils Properties for Conservation Planning

(Entries under "Erosion factors--T" apply to the entire profile. Entries under "K", "Kf", "Wind Erodibility Group" and "Wind Erodibility Index" apply only to the surface layer)

Map symbol and soil name	Percent	Irr Cap Class	Nonirr Cap Class	Prime Farmland	Hydro- logic Group	Range site name	Windbreak suitability group	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
								K	Kf	T		
085MA:MARTIN----	90	N/A	3e	Not prime farmland	C	Loamy Upland (pe30-37)	8	.37	.37	5	7	38
117SA:SHELBY----	91	N/A	3e	Not prime farmland	B	Loamy Upland (pe30-37)	7	.28	.28	5	6	48
117SC:STEINAUER-	60	N/A	4e	Not prime farmland	B	Limy Upland (pe30-37)	5	.32	.32	5	4L	86
117SC:SHELBY----	25	N/A	4e	Not prime farmland	B	Unspecified	7	.28	.28	5	6	48
131BS:BURCHARD--	63	N/A	3e	Not prime farmland	B	Loamy Upland (pe30-37)	7	.28	.28	5	6	48
131BS:STEINAUER-	27	N/A	4e	Not prime farmland	B	Limy Upland (pe30-37)	5	.32	.32	5	4L	86
131CH:CHASE-----	89	N/A	2w	All areas are prime farmland	C	Loamy Lowland (pe30-37)	8	.37	.37	5	7	38
177KS:KIPSON----	50	N/A	6e	Not prime farmland	D	Limy Upland (pe30-37)	5	.32	.32	2	4L	86
177KS:SOGN-----	35	N/A	6e	Not prime farmland	D	Shallow Limy (pe30-37)	5	.32	.32	1	4L	86
177MC:MARTIN----	85	N/A	3e	All areas are prime farmland	C	Loamy Upland (pe35-42)	8	.37	.37	5	7	38
197SA:SARPY-----	85	N/A	4s	Not prime farmland	A	Sandy Lowland (pe30-36)	2	.17	.17	5	2	134
197SC:SARPY-----	45	N/A	3w	Not prime farmland	A	Sandy Lowland (pe30-36)	2	.17	.17	5	2	134
197SC:HAYNIE----	30	N/A	3w	Not prime farmland	B	Loamy Lowland (pe30-36)	3	.37	.37	5	3	86
600AD:IVAN-----	99	N/A	5w	Not prime farmland	B	Loamy Lowland (pe25-34)	5	.32	.32	5	4L	86
600CA:CARR-----	45	N/A	3w	Not prime farmland	B	Sandy Lowland (pe30-36)	3	.24	.24	4	3	86
600CA:SARPY-----	40	N/A	3w	Not prime farmland	A	Sands (pe30-36)	2	.17	.17	5	2	134
600SA:SARPY-----	98	N/A	4s	Not prime farmland	A	Sands (pe30-36)	2	.17	.17	5	2	134
AED:ARENTS, EARTHEN DAM----	100	N/A	8	Not prime farmland		Unspecified		---	---	-	---	---
Bd:BENFIELD-----	85	N/A	3e	All areas are prime farmland	C	Loamy Upland (pe30-36)	8	.37	.43	3	7	38

Pottawatomie County, Kansas: Published  
Field Office Thunderbook: Soils Properties for Conservation Planning--Continued

Map symbol and soil name	Percent	Irr Cap Class	Nonirr Cap Class	Prime Farmland	Hydro- logic Group	Range site name	Windbreak suitability group	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
								K	Kf	T		
Bf:BENFIELD-----	70	N/A	6e	Not prime farmland	C	Loamy Upland (pe30-36)	8	.37	.43	3	7	38
Bf:FLORENCE-----	15	N/A	6e	Not prime farmland	C	Loamy Upland (pe30-36)	9	.24	.64	3	8	0
Ce:CHASE-----	85	N/A	2w	All areas are prime farmland	C	Loamy Lowland (pe30-37)	8	.37	.37	5	7	38
Cm:CLIME-----	90	N/A	7e	Not prime farmland	C	Limy Upland (pe30-36)	4	.32	.32	3	4	86
Cs:CLIME-----	70	N/A	6e	Not prime farmland	C	Limy Upland (pe30-36)	4	.32	.32	3	4	86
Cs:SOGN-----	15	N/A	6e	Not prime farmland	D	Shallow Limy (pe30-36)	5	.32	.32	1	4L	86
Em:ELMONT-----	85	N/A	3e	All areas are prime farmland	B	Loamy Upland (pe30-37)	8	.32	.32	4	7	38
EO:ELMONT-----	80	N/A	3e	Not prime farmland	B	Loamy Upland (pe30-37)	8	.32	.32	4	7	38
Eu:EUDORA-----	90	N/A	1	All areas are prime farmland	B	Loamy Lowland (pe30-37)	6	.32	.32	5	5	56
Ex:EUDORA-----	60	N/A	2w	All areas are prime farmland	B	Loamy Lowland (pe30-37)	6	.32	.32	5	5	56
Ex:KIMO-----	30	N/A	2w	All areas are prime farmland	C	Clay Lowland (pe30-37)	4	.37	.37	5	4	86
Gm:GYMER-----	90	N/A	3e	All areas are prime farmland	C	Loamy Upland (pe30-37)	8	.32	.32	5	7	38
Hn:HAYNIE-----	85	N/A	2w	All areas are prime farmland	B	Loamy Lowland (pe30-37)	3	.37	.37	5	3	86
Hs:HAYNIE-----	60	N/A	3w	Not prime farmland	B	Loamy Lowland (pe30-37)	3	.37	.37	5	3	86
Hs:SARPY-----	25	N/A	3w	Not prime farmland	A	Sandy Lowland (pe30-37)	1	.15	.15	5	1	250
Kc:KENNEBEC-----	85	N/A	5w	Not prime farmland	B	Loamy Lowland (pe30-37)	7	.32	.32	5	6	48
Kf:KENNEBEC-----	95	N/A	2w	All areas are prime farmland	B	Loamy Lowland (pe35-42)	7	.28	.28	5	6	48
Km:KIMO-----	90	N/A	2w	All areas are prime farmland	C	Clay Lowland (pe30-37)	4	.37	.37	5	4	86
M- W:MISCELLANEOUS WATER-----	100	N/A	N/A	Not prime farmland		Unspecified		---	---	-	---	---

Pottawatomie County, Kansas: Published  
Field Office Thunderbook: Soils Properties for Conservation Planning--Continued

Map symbol and soil name	Percent	Irr Cap Class	Nonirr Cap Class	Prime Farmland	Hydro- logic Group	Range site name	Windbreak suitability group	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
								K	Kf	T		
Mm:MONONA-----	90	N/A	3e	Not prime farmland	B	Loamy Upland (pe30-36)	7	.32	.32	5	6	48
Mo:MORRILL-----	90	N/A	3e	All areas are prime farmland	B	Loamy Upland (pe30-37)	7	.28	.32	5	6	48
Mr:MORRILL-----	95	N/A	3e	Not prime farmland	B	Loamy Upland (pe30-37)	7	.28	.32	5	6	48
Mt:MORRILL-----	85	N/A	6e	Not prime farmland	B	Loamy Upland (pe30-37)	7	.28	.32	5	6	48
Mu:MUIR-----	90	N/A	1	All areas are prime farmland	B	Loamy Terrace (pe30-36)	7	.32	.32	5	6	48
Op:ORTELLO-----	80	N/A	3e	All areas are prime farmland	B	Sandy (pe30-36)	3	.20	.20	4	3	86
Ot:ORTELLO-----	90	N/A	4e	Not prime farmland	B	Sandy (pe30-36)	3	.20	.20	4	3	86
Pe:PAWNEE-----	90	N/A	2e	All areas are prime farmland	D	Clay Upland (pe30-37)	7	.37	.37	5	6	48
Pn:PAWNEE-----	90	N/A	3e	Not prime farmland	D	Clay Upland (pe30-37)	7	.37	.37	5	6	48
Po:PAWNEE-----	85	N/A	4e	Not prime farmland	D	Clay Upland (pe30-37)	4	.37	.37	5	4	86
Ps:PAXICO-----	90	N/A	5w	Not prime farmland	B	Unspecified	5	.37	.37	5	4L	86
Pt:Pits, quarries-----	100	N/A	N/A	Not prime farmland		Unspecified		---	---	-	---	0
Re:READING-----	85	N/A	1	All areas are prime farmland	B	Loamy Lowland (pe30-36)	8	.32	.32	5	7	38
Sf:SARPY-----	90	N/A	4s	Not prime farmland	A	Sandy Lowland (pe30-37)	1	.15	.15	5	1	220
Sg:SHARPSBURG---	88	N/A	2e	All areas are prime farmland	B	Loamy Upland (pe30-37)	7	.32	.32	5	6	48
Th:THURMAN-----	85	N/A	4e	Not prime farmland	A	Sandy (pe30-36)	2	.17	.17	5	2	134
Tu:TULLY-----	85	N/A	3e	All areas are prime farmland	C	Loamy Upland (pe30-36)	8	.37	.37	5	7	38
Tx:TULLY-----	85	N/A	4e	Not prime farmland	C	Loamy Upland (pe30-36)	8	.37	.37	5	7	38
Tz:TUTTLE-----	85	N/A	7e	Not prime farmland	C	Unspecified	9	.20	.32	4	8	0

Pottawatomie County, Kansas: Published  
Field Office Thunderbook: Soils Properties for Conservation Planning--Continued

Map symbol and soil name	Percent	Irr Cap Class	Nonirr Cap Class	Prime Farmland	Hydro- logic Group	Range site name	Windbreak suitability group	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
								K	Kf	T		
W:WATER-----	100	N/A	N/A			Unspecified		---	---	-	---	---
Wb:WABASH-----	90	N/A	3w	Prime farmland if drained	D	Clay Lowland (pe30-37)	4	.28	.28	5	4	86
Wd:WAMEGO-----	85	N/A	4e	Not prime farmland	C	Loamy Upland (pe30-36)	7	.32	.32	3	6	48
We:WAMEGO-----	85	N/A	6e	Not prime farmland	C	Loamy Upland (pe30-36)	7	.32	.32	3	6	48
Wg:WANN-----	85	N/A	5w	Not prime farmland	B	Subirrigated (pe30-37)	3	.20	.20	5	3	86
Wk:WYMORE-----	100	N/A	2s	All areas are prime farmland	D	Clay Upland (pe30-36)	8	.37	.37	5	7	38
Wm:WYMORE-----	90	N/A	2e	All areas are prime farmland	D	Clay Upland (pe30-37)	8	.37	.37	5	7	38
Wn:WYMORE-----	90	N/A	3e	Not prime farmland	D	Clay Upland (pe30-37)	8	.37	.37	5	7	38
Ws:WYMORE VARIANT-----	85	N/A	2e	All areas are prime farmland	C	Loamy Upland (pe30-37)	3	.28	.28	5	3	86
Zo:ZOOK-----	90	N/A	2w	Prime farmland if drained	D	Clay Lowland (pe30-37)	8	.28	.28	5	7	38

