

Saline County, Kansas: Published
Field Office Thunderbook: Soils Properties for Conservation Planning

(Entries under "Erosion factors--T" apply to the entire profile. Entries under "K", "Kf", "Wind Erodibility Group" and "Wind Erodibility Index" apply only to the surface layer)

Map symbol and soil name	Percent	Irr Cap Class	Nonirr Cap Class	Prime Farmland	Hydro- logic Group	Range site name	Windbreak suitability group	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
								K	Kf	T		
041CE:CRETE-----	90	N/A	2s	All areas are prime farmland	C	Clay Upland (pe25-34)	8	.37	.37	5	7	38
041CG:CRETE-----	100	N/A	3e	All areas are prime farmland	C	Clay Upland (pe25-34)	8	.37	.37	5	7	38
041HA:HOBBS-----	100	N/A	2w	All areas are prime farmland	B	Loamy Lowland (pe25-34)	7	.32	.32	5	6	48
041LA:LANCASTER--	70	N/A	6e	Not prime farmland	B	Loamy Upland (pe25-34)	7	.28	.32	3	6	48
041LA:HEDVILLE--	30	N/A	6e	Not prime farmland	D	Shallow Sandstone (pe25- 34)	6	.32	.43	1	5	56
041MA:MCCOOK----	100	N/A	2w	All areas are prime farmland	B	Loamy Lowland (pe25-34)	5	.32	.32	5	4L	86
041MB:MUIR-----	80	N/A	1	All areas are prime farmland	B	Loamy Terrace (pe25-34)	7	.32	.32	5	6	48
113BR:BRIDGEPORT	100	1-	1	All areas are prime farmland	B	Loamy Terrace (pe26-30)	5	.32	.32	5	4L	86
113CM:CLIME-----	100	N/A	4e	Not prime farmland	C	Limy Upland (pe26-30)	4	.28	.28	3	4	86
113CS:CRETE-----	100	2e-	2e	All areas are prime farmland	C	Clay Upland (pe25-34)	7	.37	.37	5	6	48
113LN:LONGFORD--	100	3e-	3e	All areas are prime farmland	C	Loamy Upland (pe26-30)	8	.32	.32	5	7	38
113LO:LONGFORD--	100	N/A	4e	Not prime farmland	C	Loamy Upland (pe26-30)	8	.32	.32	5	7	38
113SM:SMOLAN----	90	2e-	2e	All areas are prime farmland	C	Loamy Upland (pe25-34)	8	.37	.37	5	7	38
115LM:LADYSMITH--	90	N/A	2s	All areas are prime farmland	D	Clay Upland (pe30-36)	8	.37	.37	5	7	38
143MD:MCCOOK----	100	N/A	2w	All areas are prime farmland	B	Loamy Lowland (pe26-30)	5	.32	.32	5	4L	86
Ba:BAVARIA-----	60	N/A	3s	Not prime farmland	C	Saline Lowland (pe26-30)	7	.43	.43	2	6	48
Ba:DETROIT-----	40	N/A	3s	Not prime farmland	C	Loamy Terrace (pe26-30)	7	.37	.37	5	6	48

Saline County, Kansas: Published
Field Office Thunderbook: Soils Properties for Conservation Planning--Continued

Map symbol and soil name	Percent	Irr Cap Class	Nonirr Cap Class	Prime Farmland	Hydro- logic Group	Range site name	Windbreak suitability group	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
								K	Kf	T		
Cd:CASS-----	89	N/A	2w	All areas are prime farmland	B	Sandy Lowland (pe26-30)	3	.20	.20	4	3	86
Ce:CLIME-----	100	N/A	4e	Not prime farmland	C	Limy Upland (pe25-34)	4	.37	.37	3	4	86
Co:COZAD-----	100	N/A	1		B	Loamy Terrace (pe25-34)	7	.32	.32	5	6	48
Cr:CRETE-----	100	N/A	2s	All areas are prime farmland	C	Clay Upland (pe26-30)	7	.37	.37	5	6	48
Cs:CRETE-----	100	N/A	3e	All areas are prime farmland	C	Clay Upland (pe26-30)	7	.37	.37	5	6	48
Cx:CRETE-----	60	N/A	3e	All areas are prime farmland	C	Clay Upland (pe26-30)	7	.37	.37	5	6	48
Cx:WELLS-----	40	N/A	3e	All areas are prime farmland	B	Loamy Upland (pe26-30)	7	.28	.28	5	6	48
De:DETROIT-----	100	N/A	1	All areas are prime farmland	C	Loamy Terrace (pe26-30)	8	.37	.37	5	7	38
Ed:EDALGO-----	100	N/A	4e	Not prime farmland	C	Clay Upland (pe26-30)	8	.37	.37	3	7	38
Ge:GEARY-----	100	2e-	2e	All areas are prime farmland	B	Loamy Upland (pe25-34)	7	.32	.32	5	6	48
Gf:GEARY-----	100	3e-	3e	All areas are prime farmland	B	Loamy Upland (pe25-34)	7	.32	.32	5	6	48
Ho:HORD-----	100	N/A	1	All areas are prime farmland	B	Loamy Terrace (pe26-30)	7	.32	.32	5	6	48
Ir:IRWIN-----	90	N/A	3e	All areas are prime farmland	D	Clay Upland (pe25-34)	8	.37	.37	5	7	38
Is:IRWIN-----	100	N/A	4e	All areas are prime farmland	D	Clay Upland (pe25-34)	8	.37	.37	5	7	38
Kc:KIPSON-----	60	N/A	6e	Not prime farmland	D	Limy Upland (pe25-34)	5	.32	.43	2	4L	86
Kc:CLIME-----	40	N/A	6e	Not prime farmland	C	Limy Upland (pe25-34)	4	.32	.32	3	4	86
Lf:LANCASTER----	100	N/A	4e	All areas are prime farmland	B	Loamy Upland (pe26-30)	7	.28	.28	3	6	48
Lh:LANCASTER----	60	N/A	6e	Not prime farmland	B	Loamy Upland (pe26-30)	7	.28	.43	3	6	48

Saline County, Kansas: Published
Field Office Thunderbook: Soils Properties for Conservation Planning--Continued

Map symbol and soil name	Percent	Irr Cap Class	Nonirr Cap Class	Prime Farmland	Hydro- logic Group	Range site name	Windbreak suitability group	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
								K	Kf	T		
Lh:HEDVILLE-----	40	N/A	6e	Not prime farmland	D	Shallow Sandstone (pe26- 30)	6	.32	.43	1	5	56
Lm:LONGFORD-----	100	N/A	2e	All areas are prime farmland	C	Loamy Upland (pe26-30)	7	.32	.32	5	6	48
Lo:LONGFORD-----	85	N/A	3e	All areas are prime farmland	C	Loamy Upland (pe26-30)	7	.32	.32	5	6	48
M- W:MISCELLANEOUS WATER-----	100	N/A	N/A	Not prime farmland		Unspecified		---	---	-	---	---
Mc:MCCOOK-----	100	N/A	1	All areas are prime farmland	B	Loamy Terrace (pe26-30)	5	.32	.32	5	4L	86
Ne:NEW CAMBRIA--	100	N/A	2s	All areas are prime farmland	C	Clay Terrace (pe26-30)	4	.28	.28	5	4	86
Ot:ORTELO-----	100	N/A	3e	All areas are prime farmland	B	Sandy (pe25-34)	3	.20	.20	4	3	86
Ov:ORTHENTS-----	100	N/A	N/A	Not prime farmland	D	Unspecified	4	.32	.32	5	4	86
Ro:ROXBURY-----	99	N/A	1	All areas are prime farmland	B	Loamy Terrace (pe26-30)	5	.32	.32	5	4L	86
Sm:SMOLAN-----	100	N/A	1	All areas are prime farmland	C	Loamy Upland (pe25-34)	7	.37	.37	5	6	48
So:SOLOMON-----	100	N/A	3w	Prime farmland if drained	D	Clay Lowland (pe25-34)	5	.28	.28	5	4L	86
St:SUTPHEN-----	100	N/A	3w	All areas are prime farmland	D	Clay Lowland (pe26-30)	4	.28	.28	5	4	86
To:TOBIN-----	100	N/A	2w	All areas are prime farmland	B	Loamy Lowland (pe26-30)	7	.32	.32	5	6	48
W:WATER-----	100	N/A	N/A			Unspecified		---	---	-	---	---
Wr:WELLS-----	90	N/A	2e	All areas are prime farmland	B	Loamy Upland (pe25-34)	7	.28	.28	5	6	48
Ws:WELLS-----	100	N/A	3e	All areas are prime farmland	B	Loamy Upland (pe26-30)	7	.28	.28	5	6	48

